

Industrial Training Questions and Answers

Q1. What is a variable in C/C++?

ANS. A variable is a named memory location used to store data that can be changed during program execution.

Q2. Why do we use variables in programs?

ANS. we use variables in program to temporarily store , label, and manipulate data in computers memory during execution.

Q3. What is the difference between a variable name and its value?

ANS. A variable name identifies a memory location, while its value is the data stored there.

Q4. Which of the following is a valid variable name? a) 2num b) total_marks c) for d) my marks

ANS. b) total_marks is a valid variable name.

Q5. Why is Age different from age?

ANS. because c++ is case-sensitive, therefore Age and age are different variables.

Q6. Can a variable name contain spaces? Why?

ANS. No , spaces are not allowed in variable names.

Q7. Can a variable name start with an underscore (_)?

ANS. Yes , a variable can start with an underscore.

Q8. What happens if two variables have the same name in the same scope?

ANS. It causes a compilation error if declared in the same scope.

Q9. Write three meaningful variable names for storing student information.

ANS. student Name, student Age , student roll no.

Q10. Which naming convention is better and why: student Marks or sm?

ANS. student Marks is better because it is meaningful and improves readability.

Q11. What is a data type?

ANS. A data type in c++ is an attribute that tells the compiler what kind of data a variable can store, how much memory to allocate for it, and how to interpret its binary bits.

Q12. Which data type is used to store whole numbers?

ANS. int data type stores whole numbers.

Q13. Which data type is used to store decimal values?

ANS. float and double store decimal values.

Q14. What is the difference between float and double?

ANS. double has greater precision and storage than float. a float is a single precision type that uses 32bits(4 bytes)of memory , while a double is a double precision type that uses 64 bits(8 bytes)of memory.

Q15. Which data type stores a single character?

ANS. char stores a single character.

Q16. Which data type stores True/False values?

ANS. bool stores true or false values.

Q17. What data type is suitable for storing a person's name?

ANS. string is suitable for storing a person's name.

Q18. Predict the output: int age=18; cout<<age;

ANS. the Output of this c++ code snippet will be:18.

Q19. Identify the data type: 25, 3.14, 'A', true.

ANS. 25=integer,

3.14=float/double,

'A'=char, true=bool.

Q20. What happens if you store a decimal number in an int variable?

ANS. The decimal portion is removed when stored in an int variable.

Q21. What is the purpose of cin?

ANS. cin is used to take input from the user.

Q22. What is the purpose of cout?

ANS. cout is used to display output.

Q23. Which symbol is used with cin?

ANS. >>operator.

Q24. Which symbol is used with cout?

ANS. << operator.

Q25. Explain: cin >> age;

ANS. It reads input from the keyboard and stores it in age.

Q26. Explain: cout << age;

ANS. It displays the value stored in age.

Q27. What is the purpose of endl?

ANS. endl moves the cursor to the next line.

Q28. Write a statement to input a student's marks.

ANS. cin >> marks;

Q29. Write a statement to display 'Welcome to C++'.

ANS. cout << "Welcome to C++";

Q30. Predict the output: cout << "Programming";

ANS. Output: Programming

Q31. What is an operator?

ANS. An operator performs operations on operands.

Q32. Which operator is used for addition?

ANS. plus sign(+).

Q33. What is the result of 10 % 3?

ANS. The result of 10 % 3 is: 1

Q34. What is the result of 8 % 2?

ANS. the result of 8 % 2 is 0

Q35. Which operator checks equality ?

ANS in c++, the operator used to check equality is the double equal sign ==(equality operator)

Q36. What is the difference between = and == ?

ANS. = assigns a value whereas

== compares values.

Q37. What is the result of 5 > 3?

ANS. Theb expresion 5 >3 in c++ evaluates to the boolean value true (1)

Q38. What does && represent?

ANS. Logical AND operator.

Q39. What does || represent?

ANS. Logical OR operator .

Q40. What does ! represent?

ANS. Logical NOR operator.