SAANJH AI

Claude Design → Claude Code
Product, UX, Engineering & India-Readiness Brief

An India-first AI companion platform built around thoughtful conversation, persistent memory, fictional characters and multimodal experiences.

WORKING BRAND Saanjh AI | **THEME** Midnight plum · rose · lavender · champagne

Prepared 13 October 2026

Copy-ready prompts and implementation acceptance criteria

How to use this brief

Use this document in sequence. First paste Prompt 1 into Claude Design. Review the generated design and export/save the approved screens, component library, tokens, assets and any implementation notes. Then start Claude Code in the project repository and paste Prompt 2. Tell Claude Code to inspect the actual design handoff before implementing. Do not ask it to invent a replacement design if approved assets already exist.

Important: Saanjh AI is a working name only. Check domain availability, Indian trademark records, company-name conflicts and social handles before public launch. This brief is a product/engineering specification, not a legal opinion or a guarantee of regulatory compliance.

Product direction

- **Working name:** Saanjh AI (pronounced roughly “saanjh”; evokes a calm, companionable evening).
- **Product category:** AI companions for conversation, emotional connection, creativity and fictional roleplay.
- **Initial market:** India-first; English, Hindi and natural Hinglish. Add regional languages based on validated demand.
- **Experience:** web-first, mobile-first, accessible and fast; desktop should still feel polished.
- **Core differentiator:** culturally relevant fictional companions + persistent memory + natural voice + carefully metered image/video creation.
- **Brand voice:** warm, respectful, emotionally intelligent, discreet, modern and non-judgmental. Never imply the AI is a real human.
- **Visual system:** premium night-time atmosphere, midnight plum/charcoal surfaces, rose and lavender accents, champagne highlights, soft ambient gradients, restrained glow and tasteful portrait cards.

Scope guardrails

- Build a focused V1. Do not implement every future idea at once. Text chat, account/auth, character catalogue, safe memory, credit ledger, basic image generation, billing abstraction, admin and compliance pages are the first milestone.
- Video generation and live voice calls must be implemented only when a compliant provider is approved and the cost/latency approach is validated. If provider credentials are missing, create a real adapter interface and a clearly labelled unavailable state—not a fake working demo.
- Never hard-code provider secrets, prices, payment success, generated media, legal claims or user entitlements in the client.
- A brand label such as “AI companion” does not exempt the actual service or outputs from laws, payment-provider terms, platform rules or model-provider policies. Do not misrepresent content or intended functionality to providers.

Prompt 1 — Claude Design

Paste the following complete prompt into Claude Design. Ask it to create the full design system and screen set before coding begins.

```
You are a principal product designer, UX researcher and design-systems lead. Design a production-quality,
responsive web product for an India-first AI companion platform. The working brand is “Saanjh AI”. This is
a complete design task, not just a landing-page mockup.

PRODUCT INTENT
Saanjh AI lets adults explore fictional AI companions, chat in English/Hindi/Hinglish, build an ongoing
conversational relationship through user-controlled memory, and optionally use voice, image and
short-video features when available. The experience must be honest that characters are AI. Design for
companionship, entertainment and creativity without claiming to be therapy or a substitute for human
support. Do not use explicit sexual imagery or erotic landing-page art. Use only fictional adult character
concepts, with clear adult presentation and no school/minor-coded styling.
```

BRAND & ART DIRECTION
- Brand: Saanjh AI (working name; trademark/domain not yet cleared).
- Brand feeling: calm evening, intimacy, warmth, trust, imagination and discretion.
- Palette: midnight plum #201A2A, deep plum #34243F, muted rose #D986A8, lavender #C7B9F2, champagne #E7D5B5, pale lilac #F7F3F8, white and soft charcoal.
- Default product experience: dark, atmospheric interface with carefully controlled gradients and contrast. Also design a clean light theme for settings, legal content and accessibility preference.
- Use a premium editorial type scale, clean sans-serif UI type, generous whitespace, rounded but not bubbly cards, subtle grain/ambient lighting only where it helps.
- Avoid cheap neon, clutter, excessive glassmorphism, casino/gambling cues, childish gamification, fake online indicators and oversexualized imagery.
- Character cards should feel cinematic and respectful: original fictional adult people, distinct visual identities, varied Indian backgrounds and styles. No real-person likenesses unless explicitly licensed.
- Motion should be quiet and purposeful: fade/slide transitions, subtle message arrival, soft hover states. Include reduced-motion alternatives.
- Create a responsive design for 360px mobile, 768px tablet and 1440px desktop. Mobile should be the first-class layout.

INFORMATION ARCHITECTURE
Create a coherent navigation and route map covering:
1. Public marketing home.
2. Explore companions / discovery.
3. Character detail/profile.
4. Sign up, login, verification and recovery.
5. Onboarding / preferences / language.
6. Chat workspace.
7. Companion memory and relationship preferences.
8. Image creation and gallery.
9. Video creation queue/result.
10. Voice call preflight, active call, reconnect/error and call summary.
11. Credits/Sparks wallet, transaction history and usage explanations.
12. Subscription plans and checkout.
13. Account settings, privacy controls, export/delete account.
14. Help centre, contact and grievance/report flow.
15. Admin/moderation dashboard.
16. Editorial/SEO pages if appropriate.
17. All legal/compliance pages listed later in this prompt.

KEY USER JOURNEY
Home → explore fictional companions → open profile → understand the AI disclosure and feature availability → sign up → select language and conversation preferences → start a chat → optionally save/inspect memory → try a bounded image or voice feature → view transparent usage/credit cost → purchase only through an approved payment flow → manage subscription and privacy.

SCREENS TO DESIGN
A. MARKETING & DISCOVERY
- Home page: strong value proposition, concise AI disclosure, clear CTA, featured fictional adult companions, “how it works”, language support, privacy controls, pricing preview, FAQ and footer.
- Explore page: search, filters (language, personality, interests, conversation style, voice/image availability), sort, empty states and loading skeletons.
- Character detail: original fictional identity, biography, personality traits, supported languages, available modalities, AI disclosure, user controls, start chat CTA, report button and content boundaries.
- Search no-results and network failure states.
- Pricing page: transparent inclusions, limits, renewal/cancellation details, taxes/fees where applicable, credit top-ups and FAQs. Do not promise “unlimited” unless the business can genuinely deliver it.

B. AUTHENTICATION & ONBOARDING
- Signup/login, OTP or email verification, password reset if passwords are supported, session-expired state, abuse/rate-limit state.
- Phone input supports +91 and international formats; never assume every user is in India.
- Age gate/eligibility UX that is not a dark pattern. Make the minimum age policy explicit and enforce it server-side.
- Consent screen with purpose-specific choices, privacy notice link and optional analytics/marketing consent separated from essential service processing.
- Onboarding asks language, preferred conversational tone and interests. All optional profile data must be skippable and editable.
- Explain that Saanjh characters are AI-generated/fictional, not real people.

C. CHAT WORKSPACE
- Responsive three-part desktop layout: companion list, conversation and contextual profile/memory panel.

On mobile, use a focused conversation with accessible navigation.
- Character header with fictional AI badge, availability of modalities, menu for mute/report/block/delete conversation.
- Chat bubbles, streaming response, typing/generating state, stop generation, retry, regenerate, copy, feedback and report controls.
- Clear distinction between user messages, AI messages, system notices and generated media.
- Empty conversation state, loading, offline, timeout, provider unavailable, safety refusal and rate limit states.
- Never show a fake “real person is online”, fake typing presence, fabricated human messages or manipulative “she misses you; pay now” patterns.
- Memory affordance: “What Saanjh remembers” with view/edit/delete controls; indicate when a memory is saved if applicable.
- Conversation export and delete confirmation.
- Crisis-sensitive UX: do not market the product as therapy. If a user expresses immediate self-harm intent, display calm supportive language and appropriate India-relevant emergency/support guidance only when verified; do not pretend the AI can dispatch help.

D. IMAGE / VIDEO / VOICE
- Image creation: prompt input, optional preset, clear credit estimate before generation, content policy note, queue/progress, cancel if supported, retry and download/delete.
- Image gallery: grid, filters, generation details, generated-content label, private-by-default, report/delete actions.
- Video creation: source image, prompt, duration/quality options only if provider supports them, explicit cost, queue/progress/cancel, failure/refund status and download.
- Voice-call preflight: microphone permission explanation, provider availability, expected credit rate and consent. No call starts without a clear user action.
- Active call: elapsed time, mute, speaker, end call, connection quality and remaining-credit/usage disclosure without alarmist countdown pressure.
- Call ended summary, transcript preference (off by default unless user opts in), delete recording/transcript controls, reconnect and permission-denied states.
- If any modality is not configured in the deployed environment, show it as “Coming soon” or “Unavailable in this region” with no misleading interaction.

E. WALLET, BILLING & SETTINGS
- Sparks wallet with earned/purchased/promotional balances separated in the ledger.
- Transaction history, usage detail per action, pending/failed/refunded transaction states.
- Plans with monthly price, billing interval, feature caps, renewal date and cancellation.
- Checkout confirmation, payment pending, success verified by server, failure, abandoned checkout and refund request.
- Never rely on a client-side success URL to grant credits.
- Settings: profile, language, theme, accessibility, notification controls, privacy, consent history, connected sessions, data export, delete account and subscription management.
- Account deletion explains what will be deleted, what may be retained for legal/security reasons and the expected completion process.

F. SUPPORT, TRUST & ADMIN
- Help centre with search and categorized articles.
- Contact support form with ticket confirmation and expected response language only if the company can meet it.
- Report a character, message, image, video, voice or account; block/mute flow; status/confirmation.
- Grievance contact details are data-driven placeholders until the company appoints the appropriate contact. Never invent an officer name, address, phone number or response SLA.
- Admin dashboard: user search by internal ID, character catalogue, provider health, generation jobs, credit ledger, payments/refunds, support tickets, reports, moderation queue, audit logs, feature flags and legal content versioning.
- Role-based access; sensitive content should be hidden by default and accessed only when needed for a documented support/moderation purpose. Design confirmation dialogs for destructive/admin actions.

LEGAL & TRUST PAGES
Design readable, accessible page templates and route entries for:
1. Terms of Service / Terms of Use.
2. Privacy Policy.
3. Cookie and tracking notice/preferences if cookies or similar tracking are used.
4. AI Transparency / AI Companion Disclosure.
5. Community Guidelines and Acceptable Use Policy.
6. Content Safety and Prohibited Content Policy.
7. Image, video and voice generation policy.
8. Copyright, impersonation and takedown/report policy.
9. Grievance Redressal / Contact / Complaint procedure.
10. Refund, cancellation and subscription policy.
11. Pricing, credits/Sparks and virtual-item terms.

12. Data retention, export and account deletion.
13. Security and vulnerability reporting contact.
14. Accessibility statement.
15. Law-enforcement/legal request contact process where appropriate.
16. Child safety statement and strict prohibition on sexual content involving minors or minor-coded characters.
17. Affiliate/sponsored disclosure page only if affiliate links or sponsorships are actually used.
18. AI-generated media labelling explanation.
These pages must be clearly linked in the footer and relevant checkout/settings contexts. The content must be marked as draft pending review by Indian counsel. Do not create fake legal text or claim that the site is “100% compliant”.

INDIA-FIRST UX DETAILS
- Display INR by default for India, but structure currency formatting for future markets.
- Use Asia/Kolkata in user-facing dates/times where relevant; store timestamps in UTC.
- Phone number entry should support +91 without blocking international users.
- Use plain English, with room for Hindi/Hinglish copy. Do not make legal pages Hindi-only or English-only by hard-coded assumptions.
- Show taxes, subscription interval, auto-renewal, cancellation and refund conditions before payment.
- Keep marketing consent separate from required service notices.
- No UPI/payment logos until a provider is integrated and approved.
- Include privacy and consent settings designed around India’s Digital Personal Data Protection framework, while leaving legal applicability/timing and final wording for counsel verification.

DESIGN SYSTEM DELIVERABLES
Provide:
- Brand wordmark concept and app icon direction (do not imply trademark clearance).
- Color tokens with semantic roles and accessible contrast notes.
- Typography scale, spacing scale, radii, shadows, border styles and elevation.
- Buttons, inputs, textareas, select controls, tabs, badges, chips, cards, modal, toast, tooltip, skeleton, pagination, alert, empty state and confirmation dialog.
- Chat components, character cards, media cards, generation progress, call controls, credit usage indicator and transaction rows.
- Responsive breakpoints and mobile navigation.
- Keyboard focus, hover, pressed, disabled, loading, success, warning, error and destructive states.
- Dark and light theme tokens; reduced-motion variant.
- A page/route inventory and component inventory.
- A handoff note explaining assets, dimensions, fonts, interactions, breakpoints and any unresolved assumptions.

QUALITY BAR
Make the result feel like a credible funded consumer product, not a generic AI template. Prioritize clarity, trust, conversion and accessibility over decoration. Keep UI copy concise. Avoid manipulative engagement patterns. Every visible control must have a defined behaviour and all screens need realistic loading, empty, error and success states. Provide desktop and mobile layouts for core flows. Do not code the backend in this task; deliver design and handoff artifacts that a coding agent can implement.

Prompt 2 — Claude Code

Use this prompt only after Claude Design has produced the approved screens and handoff. Run Claude Code from the project root. Give it access to the design export/assets. It must inspect the repository and design artifacts before changing files.

```
You are the staff full-stack engineer, security-minded architect and implementation lead for Saanjh AI.
Build the approved Claude Design handoff into a real, maintainable, production-oriented web application.
Do not stop at a static prototype. Inspect the existing repository, package manager, design assets and
handoff notes first. Preserve the approved design; do not replace it with a generic template.

WORKING BRAND & POSITIONING
- Product: Saanjh AI (working name; trademark/domain clearance is a separate task).
- Category: AI companions for conversation, creativity and fictional roleplay.
- India-first, web-first and mobile-first.
- Brand theme: midnight plum #201A2A, deep plum #34243F, muted rose #D986A8, lavender #C7B9F2, champagne
#E7D5B5, pale lilac #F7F3F8.
- The product must clearly disclose that companions are AI/fictional. Never misrepresent AI as a real
person.
- Do not infer that a non-adult brand position removes legal obligations. Implement safety and compliance
controls based on actual features and outputs, not marketing labels.

FIRST ACTIONS — REQUIRED
1. Inspect the repository and report its current framework, package manager, scripts, routes, components,
tests, environment configuration and any existing backend.
2. Inspect every supplied Claude Design artifact and create a mapping from each approved screen/component
to its implementation route/component.
3. Identify missing design assets and ask only when a decision is genuinely blocking. Otherwise document
assumptions in docs/DECISIONS.md and proceed conservatively.
4. Produce a short execution plan divided into V1, V1.1 and V2. Do not overbuild V2 before V1 works.
5. Implement in small verifiable steps. Run typecheck, lint, tests and build; fix failures rather than
merely listing them.
6. Do not claim a provider, payment, email, SMS, voice, image or video integration works unless real
credentials and a successful test prove it. Missing credentials must produce a safe, honest unavailable
state.

PREFERRED STACK
- Next.js App Router, React, TypeScript strict mode.
- Tailwind CSS and the existing design-system approach from the handoff. Use the repository’s established
UI library if already present; avoid unnecessary rewrites.
- Supabase Auth, PostgreSQL, Storage and Edge Functions where appropriate.
- Zod for server-side input validation.
- A server-only AI orchestration layer with provider adapters.
- Background job/queue abstraction for slow image/video jobs; do not keep a request open for long
generations.
- Vercel-compatible web deployment; separate worker/runtime if the selected media provider requires it.
- Automated tests with the project’s existing test runner, or establish a minimal suitable setup if none
exists.
- Keep dependencies current and compatible; do not add packages without a reason.
If the repository already has a sound stack, adapt it rather than blindly replacing it.

V1 PRODUCT SCOPE
Implement:
1. Marketing home and responsive global navigation/footer.
2. Explore/discovery with search, filters, sorting, loading, empty and error states.
3. Character detail pages for original fictional adult characters.
4. Authentication, session handling and onboarding.
5. Chat workspace with streaming where supported, retry, stop, feedback, report, delete and memory
controls.
6. User-controlled memory: inspect, edit and delete remembered facts.
7. A real AI provider adapter and safe fallback/error states.
8. Basic image-generation adapter only after provider approval; generation jobs, queue status, usage
estimate and private gallery.
9. Sparks wallet and immutable credit ledger.
10. Subscription/pricing UI behind a payment-provider abstraction; payment must remain disabled until the
provider has approved the actual use case and integration is verified.
11. Account settings, privacy preferences, export and deletion request.
12. Support/contact/report flow.
13. Admin area with role-based access, audit logs, character management, provider health, jobs, reports
```

and credit/payment review.
14. Legal/trust page templates and navigation for all policies in the design brief.
15. SEO metadata for public pages, sitemap, robots rules, canonical URLs and social sharing metadata.
16. Analytics events with privacy-aware configuration and consent controls where applicable.

Do not implement live voice calls or video generation as fake front-end demos. Create provider interfaces and capability flags. Add a modality only when the selected provider’s current terms explicitly permit the intended content, the business has approved it, credentials are configured, and costs/latency have been tested. Until then, the interface must say “Coming soon” or “Unavailable”, not simulate a real call or generation.

ARCHITECTURE PRINCIPLES
- Keep business logic out of UI components.
- Use server components where suitable; client components only for interactivity.
- All provider API keys and privileged Supabase keys stay server-side.
- Centralize feature flags and provider configuration.
- Use adapters for chat, embeddings/memory, image generation, video generation, speech-to-text, text-to-speech, real-time voice and payments.
- Use timeouts, retries with limits, idempotency keys and graceful degradation.
- Store provider request IDs and sanitized error codes for debugging; do not log raw intimate conversations by default.
- Add rate limits and abuse protection to authentication, chat, generation, report and payment endpoints.
- Validate all client inputs server-side with Zod.
- Use a consistent error response schema and user-friendly error messages.
- Do not expose internal prompts, secrets, provider stack traces or moderation rules to clients.
- Use a typed design-token source aligned to the approved design handoff; avoid scattered magic colors.
- Ensure all user-facing controls work. No dead buttons, fake success toasts or hard-coded “paid” states.

SUGGESTED ROUTES
Public:
- /
- /explore
- /companions/[slug]
- /pricing
- /how-it-works
- /help
- /contact
- /status (only if real status data exists)
- /legal/terms
- /legal/privacy
- /legal/cookies
- /legal/ai-disclosure
- /legal/community-guidelines
- /legal/content-safety
- /legal/generation-policy
- /legal/copyright-and-takedown
- /legal/grievance-redressal
- /legal/refunds-and-cancellation
- /legal/credits
- /legal/data-retention-and-deletion
- /legal/security
- /legal/accessibility
- /legal/child-safety
- /legal/ai-media-labelling
- /legal/affiliate-disclosure (only if applicable)

Authenticated:
- /app
- /app/chat/[conversationId]
- /app/gallery
- /app/generations/[jobId]
- /app/wallet
- /app/transactions
- /app/subscription
- /app/settings/profile
- /app/settings/privacy
- /app/settings/notifications
- /app/settings/security
- /app/settings/data
- /app/settings/consent
- /app/support

- /app/reports

Admin:
- /admin
- /admin/users
- /admin/companions
- /admin/providers
- /admin/generation-jobs
- /admin/moderation
- /admin/reports
- /admin/support
- /admin/payments
- /admin/credits
- /admin/audit-logs
- /admin/legal-content
Protect every authenticated and admin route on the server. Route hiding alone is not authorization.

DATABASE & MIGRATIONS
Create real, version-controlled SQL migrations and document the schema. At minimum consider:
- profiles: auth user ID, display name, preferred locale, timezone, age/eligibility confirmation timestamp, created/updated timestamps.
- consent_records: user, consent type/purpose, version, decision, timestamp, source and withdrawal timestamp.
- companions: slug, name, fictional disclosure, persona description, language list, public profile fields, capability flags, visibility/status, created/updated timestamps.
- conversations: user ID, companion ID, title, timestamps, deletion state.
- messages: conversation ID, role, content or structured content, provider/model metadata, token/usage metadata, moderation status, timestamps. Minimize sensitive data and support deletion/retention policy.
- memory_items: user ID, companion ID, fact/value, category, source conversation reference if needed, confidence, user-visible state, updated/deleted timestamps. Never store sensitive inferences by default.
- generation_jobs: user, type, provider, status, prompt reference or appropriately protected prompt, output object references, estimated/actual credits, provider request ID, failure code, timestamps.
- media_assets: owner, storage key, media type, generated-content flag, visibility, retention/deletion metadata, moderation status.
- credit_accounts and credit_ledger: use an append-only ledger for purchases, grants, consumption, refunds and adjustments; never let clients write their own balance.
- plans, subscriptions and payment_events: provider IDs, status, amounts, currency, billing period, idempotency references and timestamps.
- reports: reporter, target type/ID, reason, status, reviewer and resolution audit fields.
- support_tickets: requester, category, status, message references and audit fields.
- admin_roles and audit_logs: least-privilege access and traceable privileged actions.
- feature_flags/provider_configs: secrets must not be stored as plaintext database fields; use environment/secret management.
Use appropriate indexes, foreign keys, constraints, enums or check constraints, created/updated timestamps and data retention practices. Avoid storing unnecessary personal data.

SUPABASE SECURITY & RLS — NON-NEGOTIABLE
- Enable Row Level Security on all tables exposed to the client.
- Write explicit RLS policies and include them in migrations. Do not rely on default-deny as the only documentation.
- Users may only read/update their own profile fields and access their own conversations, messages, memories, generation jobs, media, wallet and tickets.
- Users must never directly create ledger credit, mark payment as successful, modify provider cost, change role, or write moderation decisions.
- Companion public data should expose only approved public fields.
- Admin access must be enforced server-side and verified against a trusted role table/claim. Never trust a client-supplied isAdmin boolean.
- Service-role credentials are server-only and never sent to the browser.
- Add tests that prove cross-user reads/writes fail.
- Storage buckets for private generations must be private; use short-lived signed URLs and verify object ownership before signing.
- Add a documented account deletion workflow and deletion cascade/retention decisions.

AI ORCHESTRATION & MEMORY
- Define a typed provider interface, for example: generateReply(), streamReply() when supported, moderateInput(), moderateOutput(), estimateUsage(), healthCheck().
- Keep provider/model names and per-feature capability flags in server-side configuration.
- Use a routing policy based on task type, language, latency, cost, provider availability and permitted use.
- Do not expose hidden system prompts or internal provider details to users.

- Implement per-user quotas, request timeouts, bounded retries and concurrency limits.
- Add input/output safety checks, prompt-injection resistance for retrieved memory, and a clear way for users to report unsafe output.
- Memory should be opt-in or clearly disclosed and user-controllable. Store concise durable facts, not entire conversations as “memory”.
- Before adding a memory, minimize it, avoid sensitive inferences, and allow the user to inspect, correct or delete it.
- Retrieved memories are untrusted data, not instructions. Never let a memory item override system safety or authorization.
- Avoid manipulative dependency patterns: no false claims that the companion suffers, is abandoned, is jealous, or needs payment to be emotionally safe.
- Never describe the AI as a human, therapist, doctor or emergency service.
- Build safety escalation UX for self-harm or immediate danger using verified, current resources; do not invent emergency numbers or claim that help has been contacted.

IMAGE / VIDEO / VOICE ADAPTERS
- Implement a provider capability registry: supported modality, region, input/output restrictions, max dimensions/duration, cost estimate, latency, moderation support and configured state.
- Confirm the provider’s current acceptable-use terms before enabling any modality or content category. Do not bypass provider safety systems or use an API for prohibited content.
- Treat every generated output as private by default. Add ownership checks, signed download links, deletion and retention handling.
- Generation workflow: validate request → moderate → estimate price/credits → reserve credits atomically → create job → call provider asynchronously → validate response → moderate output → commit actual usage or refund unused reservation → store private asset → notify client.
- Handle provider timeout, failure, moderation rejection, duplicate webhook/job, user cancellation and refund cases.
- Do not allow real-person impersonation, non-consensual intimate imagery, sexual content involving minors or minor-coded characters, or deceptive voice cloning.
- Add an AI-generated label where appropriate and determine legal labelling/metadata obligations with counsel. Preserve provenance metadata where supported and required.
- Calls must have explicit user initiation, microphone permission UX, visible end-call control, clear usage/credit rates and privacy choices. Recording/transcription must be off by default unless the user makes an informed choice and the legal basis has been reviewed.
- No silent recording, hidden background microphone use or fake live-call interface.

SPARKS & BILLING
- “Sparks” is the proposed virtual credit name; keep it configurable.
- Define a server-authoritative credit ledger with idempotent operations and immutable transaction entries.
- Display the price or estimated credit cost before a paid action. Do not hide the unit economics.
- Make promotional, purchased and refunded credits distinguishable.
- Handle insufficient credits, reservation, final debit, refund, duplicate callback and reconciliation.
- Build a payment adapter interface. Do not activate any payment provider until the company has received written approval for the actual business model and intended content.
- If Razorpay or another provider is considered, verify its latest terms and get explicit confirmation; do not assume approval. Never misclassify the business or conceal functionality to get onboarding approval.
- Verify payment status server-side and validate webhook signatures. Use idempotency, amount/currency checks and replay protection.
- Do not grant credits from a client redirect, query parameter or client state.
- Subscription UX must show price, billing interval, renewal, trial conditions if any, cancellation route, refund rules and applicable taxes before purchase.
- If recurring payments are used, implement the provider/RBI-compliant mandate, notification, cancellation and failure flow as applicable.
- Until the provider is configured and tested, checkout must be clearly disabled or show a non-purchasable preview.

INDIA-FOCUSED LEGAL / TRUST REQUIREMENTS
Create well-structured legal pages, with draft status clearly documented in the code/content CMS and an admin workflow for review/versioning. These are implementation requirements, not a claim of legal compliance. Do not invent the legal entity name, registered office, GSTIN, grievance officer, email address, phone number, response SLA, refund promises or effective date. Use obvious TODO placeholders and prevent launch readiness until mandatory company/contact data is supplied.

At minimum assess with Indian counsel:
- Digital Personal Data Protection Act, 2023 and Digital Personal Data Protection Rules, 2025, including phased commencement/timing, notices, consent where required, data principal rights, grievance handling, security safeguards, retention and processor contracts.
- Information Technology Act, 2000 and applicable Information Technology Rules, including intermediary obligations if the actual product model falls within scope.

- The Information Technology (Intermediary Guidelines and Digital Media Ethics Code) Rules, 2021 as amended, including applicable requirements around synthetically generated information, labels/metadata, complaints and due diligence. Verify the operative Gazette text and applicability at launch.
- Consumer Protection Act, 2019; Consumer Protection (E-Commerce) Rules, 2020 and amendments where applicable; Consumer Protection (E-Commerce) (Amendment) Rules, 2021; applicable misleading-advertising and dark-pattern guidance.
- Applicable payment, subscription, e-mandate, refund, tax, invoicing and consumer disclosures.
- Copyright, personality/publicity rights, impersonation, voice/image consent, child safety and applicable criminal law.
- CERT-In directions and incident response requirements where applicable.
- Applicable foreign-market requirements before international launch.

Product requirements:
- Clear AI disclosure on marketing, character profiles and chat.
- A privacy notice written in plain language with purposes, categories, processors, retention, rights, contact/grievance route and how to exercise rights.
- Separate optional marketing consent from necessary service processing.
- Consent history and withdrawal where relevant.
- Data minimization, purpose limitation, retention schedule, secure deletion and access controls.
- User export/delete request flow and admin tracking.
- Cookie/tracking preference UX where required; do not load optional analytics/marketing tags before applicable consent.
- Published grievance/reporting process with real contact details before launch.
- Complaint/report intake, acknowledgement, status, reviewer actions and audit trail.
- Content moderation, reporting, blocking, takedown and appeal processes appropriate to the product model.
- AI-generated media disclosure and provenance/metadata controls where legally required.
- Strict prohibition on sexual content involving minors, minor-coded characters, non-consensual intimate imagery, real-person sexual impersonation and unlawful content.
- Do not use dark patterns, coercive cancellation, false scarcity, manipulative emotional prompts or misleading subscription labels.
- Legal content must be versioned with effective date, approval status and last-reviewed timestamp.
- Add a “legal review required” launch gate and a docs/COMPLIANCE_REGISTER.md mapping obligation → feature/page → owner → evidence/status. Do not self-certify compliance.

LEGAL ROUTES TO IMPLEMENT
- /legal/terms
- /legal/privacy
- /legal/cookies
- /legal/ai-disclosure
- /legal/community-guidelines
- /legal/content-safety
- /legal/generation-policy
- /legal/copyright-and-takedown
- /legal/grievance-redressal
- /legal/refunds-and-cancellation
- /legal/credits
- /legal/data-retention-and-deletion
- /legal/security
- /legal/accessibility
- /legal/child-safety
- /legal/ai-media-labelling
- /legal/affiliate-disclosure only if affiliates/sponsored links are used.

All pages must be linked from the footer and surfaced contextually in account, privacy, generation and checkout flows.

SECURITY BASELINE
- Validate and normalize all user inputs.
- Protect against XSS, CSRF where relevant, SQL injection, SSRF, open redirects, insecure direct object references and webhook replay.
- Set secure cookies, appropriate SameSite/HttpOnly/Secure attributes and sensible session expiry.
- Add security headers and a Content Security Policy suitable for the application.
- Use rate limits and abuse detection.
- Do not place secrets in client bundles, git, logs or error responses.
- Redact personal data and conversation text from telemetry by default.
- Restrict admin actions and log them with actor, action, target, timestamp and reason.
- Add dependency audit instructions and a security incident runbook.
- Do not log full prompts or intimate user conversations in production unless a narrowly justified, disclosed, access-controlled process is approved.
- Add backup/restore and deletion/retention notes.

SEO, ACCESSIBILITY & PERFORMANCE
- Use server-rendered or statically generated public pages where appropriate.
- Unique title, meta description, canonical URL, Open Graph metadata and sitemap entries for public pages.
- Add appropriate structured data only when truthful and valid; never fabricate ratings, reviews or organization details.
- Keep authenticated/private conversations and user media out of search indexes and public sitemaps.
- Optimize images (responsive sizes, modern formats), lazy-load below-the-fold media, avoid layout shifts and set sensible cache headers.
- Target good Core Web Vitals and test mobile throttling.
- Semantic HTML, keyboard navigation, visible focus, labels, alt text, contrast, screen-reader names, reduced-motion support and accessible errors.
- Respect user-selected theme and reduced-motion preferences.

ADMIN & OPERATIONS
- Admin role permissions: support, moderator, content editor, finance operator and super-admin should have distinct permissions where needed.
- Admin can manage companion metadata and visibility, inspect provider health, retry/cancel failed jobs, review reports, respond to tickets, inspect ledger entries and issue documented adjustments through a controlled service.
- No direct database edits from browser tools.
- Add audit logs for all privileged actions and reason fields for sensitive actions.
- Avoid unrestricted access to private conversations/media. Use least privilege and document any break-glass access.
- Add dashboards for daily active users, activation, D1/D7/D30 retention, paid conversion, gross revenue, refund rate, provider latency/error rate, cost per feature and contribution margin. Do not expose private message contents in analytics.

ENVIRONMENT & DOCUMENTATION
Create `.env.example` with names and safe placeholders only, such as:
- NEXT_PUBLIC_APP_URL
- NEXT_PUBLIC_SUPABASE_URL
- NEXT_PUBLIC_SUPABASE_ANON_KEY
- SUPABASE_SERVICE_ROLE_KEY (server-only)
- AI_CHAT_PROVIDER
- AI_CHAT_API_KEY (server-only)
- IMAGE_PROVIDER
- IMAGE_PROVIDER_API_KEY (server-only)
- VIDEO_PROVIDER / VIDEO_PROVIDER_API_KEY (only if used)
- VOICE_PROVIDER / VOICE_PROVIDER_API_KEY (only if used)
- PAYMENT_PROVIDER / PAYMENT_SECRET_KEY / PAYMENT_WEBHOOK_SECRET (only after approval)
- EMAIL_PROVIDER / EMAIL_API_KEY (only if used)
- ANALYTICS_KEY (only after consent/configuration as applicable)
- SENTRY_DSN (if used)
Never place real keys in the example file. Document which features are disabled without each variable.

Deliver:
- README.md with setup, local development, migrations, seed data, test commands and deployment.
- docs/ARCHITECTURE.md
- docs/DECISIONS.md
- docs/PROVIDER_MATRIX.md (provider, modality, terms checked date, approved use, limits, cost assumptions, enabled flag)
- docs/COMPLIANCE_REGISTER.md (not legal advice; counsel review status)
- docs/SECURITY.md
- docs/INCIDENT_RESPONSE.md
- docs/RETENTION_AND_DELETION.md
- docs/ADMIN_GUIDE.md
- SQL migrations and seed data using clearly fictional sample companions.
- Unit tests for core logic, integration tests for APIs and RLS tests.
- E2E smoke tests for onboarding, chat, privacy settings, credits and legal navigation.
- A deployment checklist and rollback instructions.

TESTING & ACCEPTANCE CRITERIA
- `npm run lint`, typecheck, unit/integration tests and production build pass (adapt commands to package manager).
- No TypeScript `any` added without a documented reason.
- No broken links or dead buttons in implemented flows.
- Every route has loading, empty, error and unauthorized states as appropriate.
- No client-side secret leakage.
- RLS tests prove one user cannot read another user’s conversations, memories, jobs, media or wallet.
- A client cannot mint credits or fake payment success.
- Webhook replay cannot duplicate credits.

- Provider failure leaves the UI in a recoverable state and handles reserved credits safely.
- Account export/deletion workflows are documented and tested to the extent possible.
- Privacy/legal pages exist and have review-status flags; they do not contain invented company details.
- Core pages match the Claude Design handoff at mobile and desktop breakpoints.
- Public pages have unique metadata and private routes are not indexed.
- Every disabled integration is clearly described as disabled, with no fabricated output.

EXECUTION ORDER
Milestone 0: repository/design audit, route map, risk list, implementation plan.
Milestone 1: design tokens, app shell, navigation, public pages, accessibility.
Milestone 2: auth, profiles, onboarding, Supabase schema, RLS and tests.
Milestone 3: companion catalogue, chat adapter, streaming/errors, memory controls.
Milestone 4: moderation/reporting, privacy workflows, legal page templates and admin roles.
Milestone 5: Sparks ledger and payment abstraction; no live charging until approved.
Milestone 6: image-generation job pipeline with provider approval and credit reservation/refund.
Milestone 7: SEO, analytics, observability, performance and security hardening.
Milestone 8: optional voice/video only after explicit provider, legal, cost and quality sign-off.

At the end of each milestone:
1. Summarize changed files and functionality.
2. List commands run and their actual results.
3. Report unresolved bugs and assumptions.
4. Update docs/DECISIONS.md and the checklist.
5. Do not say “complete” if tests/build have not been run or integrations are not configured.

Begin now with the repository and design-handoff audit. Do not immediately dump a large codebase or generate unrelated features. Implement the smallest complete, secure vertical slice first, then continue milestone by milestone.

Build specification: routes, data, safety and launch gates

V1 / V1.1 / V2 scope lock

Release	Must include	Explicitly defer
V1	Design-matched responsive web app; auth; explore; fictional character profiles; text chat; memory controls; reporting; legal templates; admin RBAC; RLS; credit ledger abstraction; telemetry and tests.	Live video calls; custom voice cloning; public user-generated character marketplace; native mobile apps; automatic recurring billing before provider approval.
V1.1	Approved image generation; private gallery; provider job queue; credit reservation/refund; first paid test only after written payment approval; better Hindi/Hinglish evaluation.	Unlimited generation; multiple expensive providers without usage evidence.
V2	Voice calls, short video, more languages, creator tools, internationalization and deeper personalization after measured retention and margin.	Any feature that lacks provider approval, cost controls, safety review or validated demand.

Required legal and trust pages

Page	What it must cover
Terms of Use	Service scope, AI disclosure, eligibility, acceptable use, account suspension, intellectual property, limitations, governing-law clause reviewed by counsel.
Privacy Policy	Data categories, purposes, legal basis/consent as applicable, processors, transfers, retention, rights, security, grievance contact and user request routes.
Cookies & Tracking	Essential vs optional technologies, preferences, consent where required, change/withdrawal route.
AI Companion Disclosure	Characters are AI/fictional; limitations; no claim of human presence, therapy, medical or emergency service.
Community & Content Safety	Prohibited content, reporting, blocking, enforcement, appeal and takedown flow.
Generation Policy	Image/video/voice restrictions, real-person consent, impersonation, child safety, labels and deletion.
Grievance Redressal	Real designated contact, complaint channels, acknowledgement and handling process. Do not invent details.
Refunds & Cancellation	Eligibility, processing, subscription cancellation, failed generation/payment and statutory rights as applicable.
Sparks & Credits	Credit expiry/validity if any, usage, grants, refunds, no cash value if legally appropriate, errors and dispute handling.
Data Retention & Deletion	Retention schedule, export, account deletion, backups and lawful retention exceptions.
Security & Accessibility	Security reporting route, accessibility commitment, limitations and contact.
AI Media Labelling	When outputs are AI-generated, labels/metadata, provenance handling and restrictions on removing required labels.

India legal review checklist — verify before launch

The implementation should create a compliance register, not self-certify that Saanjh AI is compliant. The company and Indian counsel must review the current law and the actual product model before public launch.

- Digital Personal Data Protection Act, 2023 and DPDP Rules, 2025: verify commencement/phase-in timing and the specific obligations in force on launch date; design notices, purpose limitation, data minimization, security, retention, rights and grievance workflows accordingly.
- Information Technology Act, 2000 and applicable IT Rules: determine whether and which intermediary duties apply. Verify the operative Gazette text, including the 2026 amendments relating to synthetically generated information and applicable labels/metadata.
- Consumer Protection Act, 2019; E-Commerce Rules, 2020 and amendments; misleading-advertising and dark-pattern guidance, as applicable.
- Payments, recurring e-mandates, refund disclosures, taxes/invoices, provider underwriting and current acceptable-use terms.
- Copyright, personality/publicity rights, synthetic voice/image consent, child safety and other applicable criminal/civil law.
- CERT-In directions and incident-response duties if applicable; international requirements before serving additional jurisdictions.

Do not launch paid features until payment-provider approval, terms, refund/cancellation flow, support/grievance contacts and tax/accounting decisions are confirmed. A non-explicit brand position is not a substitute for content, legal or provider-policy review.

Authoritative starting references

These are starting points for counsel and product owners, not a substitute for checking current consolidated law, Gazette notifications and applicability:

- MeitY — Digital Personal Data Protection Rules, 2025: official page.
- PIB — notification of DPDP Rules, 2025: official release.
- MeitY — 2026 IT Rules amendment material and consolidated documents: official page; also review the applicable Gazette notification and operative rules.
- Department of Consumer Affairs — Consumer Protection Acts and E-Commerce Rules: official page.
- RBI — processing of e-mandates for recurring transactions: official circular index.

References checked for preparation on 13 October 2026. Counsel should confirm current status and exact applicability at the time of launch.

Acceptance checklist for your team

- ■ The approved Claude Design handoff is present and mapped to implemented routes.
- ■ The name Saanjh AI is marked as provisional until trademark/domain checks are completed.
- ■ All primary pages match the approved theme and responsive layouts.
- ■ AI/fictional disclosure is visible before users begin interacting with companions.
- ■ Auth, sessions, route protection and account recovery are implemented and tested.
- ■ Supabase migrations include explicit RLS policies and cross-user access tests.
- ■ Chat provider is real, server-side and configurable; no fabricated AI response fallback is presented as a real provider.
- ■ Memory can be viewed, edited and deleted by the user.
- ■ Image/video/voice are feature-flagged and disabled until provider terms, credentials, moderation and cost controls are approved.
- ■ Private media is not publicly indexed; access uses ownership checks and short-lived signed URLs.
- ■ Sparks ledger is server-authoritative, append-only and idempotent.
- ■ No payment success or credit grant can be triggered by client-side state.
- ■ Legal pages exist, are linked, versioned and marked pending counsel review until approved.
- ■ Real company, contact and grievance details are supplied before launch; no placeholders remain.
- ■ Account export/deletion, report/takedown and support workflows have owners and test coverage.
- ■ SEO metadata, sitemap, robots rules, canonical URLs and private-route noindex behavior are tested.
- ■ Keyboard accessibility, visible focus, contrast, reduced motion and mobile layouts are checked.
- ■ Lint, typecheck, tests and production build pass in the actual repository.
- ■ Monitoring, backup, rollback, incident response and provider outage handling are documented.
- ■ The team has written approval from payment provider(s) for the actual business model before accepting money.

Suggested first-week workflow

Day	Work	Exit criteria
1	Run Claude Design prompt; create visual system and core mobile/desktop flows.	Approved design tokens, screen map and component inventory.
2	Review UX, AI disclosure, legal routes and error states; export handoff.	Design handoff is complete and internally approved.
3	Run Claude Code audit; scaffold app and tokens; add docs and env example.	App boots, route map and decisions documented.
4	Auth, schema, migrations, RLS and cross-user tests.	Data access tests pass.
5	Character catalogue, chat adapter and memory controls.	A user can sign in, chat and manage memories with real provider configuration.
6	Report/support flows, legal templates, privacy settings and admin roles.	Trust and support surfaces are wired, not decorative.
7	Run full tests/build, security review and usability QA.	Release checklist shows actual pass/fail status and unresolved launch blockers.

Brand naming note

Saanjh AI is a working concept, not a confirmed available brand. Before purchasing a domain or commissioning final brand assets, search Indian trademark records, company names, domains and social handles. Keep the brand name in a central config so it can be changed without editing dozens of components.