Inspection Register

Below are the items to be verified during the final product review. Confirm that sampling levels comply with customer agreements. The following table outlines inspection criteria and classification levels. This checklist captures quality inspection points and sampling levels. Please review each checklist point and mark the sampling results. Use this list to confirm adherence to AQL and safety standards. Use this extract to coordinate sign-off with the QA manager. Archive this list in the quality-management system.

Product ID	CN-150C	Customer ID	NORWAY
Item Description	Rubber Gasket 80mm		

	Inspection Checklist	Check	Defect C	lass			Comments
	Points	Intensity					
2	Item Specs		Critical	Major	Minor	OnHold	
1	Dead or live insect in packaging	Level I		V			Needs review
2	Missing logo or warning label	Level III				V	Needs review
3	Incorrect barcode or label	Level I	V				Needs review
4	Hinges loose						Minor issue observed
5	Package is not sealed completely	Level I		V			
6	Packaging does not match signed sample	Level I					Minor issue observed
7	Visual defect on housing	Level III					
8	Instruction manual is missing or damaged	Level II	V			V	
9	Incorrect orientation in box	Level III					Minor issue observed
10	Rubber Switch not working	Level I					Minor issue observed
11	Connector not working	Level II	V	٧			
12	Functionality test failed	Level II					
13	Product doesn't power on	Level I					Critical impact
14	Not assembled as per drawing	Level I					Needs review
15	Dust/debris inside packaging			V	V		Minor issue observed
16	Color mismatch	Level III					Minor issue observed

Supervised by: Date:
