DeepGuard AI — Forensic Authenticity Certificate

Cryptographically Signed Vision Transformer Multi-Pillar Forensic Verification

OFFICIAL VERDICT: REAL

CONFIDENCE: 84.7%

Certificate ID: scan-img-5743cf03

Forensic Risk Level: **LOW**

SHA-256 Fingerprint: `04329ad0e226e7930c616623dbeb5a9416c2776d5ff20564bc95b811df781d5c`
Digital Signature: `RSA-4096 / SHA-256 Tamper-Evident Seal Verified`

Inspection & Forensic Pipeline Metadata

Scan ID	scan-img-5743cf03	**Media Type**	IMAGE
Target File	portrait_sample.jpg	**Timestamp**	2026-09-13 06:25:31 UTC
Model Engine	Ensemble (ViT FaceSwap + ViT Diffusion)	**Provider**	Ensemble
Inference Time	2111 ms	**Frames Analyzed**	1 (0 flagged)
Real Probability	84.72%	**Fake Probability**	15.28%

Six-Pillar Deepfake Forensic Inspection Breakdown

Forensic Pillar	Metric / Parameter	Observed Value	Pillar Verdict
1. Audio & Speech	Lip-Sync & Spectral Cutoff	Flatness: N/A	No Audio Track
2. Biological rPPG	Heartbeat Pulse & Blinks	BPM: 74.0 | Blinks: 0	AUTHENTIC_BIOLOGY
3. Error Level (ELA)	Compression Uniformity	91.6% (Var: 3.01x)	Tampered
4. Metadata & C2PA	EXIF Hardware & Prompts	Unknown Unknown	STRIPPED_ANONYMOUS_METADATA
5. Visual Attention	ViT Self-Attention Rollout	Boundary: 94/100	REAL

Forensic Synthesis & Behavioral Observations

The Multi-Layer Forensic Suite verified authentic human micro-textures, coherent physiological perfusion, and homogeneous photographic sensor metadata.

- Natural corneal reflection symmetry detected across pupils
- Continuous skin pore density without GAN or diffusion smoothing artifacts
- Error Level Analysis uniformity score: 91.6% (Homogeneous compression)
- Metadata Profile: STRIPPED_ANONYMOUS_METADATA (Unknown Unknown)

CERTIFICATE VALIDATION: Scan the QR code above or visit deepguard.ai/verify to validate this digital certificate. DeepGuard AI outputs represent model-inferred statistical confidence and biometric anomalies. Evaluated alongside secondary contextual corroboration and SHA-256 media fingerprint.