DeepGuard AI — Forensic Authenticity Certificate

Cryptographically Signed Vision Transformer Multi-Pillar Forensic Verification

OFFICIAL VERDICT: REAL

CONFIDENCE: 80.2%

Certificate ID: scan-img-b003d23e

Forensic Risk Level: **LOW**

SHA-256 Fingerprint: f96cc2fe32a1ad4a0eae422af787007b9312f84b3770d87de89f40e6ccb28b06
Digital Signature: RSA-4096 / SHA-256 Tamper-Evident Seal Verified

Inspection & Forensic Pipeline Metadata

Scan ID	scan-img-b003d23e	**Media Type**	IMAGE
Target File	Harsh_SIH.jpg	**Timestamp**	2026-09-13 05:55:30 UTC
Model Engine	Ensemble (ViT FaceSwap + ViT Diffusion)	**Provider**	Ensemble
Inference Time	2637 ms	**Frames Analyzed**	1 (0 flagged)
Real Probability	80.19%	**Fake Probability**	19.81%

Six-Pillar Deepfake Forensic Inspection Breakdown

Forensic Pillar	Metric / Parameter	Observed Value	Pillar Verdict
1. Audio & Speech	Lip-Sync & Spectral Cutoff	Flatness: N/A	No Audio Track
2. Biological rPPG	Heartbeat Pulse & Blinks	BPM: 0.0 | Blinks: 0	SYNTHETIC_ANOMALY
3. Error Level (ELA)	Compression Uniformity	94.7% (Var: 3.29x)	Tampered
4. Metadata & C2PA	EXIF Hardware & Prompts	Unknown Unknown	STRIPPED_ANONYMOUS_METADATA
5. Visual Attention	ViT Self-Attention Rollout	Boundary: 94/100	REAL

Forensic Synthesis & Behavioral Observations

The Multi-Layer Forensic Suite verified authentic human micro-textures, coherent physiological perfusion, and homogeneous photographic sensor metadata.

- Natural corneal reflection symmetry detected across pupils
- Continuous skin pore density without GAN or diffusion smoothing artifacts
- Error Level Analysis uniformity score: 94.7% (Homogeneous compression)
- Metadata Profile: STRIPPED_ANONYMOUS_METADATA (Unknown Unknown)

CERTIFICATE VALIDATION: Scan the QR code above or visit deepguard.ai/verify to validate this digital certificate. DeepGuard AI outputs represent model-inferred statistical confidence and biometric anomalies. Evaluated alongside secondary contextual corroboration and SHA-256 media fingerprint.