

PhishTrainer

React Prototype with Components

Frontend Systems — Prof. Dr. Peter Braun — SS 2026

Project Structure

The structure introduced in the scaffold milestone is unchanged. Components remain separate from views, and all four views (**Dashboard**, **Scenario**, **Feedback**, **History**) are wired into routes via React Router. Two additions support consistency across views: a `hooks/` folder holding `useApiData`, a shared hook that encapsulates fetching, loading, and error state, and new shared components (`EmptyState`, `SelectableButtons`) that remove duplicated loading-state markup and selection-button logic from the views.

What Is Already Working

- All four views fetch data asynchronously from `json-server` instead of using hardcoded values, as planned in the scaffold milestone.
- **Dashboard**: accuracy ring, level/XP progress, streak tracker, badges, and an interactive difficulty selector that updates the next-session link.
- **History**: summary statistics (total sessions, accuracy, total XP) and live filter buttons (All, Correct, Missed, Hard).
- **Scenario**: displays a simulated phishing email and a verdict choice (Phishing or Legitimate) with visible selection state; submission is only enabled once a decision is made.
- **Feedback**: result banner, XP/flags/accuracy stat cards, a red-flag list with found/missed indicators, and navigation to History or the next scenario.
- Loading and error states are handled consistently across all data-driven views via the shared `useApiData` hook and `EmptyState` component.

What Is Still Incomplete

- The Feedback screen currently reads a fixed feedback record from the mock API rather than computing the result from the scenario and decision actually made by the user. Wiring the Scenario verdict directly into the Feedback screen is the main remaining task before the next milestone.
- The suspicious-element marking interaction from the design draft (tapping individual parts of the email before submitting a verdict) is not yet implemented; the current interaction is a single Phishing/Legitimate choice.
- Only one scenario exists in the mock data so far; more scenarios across all difficulty levels are needed before the difficulty selector and scenario counter are meaningful.
- Responsive behaviour has only been checked informally, not systematically tested across breakpoints.

Relation to the Design Draft

The implemented screen flow matches the design draft: the Dashboard is the central hub, Scenario and Decision form one combined screen, Feedback follows after a decision, and History stays reachable at any time via the Navbar. The visual structure of each screen (stat cards, accuracy ring, streak row, badges, filter row) follows the wireframes closely. The main open deviation is the red-flag marking interaction specified for the Scenario screen, which is planned for the next milestone together with the dynamic Scenario-to-Feedback data flow.

AI Tools

This document was drafted with the support of Claude (Anthropic) for wording and structure. All technical decisions and code were implemented and reviewed by the team.