test_doc

4/12/23

Quarto

Quarto enables you to weave together content and executable code into a finished document. To learn more about Quarto see https://quarto.org.

Running Code

When you click the **Render** button a document will be generated that includes both content and the output of embedded code. You can embed code like this:

```
1 + 1
```

[1] 2

You can add options to executable code like this

```
data <- dplyr::sample_n(iris, 5)

devtools::load_all()
```

i Loading toolbox

```
format_table(
  data = data,
  format_out = "html",
  font_size = 25
  )
```

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
6.0	2.7	5.1	1.6	versicolor
7.0	3.2	4.7	1.4	versicolor
5.8	2.7	5.1	1.9	virginica
6.7	3.0	5.2	2.3	virginica
6.2	3.4	5.4	2.3	virginica

Table 1

```
tbl1 <- tableone::CreateTableOne(
  data = iris
  )

format_table(
  data = tbl1,
  format_out = "html",
  font_size = 18
  )
```

Variable	Overall
n	150
Sepal.Length (mean (SD))	5.84 (0.83)
Sepal.Width (mean (SD))	3.06 (0.44)

Variable	Overall
Petal.Length (mean (SD))	3.76 (1.77)
Petal.Width (mean (SD))	1.20 (0.76)
Species (%)	
setosa	50 (33.3)
versicolor	50 (33.3)
virginica	50 (33.3)

END