
ETH zürich

Your department logo

Department of Everything
Institute of Nothing

A Very Inspiring Title

Jane Doe
janedoe@university.org



Bachelor Thesis

11 October 2026

Advisors:
Advisor One, advisor.one@university.org
Advisor Two, advisor.two@university.org

Professor:
Prof. Dr. Professor, professor@university.org

A

Abstract

This is a very simple one-file thesis. Enjoy!

The code that generated this file is listed in Section 1 below.

Additionally, there is a Typst crashcourse in Section 2 attached to the end of this file.

B

Contents

A Abstract ..... **i**
B Contents ..... **ii**
1 A Simple Example **1**
1.1 Modular Appendices 1
1.2 Code of this File 3
2 Typst Quick Guide **7**
2.1 Text Formatting 7
2.2 Mathematics 7
2.3 Figures 8
2.4 Tables 8
2.5 Labels and Cross-References 8
2.6 Bibliography and Citations 9
2.7 Lists 9
2.8 Including External Files 9
2.9 Useful Packages 9
C List of Figures ..... **iii**
D List of Tables ..... **iv**
E List of Code Samples ..... **v**
F List of Acronyms ..... **vi**
G Bibliography ..... **vii**
H List of Todos ..... **viii**

1

A Simple Example

This is the place where your thesis will go. Just type everything you want to say in this file. Or outsource it to other files, it's up to you.

1.1 Modular Appendices

The template offers many different modules, and you can insert them in any order you like.

elaborate a bit more.

Module	Examples	Notes

Abstract	`mtt-abstract[This is the text.]`
	
	`mtt-abstract(`
	`  title: [Your Custom Title]`
	`)[`
	`  Your abstract text.`
	`]`
	
	`mtt-abstract(include "abstract.typ")`	

Contents	`mtt-toc()` `mtt-toc(title: [Custom Title])`	
List of Figures	`mtt-figures()` `mtt-figures(title: [Custom Title])`	
List of Tables	`mtt-tables()` `mtt-tables(title: [Custom Title])`	
List of Code Samples	`mtt-codes()` `mtt-codes(title: [Custom Title])`	
List of Todos	`mtt-todos()` `mtt-todos(title: [Custom Title])`	requires dashy-todo
List of Acronyms	`mtt-acronyms()` `mtt-acronyms(title: [Custom Title])`	requires acrostiche init acronyms with `#init-acronyms()`

Bibliography	`mtt-bibliography(`
	`  bibliography(`
	`  "references.bib",`
	`  ),`
	`)`	

External Content Frame	`mtt-content-frame`	
Typst Guide	`mtt-typst-guide`	

Table 1: Available modules.

The modules can either be added before the main content:

```
#import "template/mtt.typ": *

#show: mtt-thesis.with(
  // Modules here will be displayed in this order before the main content:
  before: (
    mtt-abstract[Your abstract text goes here.],
    mtt-toc(),
  ),
  // Modules here will be displayed in this order after the main content:
  after: (
    mtt-figures(),
    mtt-bibliography(bibliography("references.bib")),
  ),
)
```

Code Sample 1: Modules before the main content.

You can also add your own pages:

```
#import "template/mtt.typ": *

#show: mtt-thesis.with(
  // ...
  after: (
    page[
      = Custom Section Title

      Your custom content.
    ],
    mtt-figures(),
    // ...
  ),
)
```

Code Sample 2: Custom appendices.

The complete content of the file generating this document is shown in Code Sample 3 below.




Figure 1: This a picture of an elephant.

1.2 Code of this File

```
#import "template/mtt.typ": *

#import "@preview/acrostiche:0.7.0": *

#init-acronyms((
  "MTT": ("modular thesis template", "modular Typst templates"),
  // ... add more acronyms
))

#show: mtt-thesis.with(
  coverpage: mtt-coverpage(
    //logo-left: rect(height: 50pt)[Your university logo],
    logo-left: image("template/eth_logo_kurz_cropped.svg", height: 25pt),
    // logo-left: image("path/to/your/uni-logo.pdf", height: 50pt),
    logo-center: [],
    logo-right: rect(height: 35pt)[Your department logo],
    // logo-right: image("path/to/your/dept-logo.svg", height: 50pt),
    department: "Department of Everything",
    institute: "Institute of Nothing",
    title: [A Very Inspiring Title],
    project-type: "Bachelor Thesis",
    date: datetime.today(),
    cover-image: image("template/cover-image.svg", width: 100%),
    //cover-image: image("path/to/your/cover-image.svg", width: 100%),
    author-name: "Jane Doe",
    author-email: "janedoe@university.org",
    advisors: (
      (name: "Advisor One", email: "advisor.one@university.org"),
      (name: "Advisor Two", email: "advisor.two@university.org"),
    ),
    professors: (
      (name: "Prof. Dr. Professor", email: "professor@university.org"),
    ),
  ),
  before: (
    mtt-abstract()[
      This is a very simple one-file thesis. Enjoy!

      The code that generated this file is listed in @ch:simple below.

      Additionally, there is a Typst crashcourse in @ch:quick-guide attached
      to the end of this file.
    ],
    mtt-toc(),
  ),
  after: (
    mtt-figures(),
    mtt-tables(),
    mtt-codes(),
    mtt-acronyms(),
    mtt-bibliography(
      bibliography(
        "references.bib",
```

```
        style: "american-physics-society",
        full: true,
        title: none,
      ),
    ),
    mtt-todos(),
  ),
  customisation: doc => {
    //set text(fill: red)
    //show text: set text(fill: red)

    doc
  },
)


= A Simple Example <ch:simple>

This is the place where your thesis will go. Just type everything you want to
say in this file. Or outsource it to other files, it's up to you.

== Modular Appendices

The template offers many different modules, and you can insert them in any
order you like. #todo[elaborate a bit more.]

#figure(
  table(
    columns: (auto, 1fr, auto),
    align: left,
    table.header([*Module*],[*Examples*],[*Notes*]),
    [Abstract], [```typ
    mtt-abstract[This is the text.]

    mtt-abstract(
      title: [Your Custom Title]
    )[
      Your abstract text.
    ]

    mtt-abstract(include "abstract.typ")
    ```],[],
    [Contents],[`mtt-toc()` \ `mtt-toc(title: [Custom Title])`],[],
   [List of Figures],[`mtt-figures()` \ `mtt-figures(title: [Custom Title])`],
[],
   [List of Tables],[`mtt-tables()` \ `mtt-tables(title: [Custom Title])`],[],
       [List of Code Samples],[`mtt-codes()` \ `mtt-codes(title: [Custom
Title])`],[],
    [List of Todos],[`mtt-todos()` \ `mtt-todos(title: [Custom Title])`],
          [requires #link("https://typst.app/universe/package/dashy-todo/",
"dashy-todo")],
      [List of Acronyms],[`mtt-acronyms()` \ `mtt-acronyms(title: [Custom
Title])`],
      [
           requires #link("https://typst.app/universe/package/acrostiche/",
```
```

```
"acrostiche")

        init acronyms with \ `#init-acronyms()`
      ],
    [Bibliography],[
    ```typ
    mtt-bibliography(
      bibliography(
        "references.bib",
      ),
    )
    ```],[],
    [External Content Frame],[`mtt-content-frame`],[],
    [Typst Guide],[`mtt-typst-guide`],[],
    //[],[],[],
  ),
  caption: [Available modules.]
)

The modules can either be added before the main content:

#codebox(
  caption: [Modules before the main content.],
  ref: "code:modular"
)[
```typ
#import "template/mtt.typ": *

#show: mtt-thesis.with(
  // Modules here will be displayed in this order before the main content:
  before: (
    mtt-abstract[Your abstract text goes here.],
    mtt-toc(),
  ),
  // Modules here will be displayed in this order after the main content:
  after: (
    mtt-figures(),
    mtt-bibliography(bibliography("references.bib")),
  ),
)
```
]

You can also add your own pages:

#codebox(
  caption: [Custom appendices.],
  ref: "code:custom"
)[
```typ
#import "template/mtt.typ": *

#show: mtt-thesis.with(
  // ...
  after: (
```
```

```
    page[
      = Custom Section Title

      Your custom content.
    ],
    mtt-figures(),
    // ...
  ),
)
```
]

The complete content of the file generating this document is shown in @code:this-file below.

```
#figure(
  rect(width: 60%, height: 100pt, align(horizon, [Imagine a pink elephant!])),
  caption: [This a picture of an elephant.],
)
```

== Code of this File

```
#codebox(
  caption: [The Typst code generating this file.],
  ref: "code:this-file",
  raw(read("simple.typ"), lang: "typ"),
)
```

```
// Typst guide
#include "template/typst-guide.typ"
```

Code Sample 3: The Typst code generating this file.

2

Typst Quick Guide

Typst is a modern typesetting system designed as a faster, more ergonomic alternative to LaTeX. This guide covers the most common tasks for writing a thesis, with LaTeX equivalents shown alongside every Typst example.

> **Info**
>
> The full Typst documentation is available at https://typst.app/docs. The interactive web app at https://typst.app lets you experiment without any local installation.

2.1 Text Formatting

Feature	LaTeX	Typst
Bold	`\textbf{text}`	`*text*` or `#strong[text]`
Italic	`\textit{text}`	`_text_` or `#emph[text]`
Monospace	`\texttt{text}`	`` `text` ``
Superscript	`x\textsuperscript{2}`	`x#super[2]`
Subscript	`x\textsubscript{i}`	`x#sub[i]`
Forced linebreak	`\\`	`\` (backslash + space)
Non-breaking space	`~`	`~`
Quotation marks	``` ``text'' ```	`"text"` (auto smart quotes)
Hyperlink	`\href{url}{label}`	`#link("url")[label]`

2.2 Mathematics

Typst uses `$...$` for both inline and display math. Adding spaces *inside* the delimiters switches to display (block) mode:

Feature	LaTeX	Typst
Inline math	`$x^2$`	`$x^2$`
Display math	`\[ x^2 \]`	`$ x^2 $` (spaces inside `$`)
Fraction	`\frac{a}{b}`	`$a/b$`
Square root	`\sqrt{x}`	`$sqrt(x)$`
Sum / integral	`\sum_{i=0}^{n}`	`$sum_(i=0)^n$`
Greek letters	`\alpha, \beta`	`$alpha, beta$`
Bold math	`\mathbf{A}`	`$bold(A)$`
Aligned equations	`\begin{align}..\end{align}`	`$ a &= b \ c &= d $`

Tip

Math function names in Typst have no backslash: `sin`, `cos`, `lim`, `max`, etc. See the symbol reference for the full list of available symbols.

2.3 Figures

Code

```
#figure(
  image("figures/arch.svg", width: 80%),
  caption: [A descriptive caption.],
) <fig:arch>

// Reference it anywhere in the text:
As shown in @fig:arch ...
```

Labels are placed with `<label>` directly after the closing `)` of `figure()`. `@label` is the equivalent of `\autoref{}` — Typst automatically prefixes "Figure", "Table", "Section", etc.

2.4 Tables

Typst tables use `stroke: none` with `table.hline` for booktabs-style rules:

Code

```
#figure(
  table(
    columns: (auto, 1fr, 1fr),
    stroke: none,
    table.hline(stroke: 1.5pt),                // \toprule
    table.header([*Config*], [*Freq.*], [*Area*]),
    table.hline(stroke: 0.75pt),               // \midrule
    [Baseline], [500 MHz], [142 500 µm²],
    [Opt.],     [700 MHz], [164 900 µm²],
    table.hline(stroke: 1.5pt),                // \bottomrule
  ),
  caption: [Synthesis results.],
) <tab:results>
```

Column widths accept `auto` (fit content), fixed lengths (`3cm`), or fractional (`1fr`, `2fr`) to share available space proportionally.

2.5 Labels and Cross-References

Code

```
= Introduction <chap:intro>     // label a heading
#figure(...) <fig:arch>         // label a figure

As shown in @fig:arch and discussed in @chap:intro ...
```

2.6 Bibliography and Citations

Code

```
#show: thesis.with(
  bibliography: bibliography("references.bib", style: "ieee", full: true),
)

As shown in @smith2023 ...      // equivalent to \cite{smith2023}
```

The `.bib` format is identical to LaTeX. The bibliography is rendered automatically at the end of the document.

2.7 Lists

Code

```
// Unordered list (\begin{itemize})
- First item
- Second item
  - Nested item

// Ordered list (\begin{enumerate})
+ First item
+ Second item

// Term list (\begin{description})
/ Term: Definition of the term.
```

2.8 Including External Files

Code

```
// Render content from another file (\input equivalent):
include "/chapters/introduction.typ"

// Import bindings without rendering (for macros / dicts):
#import "/acronyms.typ": acronyms
```

2.9 Useful Packages

Package	Purpose
`@preview/cetz`	Drawing and diagrams (TikZ equivalent)
`@preview/acrostiche`	Acronym management (`\newacronym` equivalent)
`@preview/gentle-clues`	Callout / admonition boxes
`@preview/lovelace`	Algorithm pseudocode
`@preview/equate`	Numbered sub-equations
`@preview/dashy-todo`	Tracking to-dos

Packages are imported with a version-pinned line — Typst downloads them automatically on first use, no manual installation needed:

Code

```
#import "@preview/cetz:0.4.2": canvas, draw
```

Browse the full package registry at https://typst.app/universe.

C

List of Figures

Figure 1 This a picture of an elephant. 2

D

List of Tables

Table 1 Available modules. 1

E

List of Code Samples

Code Sample 1 Modules before the main content. 2

Code Sample 2 Custom appendices. 2

Code Sample 3 The Typst code generating this file. 6

F

List of Acronyms

MTT modular thesis template

G

Bibliography

[1] P. Virtanen et al., SciPy 1.0: Fundamental Algorithms for Scientific Computing in Python, Nature Methods **17**, 261 (2020).

H

List of Todos

TODO 1 elaborate a bit more. 1