ETH zürich


Department logo

Department of Everything
Institute of Nothing

A Very Inspiring Title

Jane Doe
janedoe@university.org

John Doe
johndoe@university.org



Bachelor Thesis

02 November 2026

Advisor:
Advisor One, advisor.one@university.org

Professor:
Prof. Dr. Professor, professor@university.org

A

Abstract

This example shows the smallest useful configuration for a thesis. The document body follows the configuration below, while the lists and bibliography are added afterwards.

B

Contents

A Abstract ..... **i**
B Contents ..... **ii**
1 Introduction **1**
1.1 A figure and a table 1
1.2 Code and references 1
1.3 Custom appendices 2
1.4 Code of this File 3
C List of Figures ..... **iii**
D List of Tables ..... **iv**
E List of Code Samples ..... **v**
F List of Acronyms ..... **vi**
G Bibliography ..... **vii**
H A custom appendix ..... **viii**
I Typst Quick Guide ..... **ix**
I.1 Text Formatting ix
I.2 Mathematics ix
I.3 Figures x
I.4 Tables x
I.5 Labels and Cross-References x
I.6 Bibliography and Citations xi
I.7 Lists xi
I.8 Including External Files xi
I.9 Useful Packages xi

1

Introduction

This is the document body. Write chapters directly in this file, or split them into separate files with `#include("chapters/introduction.typ")`.

The modular thesis template (MTT) provides sensible defaults while leaving the document structure in your control. For example, the application programming interface (API) can be documented in the usual way.

1.1 A figure and a table

Figures and tables are collected automatically by `mtt-figures()` and `mtt-tables()`.




Figure 1: A figure included in the thesis.

Module	Purpose
mtt-abstract	Add an abstract page.
mtt-toc	Add a table of contents.
mtt-bibliography	Add a bibliography page.

Table 1: A table included in the thesis.

1.2 Code and references

Use ordinary Typst code in the thesis. Code blocks are displayed by `mtt-codes()`. For example, see how the source code of this document is printed into this PDF.

```
#mtt-codebox(
  caption: [The Typst code generating this file.],
  ref: "code:this-file",
  raw(read("simple.typ"), lang: "typ"),
)
```

Code Sample 1: Integration of the source code into this document.

The bibliography uses a regular BibLaTeX file. For example, this sentence can cite a paper with [1].

1.3 Custom appendices

Custom pages can be added to the `before` or `after` list alongside the built-in modules. This example adds `mtt-content-frame` to `after`, so the framed appendix appears after the bibliography and before the Typst guide.

1.4 Code of this File

```
// A small, complete thesis built with MTT.
// Copy this file into your project and replace the example content. The

#import "@preview/mtt-thesis:0.1.0": *

// Acronyms are optional. Define them before using mtt-acronyms() below.
#import "@preview/acrostiche:0.7.0": init-acronyms
#init-acronyms((
  "MTT": ("modular thesis template", "modular thesis templates"),
   "API": ("application programming interface", "application programming
interfaces"),
))


// mtt-thesis controls the document-wide layout. The order of items in
// `before` and `after` is the order in which their pages are rendered.
#show: mtt-thesis.with(
  coverpage: mtt-coverpage(
    logo-left: image("template/eth_logo_kurz_cropped.svg", height: 25pt),
    logo-center: [],
    logo-right: rect(height: 35pt)[Department logo],
    org-units: (
      "Department of Everything",
      "Institute of Nothing",
    ),
    title: [A Very Inspiring Title],
    project-type: "Bachelor Thesis",
    date: datetime.today(),
    cover-image: image("template/cover-image.svg", width: 100%),
    authors: (
      (name: "Jane Doe", email: "janedoe@university.org"),
      (name: "John Doe", email: "johndoe@university.org"),
    ),
    authors-horizontal: true,
    advisors: ((name: "Advisor One", email: "advisor.one@university.org"),),
              professors:   ((name:   "Prof.   Dr.   Professor",   email:
"professor@university.org"),),
  ),
  before: (
    mtt-abstract[
      This example shows the smallest useful configuration for a thesis. The
      document body follows the configuration below, while the lists and
      bibliography are added afterwards.
    ],
    mtt-toc(),
  ),
  after: (
    mtt-figures(),
    mtt-tables(),
    mtt-codes(),
    mtt-acronyms(),
    mtt-bibliography(
      bibliography(
```

```
        "references.bib",
        style: "american-physics-society",
        full: true,
        title: none,
      ),
    ),
    // Custom pages can be mixed with the built-in modules.
    page[
      = A custom appendix

      This page is ordinary content supplied by the document author.
    ],
    // Add this optional guide when starting to learn Typst.
    mtt-typst-guide(),
  ),
)

= Introduction

This is the document body. Write chapters directly in this file, or split
them into separate files with `#include("chapters/introduction.typ")`.

The modular thesis template (MTT) provides sensible defaults while leaving
the document structure in your control. For example, the application
programming interface (API) can be documented in the usual way.

== A figure and a table

Figures and tables are collected automatically by `mtt-figures()` and
`mtt-tables()`.

#figure(
  image("template/cover-image.svg", width: 65%),
  caption: [A figure included in the thesis.],
) <example-figure>

#figure(
  table(
    columns: (auto, 1fr),
    table.header([*Module*], [*Purpose*]),
    [mtt-abstract], [Add an abstract page.],
    [mtt-toc], [Add a table of contents.],
    [mtt-bibliography], [Add a bibliography page.],
  ),
  caption: [A table included in the thesis.],
) <example-table>

== Code and references

Use ordinary Typst code in the thesis. Code blocks are displayed by
`mtt-codes()`. For example, see how the source code of this document is printed
into this PDF.

#mtt-codebox(
  caption: [Integration of the source code into this document.],
```

```
  ref: "example-code",
)[
```typ
#mtt-codebox(
  caption: [The Typst code generating this file.],
  ref: "code:this-file",
  raw(read("simple.typ"), lang: "typ"),
)```
]

The bibliography uses a regular BibLaTeX file. For example, this sentence
can cite a paper with @R:scipy.

== Custom appendices

Custom pages can be added to the `before` or `after` list alongside the
built-in modules. This example adds `mtt-content-frame` to `after`, so the
framed appendix appears after the bibliography and before the Typst guide.


== Code of this File

#mtt-codebox(
  caption: [The Typst code generating this file.],
  ref: "code:this-file",
  raw(read("simple.typ"), lang: "typ"),
)
```

Code Sample 2: The Typst code generating this file.
```

C

List of Figures

Figure 1 A figure included in the thesis. 1

D

List of Tables

Table 1 A table included in the thesis. 1

E

List of Code Samples

Code Sample 1 Integration of the source code into this document. 1

Code Sample 2 The Typst code generating this file. 5

F

List of Acronyms

API application programming interface

MTT modular thesis template

G

Bibliography

[1] P. Virtanen et al., SciPy 1.0: Fundamental Algorithms for Scientific Computing in Python, Nature Methods **17**, 261 (2020).

H

A custom appendix

This page is ordinary content supplied by the document author.

I

Typst Quick Guide

Typst is a modern typesetting system designed as a faster, more ergonomic alternative to LaTeX. This guide covers the most common tasks for writing a thesis, with LaTeX equivalents shown alongside every Typst example.

> **Info**
>
> The full Typst documentation is available at https://typst.app/docs. The interactive web app at https://typst.app lets you experiment without any local installation.

I.1 Text Formatting

Feature	LaTeX	Typst
Bold	`\textbf{text}`	`*text*` or `#strong[text]`
Italic	`\textit{text}`	`_text_` or `#emph[text]`
Monospace	`\texttt{text}`	`` `text` ``
Superscript	`x\textsuperscript{2}`	`x#super[2]`
Subscript	`x\textsubscript{i}`	`x#sub[i]`
Forced linebreak	`\\`	`\` (backslash + space)
Non-breaking space	`~`	`~`
Quotation marks	``` ``text'' ```	`"text"` (auto smart quotes)
Hyperlink	`\href{url}{label}`	`#link("url")[label]`

I.2 Mathematics

Typst uses `$...$` for both inline and display math. Adding spaces *inside* the delimiters switches to display (block) mode:

Feature	LaTeX	Typst
Inline math	`$x^2$`	`$x^2$`
Display math	`\[ x^2 \]`	`$ x^2 $` (spaces inside `$`)
Fraction	`\frac{a}{b}`	`$a/b$`
Square root	`\sqrt{x}`	`$sqrt(x)$`
Sum / integral	`\sum_{i=0}^{n}`	`$sum_(i=0)^n$`
Greek letters	`\alpha, \beta`	`$alpha, beta$`
Bold math	`\mathbf{A}`	`$bold(A)$`
Aligned equations	`\begin{align}..\end{align}`	`$ a &= b \ c &= d $`

Tip

Math function names in Typst have no backslash: `sin`, `cos`, `lim`, `max`, etc. See the symbol reference for the full list of available symbols.

I.3 Figures

Code

```
#figure(
  image("figures/arch.svg", width: 80%),
  caption: [A descriptive caption.],
) <fig:arch>

// Reference it anywhere in the text:
As shown in @fig:arch ...
```

Labels are placed with `<label>` directly after the closing `)` of `figure()`. `@label` is the equivalent of `\autoref{}` — Typst automatically prefixes "Figure", "Table", "Section", etc.

I.4 Tables

Typst tables use `stroke: none` with `table.hline` for booktabs-style rules:

Code

```
#figure(
  table(
    columns: (auto, 1fr, 1fr),
    stroke: none,
    table.hline(stroke: 1.5pt),                // \toprule
    table.header([*Config*], [*Freq.*], [*Area*]),
    table.hline(stroke: 0.75pt),               // \midrule
    [Baseline], [500 MHz], [142 500 µm²],
    [Opt.],     [700 MHz], [164 900 µm²],
    table.hline(stroke: 1.5pt),                // \bottomrule
  ),
  caption: [Synthesis results.],
) <tab:results>
```

Column widths accept `auto` (fit content), fixed lengths (`3cm`), or fractional (`1fr`, `2fr`) to share available space proportionally.

I.5 Labels and Cross-References

Code

```
= Introduction <chap:intro>     // label a heading
#figure(...) <fig:arch>         // label a figure

As shown in @fig:arch and discussed in @chap:intro ...
```

I.6 Bibliography and Citations

Code

```
#show: thesis.with(
  bibliography: bibliography("references.bib", style: "ieee", full: true),
)

As shown in @smith2023 ...      // equivalent to \cite{smith2023}
```

The `.bib` format is identical to LaTeX. The bibliography is rendered automatically at the end of the document.

I.7 Lists

Code

```
// Unordered list (\begin{itemize})
- First item
- Second item
  - Nested item

// Ordered list (\begin{enumerate})
+ First item
+ Second item

// Term list (\begin{description})
/ Term: Definition of the term.
```

I.8 Including External Files

Code

```
// Render content from another file (\input equivalent):
include "/chapters/introduction.typ"

// Import bindings without rendering (for macros / dicts):
#import "/acronyms.typ": acronyms
```

I.9 Useful Packages

Package	Purpose
`@preview/cetz`	Drawing and diagrams (TikZ equivalent)
`@preview/acrostiche`	Acronym management (`\newacronym` equivalent)
`@preview/gentle-clues`	Callout / admonition boxes
`@preview/lovelace`	Algorithm pseudocode
`@preview/equate`	Numbered sub-equations
`@preview/dashy-todo`	Tracking to-dos

Packages are imported with a version-pinned line — Typst downloads them automatically on first use, no manual installation needed:

Code

```
#import "@preview/cetz:0.4.2": canvas, draw
```

Browse the full package registry at https://typst.app/universe.