

SSBT System

Launch process

Open a terminal

EUR
./ssbt/startup.sh eur

GBP
./ssbt/startup.sh gbp|

Wallet System

Manual Launch process

If the needs to be launched manually, the script to execute is:

java -jar /home/optima/ssbt/ssbt-service/bin/ssbt-service-ice-0.0.1-SNAPSHOT.jar --spring.config.location=/home/optima/ssbt/ssbt-service/config/application-eur.properties

java -jar /home/optima/ssbt/ssbt-service/bin/ssbt-service-ice-0.0.1-SNAPSHOT.jar --spring.config.location=/home/optima/ssbt/ssbt-service/config/application-gbp.properties

Logs

/var/log/ssbt/sbbt.log

Configuration

application-eur.properties
application-gbp.properties

```
#APP CONFIG
server.port = 8080
# USER CONFIGURATION
ssbt.config.username=ssbt_1
ssbt.config.password=Password1
ssbt.config.IDMMCustome=3166454
ssbt.config.IDMMAccount=5418340
ssbt.config.IDMMCurrecy=EUR
ssbt.config.accountNumber=EF737584
ssbt.config.userId=31
# SSBT CONFIG
ssbt.config.ClientIPAddress=127.0.0.1
ssbt.config.IDDCLanguage=UK
ssbt.config.IDMMBusinessUnit=1010
ssbt.config.SessionToken=""
ssbt.config.IDMMTXType=MRSB
ssbt.config.portName=/dev/ttyUSB0
# WS CONFIG
# wallet services
ssbt.wsconfig.ws.texas-url=http://10.153.106.13:83/tx-services
ssbt.wsconfig.ws.texas-action-url=http://Com.Finsoft.Warp.Texas/ISWTransactionService
ssbt.wsconfig.ws.shared-wallet-service-url=/SharedWalletService.svc
ssbt.wsconfig.ws.post-journal-action=/PostJournal
# reservation services
ssbt.wsconfig.rs.texas-url=http://10.153.106.13:10080
ssbt.wsconfig.rs.texas-action-url=http://tempuri.org/IReservationService
ssbt.wsconfig.rs.reservation-service-url=/ReservationService.svc
ssbt.wsconfig.rs.direct-deposit-action=/DirectDeposit2MM
ssbt.wsconfig.rs.get-voucher-debit-data-action=/GetVoucherDebitData
ssbt.wsconfig.rs.validate-voucher-action=/ValidateVoucher
ssbt.wsconfig.rs.c2c-tranfer-action=/C2CTransfer
ssbt.wsconfig.rs.create-voucher-action=/CreateVoucher
ssbt.wsconfig.rs.reserve-funds-action=/ReserveFundsForWithdrawl
# customer services
ssbt.config.cs.texas-url=http://10.153.106.13:83/tx-services
ssbt.wsconfig.cs.texas-action-url=http://Com.Finsoft.Warp.Texas/ICustomerService
ssbt.wsconfig.cs.customer-service-url=/CustomerService.svc
ssbt.wsconfig.cs.login-action=/Login
```

SSBT - Electron

Manual Launch process

Open a terminal
cd /home/optima/ssbt/electron-app
npm start

manual DEV Launch process

Open a terminal
cd /home/optima/ssbt/electron-app
npm run dev

The devtool is opened, and the console is display. Check possible JS errors

Configuration

The ssbt system include a configuration file to setup the below params:

- Screens path
- Users for the ICE (username, pass, currency, idmmcutomer
- Web socket URI
- Reconnection tries and timeout

path -> /home/optima/ssbt/electron-app/configuration.json

```
{
  "home2" : "http://10.153.106.16/sports",
  "home1" : "http://10.153.106.16/inplay",
  "wsUri" : "http://localhost:8080/ssbt-websocket",
  "user1": {
    "username": "ssbt_1",
    "password" : "Password1",
    "currency" : "EUR",
    "idmmcustomer" : "3166454"
  },
  "user2": {
    "username": "ssbt_2",
    "password" : "Password1",
    "currency" : "GBP",
    "idmmcustomer" : "3166455"
  },
  "connection":{
    "reconnectionTries": "50",
    "reconnectionTimeout": "2000"
  }
}
```

Known issues

Error	Solution	Cause
SSBT not logge	Restart SSBT	Sometime the login process is not working due to asynchronous problems in electron,
Grey filter applied	Restart SSBT	It's a way to detect when the SSBT is not connected with the wallet system. A reconnection feature is include in the file configuration.json "reconnectionTries": "50", "reconnectionTimeout": "2000"
Cache issue	Clear cache in electron rm -fr /home/optima/.config/ssbt/Cache	The electron internally is using chromium so the cache is stored in a proper folder