

Heaven's Light is Our Guide
Rajshahi University of Engineering and Technology



Course Code

ECE 4144

Course Title

Biomedical Engineering Sessional

Experiment Date: August 13, 2025,

Submission Date: September 17, 2025

Lab Report 4:

Observation of Various Features of an EEG Signal Collected from Kaggle MNE Database

Submitted to
Md Mayenul Islam
Assistant Professor
Dept of EEE, Ruet

Submitted by
Md. Tajim An Noor
Roll: 2010025

Experiment 4

Observation of Various Features of an EEG Signal Collected from Kaggle MNE Dataset

Objectives

- To analyze and observe key features of EEG signals from the Kaggle MNE database.
- To identify and visualize major EEG frequency bands.

Theory

Electroencephalography (EEG) is a non-invasive method for recording brain electrical activity via scalp electrodes, capturing summed neuronal post-synaptic potentials. EEG signals are categorized into frequency bands—delta (0.5–4 Hz), theta (4–8 Hz), alpha (8–13 Hz), beta (13–30 Hz), and gamma (30–100 Hz)—each linked to specific brain states such as sleep, relaxation, or alertness [1]. While EEG offers high temporal resolution for studying dynamic brain activity, signals often require preprocessing to remove artifacts. This experiment analyzes Kaggle MNE EEG data [2] to observe and interpret these characteristic frequency features.

Dataset Description

The Kaggle MNE EEG Dataset provides multi-channel EEG recordings from healthy subjects. Each recording includes 64 scalp channels (10-20 system), sampled at 160 Hz, with metadata on channels and subjects. The dataset is widely used for EEG analysis and frequency band studies [2].

Key details:

- **Source:** Kaggle MNE EEG Dataset [2]
- **Channels:** 64 (10-20 system)
- **Sampling Rate:** 160 Hz
- **Format:** Multichannel time-series

Tools Used

- Jupyter Notebook
- VS Code
- \LaTeX

Output




Figure 1: Observation of EEG signals

EEG Band Statistical Features:

	Mean	Std Dev	Variance	Skewness	Kurtosis	RMS	Band Power
Delta (0.5-4 Hz)	0.0	0.0	0.0	0.6923	6.4781	0.0	0.0
Theta (4-8 Hz)	-0.0	0.0	0.0	0.2412	0.8139	0.0	0.0
Alpha (8-13 Hz)	-0.0	0.0	0.0	0.0061	0.7088	0.0	0.0
Beta (13-30 Hz)	-0.0	0.0	0.0	0.0018	0.9454	0.0	0.0
Gamma (30-45 Hz)	-0.0	0.0	0.0	-0.0029	0.3404	0.0	0.0

Analysis

The outputs include the original EEG signal and band-specific signals (Delta, Theta, Alpha, Beta, Gamma) obtained via bandpass filters. For each band, statistical features—mean, standard deviation, variance, skewness, kurtosis, RMS, and band power—were computed. These results highlight how different brain rhythms appear in EEG and demonstrate the effectiveness of signal processing for isolating and analyzing specific components.

Discussion & Conclusion

The experiment demonstrated key EEG features using the Kaggle MNE dataset. Raw EEG signals showed characteristic brainwave patterns, and bandpass filtering isolated the delta, theta, alpha, beta, and gamma bands. Statistical analysis confirmed the separation of these frequency bands. The results highlight the importance of preprocessing and spectral analysis for extracting meaningful information from EEG data.

References

[1] E. Niedermeyer and F. L. da Silva, *Electroencephalography: Basic Principles, Clinical Applications, and Related Fields*, 5th ed. Lippincott Williams & Wilkins, 2005.

[2] A. L. Goldberger *et al.*, “Eeg motor movement/imagery dataset,” 2013.