
Real Estate Management

Release 8.0

jankstar

Oct 03, 2026

CONTENTS

1	Structure	3
2	Contents	5
2.1	Module Dependencies	5
2.2	Installation	6
2.3	Configuration	6
2.4	Access Control	10
2.5	Data Model	13
2.6	Property Management	13
2.7	Contract Management	17
2.8	Operating Cost Settlement	24
2.9	CO2 Cost Allocation (CO2KostAufG)	30
2.10	BVED External Billing Interface	32
2.11	Option Rate (Input VAT Deduction)	42
2.12	Extensions to Core Modules	43
2.13	Tasks, Processes and Handover Reports	46
2.14	Wizards	49
2.15	Reports	53
2.16	Accounting / WoWi	54
2.17	Source Layout	54
2.18	Running Tests	55
2.19	Demo data scripts	56
2.20	Release notes	57

A Tryton ERP module for real estate management. Packaged as `jankstar_real_estate`, targeting Tryton 8.0.0 and Python 3.9–3.13.

Covers property management, lease and sales contracts, tenant/owner party roles, operating cost settlement, CO2 cost allocation under the German CO2KostAufG, and a German “Kontenrahmen der Wohnungswirtschaft” (WoWi) accounting chart.

STRUCTURE

- **Master data** — real-estate objects in a tree (property □ building □ apartment/commercial unit/parking, equipment such as meters), addresses, measurements (areas, rooms, meter readings), occupancy, and party roles per object.
- **Contracts** — contract types, contract parties with roles and validity periods, items (rented objects) and terms (recurring charges such as rent and operating cost advances); terms generate a planned cash flow that is booked as invoices via the *Create Contract Moves* wizard or a cron task (one invoice per contract and posting date; term types flagged as *Separate Move*, e.g. the rent deposit, get an invoice of their own). Rent adjustments per term: graduated rent generated in advance, index rent (§ 557b BGB) with consumer price index import (CSV or GENESIS API), adjustment run, declaration letter and receipt; comparative rent, modernisation and operating cost procedures as headers so far.
- **Operating cost settlement** — billing units and settlement units allocate supplier invoice costs to contracts (by measurement, consumption, external billing, ...), including CO2 cost allocation (CO2KostAufG) and the BVED interface to external metering providers.
- **Tasks, processes and handover reports** — tasks (follow-ups) on contracts, objects, billing units and other records, created manually, by the module, by scheduled task rules or by process steps, with reminders and escalation; process templates (move-out, move-in, change of tenant, index rent adjustment) started by the contract type; handover reports (move-in, pre-inspection, move-out) with checklists, keys and meter readings that complete the matching process steps.
- **Accounting** — German WoWi chart of accounts, company-specific real-estate accounting configuration, input VAT option rate, and real-estate fields on invoices and journal lines.

Setup: master data and per-company settings (real estate accounting, scheduled tasks, task and process configuration) are described in *Configuration*, the entries in `trytond.conf` (GENESIS-Online token, e-mail, bus) and the required cron process in *Installation*.

Full documentation is split into per-topic pages under `doc/` — see *Contents* below and *Source Layout* for the file-to-model mapping.

ISO_4217 Currency https://de.wikipedia.org/wiki/ISO_4217

ISO_3166 Country Codes https://www.laenderdaten.de/kuerzel/iso_3166-1.aspx

This module was developed with the support of Claude Code — all requirements, specifications, tests, corrections, and optimizations were carried out by human contributors.

CONTENTS

- Module Dependencies
- Installation (incl. trytond.conf)
- Configuration
- Access Control
- Data Model
 - Property Management
 - Contract Management
 - Operating Cost Settlement
 - CO2 Cost Allocation (CO2KostAufG)
 - BVED External Billing Interface
 - Option Rate (Input VAT Deduction)
 - Extensions to Core Modules
 - Tasks, Processes and Handover Reports
- Wizards
- Reports
- Accounting / WoWi
- Source Layout
- Running Tests
 - Demo data scripts
- Release notes

2.1 Module Dependencies

ir, res, company, party, product, currency, country, account, account_invoice, account_deposit, account_payment_clearing, account_tax_non_deductible, bank

bank is used only by the BVED export's A-/M-Satz bank-field lookup (party.bank_accounts_used IBAN – classic Kontonummer/Bankleitzahl) — see [BVED External Billing Interface](#).

2.2 Installation

```
pip install -e .           # development install
pip install -e '.[test]'   # with test dependencies
```

The module entry point is declared in `setup.py`:

```
[trytond.modules]
real_estate = trytond.modules.real_estate
```

Link or install the package inside the Tryton modules directory so that `trytond-admin -u real_estate` can find it.

2.2.1 trytond.conf

Entries in the server configuration used by the module (all optional):

```
[real_estate]
# GENESIS-Online (Destatis) API token for the import of price index
# values (button "Fetch Values" and scheduled task price_index_import);
# without a token only the CSV import is available
genesis_token = <API token from GENESIS-Online, menu Webservice (API)>
#genesis_url = https://genesis.destatis.de/genesisWS/rest/2020/
#genesis_timeout = 60

[email]
# SMTP server and sender for task reminders by e-mail (task types with
# "E-Mail"); without it the error is only logged
uri = smtp+tls://user:password@smtp.example.com:587
from = tryton@example.com

[bus]
# live display of task notifications in the client
allow_subscribe = True
```

2.2.2 Processes

Besides the server (`trytond`) the scheduled tasks need the cron process (`trytond-cron`): a single `ir.cron` entry *Real Estate Daily Tasks* dispatches the per-company scheduled tasks (see [Configuration](#), `real_estate.cron_task`). After `trytond-admin -u real_estate` restart server, worker and cron - the cron process otherwise keeps running the old code.

2.3 Configuration

The following master data must be set up before the module can be used:

real_estate.object_party.role

Partner roles in combination with the property type (`base_object.type`), e.g. *Tenant*, *Owner*, *Administrator*.

real_estate.measurement.type

Named measurements linked to a unit of measure, e.g. *Living Area (m²)*, *Number of Rooms*, *Gross Floor Area (m²)*.

real_estate.contract.type

Contract types defining invoice direction (in/out), default journal, tax defaults, contract number prefix, and whether occupancy exclusivity is enforced. Group *Processes*: process templates started automatically when a contract is set to running (`start_process_template`), terminated (`termination_process_template`) or its partner is changed (`partner_change_process_template`) - see [Tasks, Processes and Handover Reports](#).

real_estate.contract.term.type

Term type definitions with default rhythm (monthly / quarterly / ...), default quantity source (measurement type), default account, and whether terms of this type are posted as a separate move (own invoice, optional own move description).

real_estate.price_index / real_estate.price_index.value

Price index series for index rents (§ 557b BGB) with their monthly values per base year (menu *Configuration › Price Indices*). Default series VPI-DE (consumer price index Germany, Destatis table 61111-0002, base 2020, `residential_allowed` - the only index allowed for residential index rents) and HVPI-DE (manual template for commercial contracts). Values are imported with the wizard *Import Index Values* (CSV with `Month;Value` rows, month as YYYY-MM or MM.YYYY, or `Year;Month` name; `Value` rows of a GENESIS-Online table download; preview before import) or entered manually in the editable value list. Only final values of the series' current base_year count (`last_value_month`, `get_value()`). Maintenance is restricted to the administration group.

GENESIS-Online import (series with `source = 'destatis_genesis'` and `genesis_table`): buttons *Fetch Values* (from the year before the last value, catches revisions) and *Fetch from Base Year* on the series form (tab *Import*, administration only) and the scheduled task `price_index_import` (*Real Estate Accounting › Scheduled Tasks*, e.g. *Run on Day of Month 20* - Destatis publishes the VPI in the middle of the following month). The web service is called by POST with the API token in the request header (`data/tablefile`, format `ffcsv`); only the index rows (unit `YYYY=100`) are imported (origin import), a different base year is refused, revisions of values used by declared or executed adjustments are not taken over. Result and errors are shown in *Last Import Message*; errors never abort the scheduled run. The token is configured in `trytond.conf` (not in the database):

```
[real_estate]
genesis_token = <API token from GENESIS-Online, menu Webservice (API)>
# optional
genesis_url = https://genesis.destatis.de/genesisWS/rest/2020/
genesis_timeout = 60
```

The Tryton server and the cron process need outgoing HTTPS access to `genesis.destatis.de`. A flat file CSV downloaded manually from GENESIS-Online can also be imported with *Import Index Values*.

real_estate.index_cap_rule

Prepared cap rule for index rents ("Mietrecht II", not in force yet; menu *Configuration › Index Rent Cap Rules*): validity of the received declaration (`valid_from/valid_to`), `threshold_percent` (default 3, counted in full per year), `excess_share_percent` (default 50) and `tight_market_only`. New rules are inactive by default. `apply()` computes the counted change in sections of 12 months (rest pro rata, compounded, no cap for decreases); `find()` returns the active rule for a receipt date and property. The tight housing market is marked on the property (`tight_market` with validity `tight_market_valid_from/tight_market_valid_to`, tab *General*).

real_estate.use_class

Dynamic use-class catalogue replacing the former static selection field. Each record carries two boolean flags:

has_basement_nr

Show/hide the *Basement Number* field on rental objects.

has_parking_nr

Show/hide the *Parking Number* field on rental objects.

Six default records are loaded at module installation: *Apartment* (has_basement_nr), *Office* (has_basement_nr), *Retail* (has_basement_nr), *Warehouse* (has_basement_nr), *Parking* (has_parking_nr), *Garage* (has_parking_nr). Additional classes can be created without changing code.

real_estate.cost_category_group / real_estate.cost_type

Cost categories (e.g. *Heating*, *Water*) and individual cost types used to structure operating cost settlements. Default values for German BetrKV (§ 2) are loaded at module installation.

real_estate.re_accounting (re_accounting.py)

Standalone, company-scoped real-estate accounting configuration, referenced one-directionally from `company.company.re_accounting (company.py)`; optional — a company without a linked `re_accounting` record gets none of the automation below).

re_account_allocation_by_owner

Vacancy cost account (debit and credit side of vacancy postings).

re_journal_billing

Journal used for direct GL postings in operating cost settlements.

re_payment_term_billing

Default payment term for operating cost settlement invoices, used when the contract itself has none set.

receipt_days (default 3)

Days from the declaration date of an index rent adjustment to the expected receipt by the tenant - only a preview of the effective date, the actual receipt is captured separately.

deposit_task_months (default 6)

Months after the end of a contract until the move-out process step *Settle deposit* is due.

co2_landlord_share_commercial

Default CO2 cost landlord share (%; 0–100) for commercial properties, which are not covered by the residential 10-tier distribution model — see *CO2 Cost Allocation (CO2KostAufG)* under *Operating Cost Settlement* below. Shown right before the *Cron Tasks* table on the form.

cron_tasks

One2Many to `real_estate.cron_task` — the company's scheduled task configuration, see below.

real_estate.cron_task (cron_task.py)

Per-`re_accounting` (i.e. per-company) row configuring one recurring operation: `task` (selection, currently `update_contract_status` / `update_contract_cash_flow` / `book_contract_cash_flow` / `update_option_rate` / `price_index_import` (GENESIS-Online, see above) / `task_notify` (task reminders and escalation) / `task_rules` (task rules and process conditions)), `valid_from`, `valid_until`, `interval_days`, `interval_months`, `schedule_day_of_month`, `horizon_months_ahead`, `invoice_state`, `future_contracts_horizon_days`, `last_run` (updated by the dispatcher), `active`. Task names are deliberately rhythm-agnostic (no “daily”/“rolling”/... in the name) — how often each task actually runs is a per-row configuration choice made by the user, not implied by the task itself; see *Scheduling and parameters* below. None of `interval_days`/`interval_months`/`schedule_day_of_month` is individually required, but `validate()` rejects a row that has none of the three set. A unique SQL constraint prevents duplicate rows for the same (`re_accounting`, `task`) pair. No rows are seeded automatically — a company gets no automatic behaviour until at least one row is added under the *Cron Tasks* tab of its `real_estate.re_accounting` record.

Dispatch. A single `ir.cron` entry (“Real Estate Daily Tasks”, method `real_estate.contract|cron_daily` — registered via a small `ir.cron.method` selection extension in `ir.py`, since that field is otherwise a fixed core list) runs daily and calls `Contract.cron_daily()` (`contract_core.py`). It iterates all active `cron_task` rows and, for each one that is due (see *Scheduling* below), calls the matching `Contract._cron_<task>(re_accounting, task)` classmethod and updates `last_run`. A future recurring operation only needs a new `_cron_<code>` classmethod plus a new `get_tasks()` option — no new `ir.cron` entry.

Scheduling and parameters. Each `cron_task` row carries its own parameters, read by its handler from the task record passed in, and its own rhythm - e.g. `update_contract_status` daily (`interval_days = 1`), `update_contract_cash_flow` every six months (`interval_months = 6`), `book_contract_cash_flow` and `update_option_rate` monthly (`schedule_day_of_month` set, e.g. 15 and 1 respectively).

`valid_from/valid_until` (both optional) are hard lower/upper bounds checked before all three modes below - the task never runs while `today < valid_from` or `today > valid_until`. If the task has never run yet and today is already past `valid_from`, it becomes due immediately (using today, not `valid_from`, as the actual first `last_run`). E.g. setting `valid_from = 15.03.2026` on a row activated on 20.03.2026 makes it run right away on 20.03.2026, not wait until the next scheduled date. `valid_until` just stops execution once passed - the row itself, and its `last_run` history, stay in place. `validate()` rejects a row where `valid_until` is before `valid_from`.

Three scheduling modes, checked by `Contract._cron_task_is_due()` in this priority order:

1. **Day-of-month-based:** if `schedule_day_of_month` (1-31) is set, it takes priority over both interval fields — the task runs at most once a month, on or after that calendar day (capped to the last day of shorter months), guarded by comparing `last_run`’s year/month to today’s so a delayed run still catches up without re-running twice in the same month.
2. **Month-interval-based:** otherwise, if `interval_months` is set, it takes priority over `interval_days`. If `valid_from` is also set, `Contract._add_months()` computes the exact recurring date `valid_from + k * interval_months` months (same day-of-month as `valid_from`, clamped to shorter months), advancing `k` past `last_run` each time - so e.g. `valid_from = 15.03.2026` with `interval_months = 1` runs on 15.03., 15.04., 15.05., ... and re-aligns to the correct slot even after a delayed run, instead of drifting from whatever date the delayed run actually happened on. Without `valid_from`, falls back to a looser check: due once at least that many calendar months (year/month difference, not exact days) have passed since `last_run` - a convenience for longer rhythms (e.g. 6 for half-yearly) without day-of-month precision.
3. **Day-interval-based** (default): otherwise, due once today - `last_run >= interval_days` (or `last_run` is unset).

`_cron_update_contract_status`

Auto-terminates running contracts of the company whose `end_date` has passed and which have no active termination yet (`termination_date` unset): sets `state = 'terminated'`, `termination_date = end_date`, `terminated_by_type = 'expired'`, and a `contract.log` entry — reusing the existing terminated state rather than adding a new one, so all state-dependent logic (occupancy, `create_moves`, item validation) keeps working unchanged. See `get_effective_end_date()` (`termination_date` if set and earlier than `end_date`, else `end_date`) which already governs occupancy for both running and terminated contracts regardless of whether this task has run yet.

`_cron_update_contract_cash_flow`

Cash-flow recalculation only (`action='re_calc'`): calls `Contract.call_create_moves()` for running/terminated contracts of the company, and for not-yet-started contracts whose `start_date` is within today + `future_contracts_horizon_days` (the row’s own field, default 60) — already-running/-

ended contracts are always included regardless of this value; it only decides how far ahead of their actual start not-yet-started contracts get pulled in early. For every contract included, `Term.re_calc()` (`contract_term.py`) recalculates that term's cash flow up to a **fixed** horizon of exactly 1 year from today (`_re_calc_year = 1`, not related to and not affected by `future_contracts_horizon_days`). It does **not** create invoices — booking is a separate, explicitly scheduled step, see `_cron_book_contract_cash_flow` below.

`_cron_book_contract_cash_flow`

Books (creates invoices for) all due terms, using `action='re_calc_and_create'` so it is self-sufficient regardless of whether `_cron_update_contract_cash_flow`'s horizon already covers the target date. The horizon is the end of the month that is `horizon_months_ahead` months after the run date — e.g. with `schedule_day_of_month = 15` and `horizon_months_ahead = 1`, a run on 15.07 books everything due up to 31.08. The row's own `invoice_state` (draft/posted, default draft) is passed through to `call_create_moves/_create_moves` and determines whether the created invoices are posted immediately or left as drafts for manual review. Note: each invoice's own `invoice_date/` `accounting_date` is *not* forced to this month-end horizon — it is the individual term's own computed `document_date` (see `_create_moves`, `inv_date = invoice_date` or `document_date` with `invoice_date=None` here), which may differ per term/rhythm.

`_cron_update_option_rate`

Recomputes and, where the rate actually changed, books new option rates via `OptionRate.process_update()` (`option_rate.py` — the same logic as the manual `real_estate.option_rate_update.wizard`, see [Wizards](#)) for every property of every company using this `re_accounting` configuration, as of today's date. Intended to run monthly with `schedule_day_of_month = 1`, which also determines the `effective_date` used by `process_update` (the 1st of the current month). Per-record results (created/updated/unchanged/ skipped counts, plus one detail line per processed object) go to the Python logger, not `contract.log`, since this task is not tied to individual contracts.

Tasks and processes (menu *Configuration > Tasks and Processes*)

Task types, task rules (delivered inactive), process templates and handover checklists - see [Tasks](#), [Processes](#) and [Handover Reports](#). Per user: preference `task_email` (task reminders by e-mail, default on).

Server configuration (`trytond.conf`)

See [Installation](#), section `trytond.conf`.

2.4 Access Control

Seven user groups are provided. Access is additive — a user may belong to multiple groups.

`group_real_estate_admin` — Real Estate Administration

Full CRUD on all module models. Intended for system administrators and property managers with unrestricted access. The built-in `admin` user is automatically assigned to this group at installation.

`group_real_estate_object` — Real Estate Object

Full CRUD on property and object data (`base_object`, `address`, `measurement`, `meter_reading`, `object_party`, `occupancy`). Read-only access to contract, billing, and configuration models. Intended for facility managers who maintain the property master data but do not manage contracts or run settlements.

Exception: also has full CRUD on `real_estate.option_rate` (in addition to `group_real_estate_admin`), since option rates are maintained together with the property/object master data via the *Update Option Rates* wizard — see [Option Rate](#). The

`group_real_estate_contract` and `group_real_estate_billing` groups remain read-only on it.

group_real_estate_contract — Real Estate Contract

Full CRUD on contract data (`contract`, `contract.term`, `contract.item`, `contract.log`, `contract.term.cash_flow`, `contract.term.tax`, `account_contract`). Read-only access to property, billing, and configuration models. Intended for property managers / letting agents.

Exception: also has full CRUD on `real_estate.contract.term.adjustment` (in addition to `group_real_estate_admin`) — see the *Contract Term Adjustment* wizard in [Wizards](#). The `group_real_estate_object` and `group_real_estate_billing` groups remain read-only on it.

group_real_estate_billing — Real Estate Billing

Full CRUD on all operating cost and settlement models (`billing_unit`, `billing_unit.log`, `billing_unit.moves`, `settlement_unit`, `settlement_result`, `cost_share`, `cost_category_group`, `cost_type`, `account.configuration.real_estate`), and on the BVED external billing models (`bved.service_provider`, `bved.provider_assignment`, `bved.object_number`, `bved.object_number.m_satz_line`, `bved.export`, `bved.import`, `bved.import.line` — see *BVED External Billing Interface* below). Read-only access to property and contract models. Intended for the operating cost accountant who runs the annual settlement but does not modify contracts or property master data.

Exception: the `group_real_estate_contract` group also has read-only access to all six BVED models (shared master/exchange data, not contract-specific); `group_real_estate_object` has none.

group_real_estate_view — Real Estate View (German: *Immobilien Anzeigen*)

Read-only (`perm_read=True`, `perm_write/perm_create/perm_delete=False`) on every module model that has explicit `ir.model.access` records — i.e. every model listed in the permission matrix below, without exception. Defined in its own file, `group_real_estate_view.xml` (one `res.group` record plus one `ir.model.access` record per model, generated by enumerating every `<record model="ir.model.access">` across the module's XML files via an XML parser — not a plain-text/regex search, which would also match commented-out `ir.model.access` blocks such as the disabled `real_estate.address.format` one in `address.xml`). Intended for users who need full visibility across the module (e.g. auditors, read-only reporting accounts) without being able to change anything, independent of which of the other four functional groups they would otherwise need for write access. Deliberately scoped to the module's own `real_estate.*` models only — it does not touch access to core models the module merely extends with extra fields (`party`, `party.account.invoice`, `account.move.line`, `company.company`), since those already have their own, separate access control.

group_account_view — Accounting View (German: *Rechnungswesen Anzeigen*)

Read-only counterpart to core's own `account.group_account` ("Accounting" / German *Rechnungswesen*) group — same ten models (`account.aged_balance`, `account.general_ledger`, `account`, `account.general_ledger.account.party`, `account.invoice`, `account.invoice.line`, `account.invoice.payment.mean.rule`, `account.journal.period`, `account.move`, `account.move.reconciliation`, `account.move.template`) that `group_account` itself has explicit `ir.model.access` records for (found by querying a live database's `ir.model.access` table for that group — `group_account`'s own permissions are additive with its child `group_account_admin`'s via `res.group.parent`, so `account.account/account.period/account.fiscalyear/account.tax` etc. are only reachable through that child group, not directly on `group_account`, and are intentionally excluded here). All ten downgraded to read-only. Defined in `group_account_view.xml` — kept as a module of its own file, not merged into `group_real_estate_view.xml`, since it grants access on core accounting models rather than this module's own; added here (rather than patched into core's `account` module, which this module must not modify) because `real_estate` already depends on

account. Independent of `group_real_estate_view` — a user typically needs both to see the full picture (real-estate objects/contracts plus the accounting moves/invoices behind them) without being able to change either.

`group_account_view.xml` also links the group to the top-level *Rechnungswesen* menu (`account.menu_account`) via `menu_account_group_account_view` (`ir.ui.menu-res.group`), since that menu is only shown to explicitly linked groups.

group_party_access — Party Access (German: *Partner Zugriff*)

Party editing is a separately-assigned privilege: only members of `group_party_access` may create, modify, or delete parties; every *other* role — including this module's own `group_real_estate_admin/object/contract/billing` and both “view” groups above — has read-only access (so party names still display wherever a party is referenced: contracts, invoices, lists...). Defined in `group_party_access.xml`: a `_default` (no-group) `ir.model.access` row (`perm_read=True`, the rest `False`) plus one full-CRUD row for `group_party_access` itself. The built-in admin user is auto-assigned to this group at installation (`res.user-res.group`), matching how core's own `group_account/group_account_admin` and this module's own `group_real_estate_admin` already do, so the out-of-the-box admin account is not locked out.

Warning

Groups of optional modules (sale, purchase, ...) are not included. Users of such modules who need to create or edit parties must be added to `group_party_access` by an administrator (Administration  User  the user's *Groups* field).

Permission matrix (C = CRUD · R = read · – = no access). The view group is not shown as its own column since its value is R for every single row without exception:

Model	admin	object	contract	billing
<code>real_estate.address</code>	C	C	R	R
<code>real_estate.base_object</code>	C	C	R	R
<code>real_estate.base_object.occupancy</code>	C	C	C	R
<code>real_estate.option_rate</code>	C	C	R	R
<code>real_estate.meter_reading</code>	C	C	R	R
<code>real_estate.measurement.type</code>	C	R	R	R
<code>real_estate.use_class</code>	C	R	R	R
<code>real_estate.measurement</code>	C	C	R	R
<code>real_estate.object_party</code>	C	C	R	R
<code>real_estate.object_party.role</code>	C	R	R	R
<code>real_estate.contract</code>	C	R	C	R
<code>real_estate.contract.item</code>	C	R	C	R
<code>real_estate.contract.term</code>	C	R	C	R
<code>real_estate.contract.term.tax</code>	C	R	C	R
<code>real_estate.contract.log</code>	C	R	C	R
<code>real_estate.contract.account_contract</code>	C	R	C	R
<code>real_estate.contract.term.cash_flow</code>	C	R	C	R
<code>real_estate.contract.term.adjustment</code>	C	R	C	R
<code>real_estate.account_contract</code>	C	R	R	R
<code>real_estate.contract.type</code>	C	R	R	R
<code>real_estate.contract.term.type</code>	C	R	R	R
<code>real_estate.re_accounting</code>	C	R	R	R

continues on next page

Table 1 – continued from previous page

Model	admin	object	contract	billing
real_estate.cron_task	C	R	R	R
real_estate.co2_emission_share	C	R	R	R
real_estate.contract.type.tax	C	—	R	R
real_estate.cost_category_group	C	R	R	C
real_estate.cost_type	C	R	R	C
real_estate.co2_kostaufg	C	R	R	C
real_estate.co2_kostaufg.consumption	C	R	R	C
real_estate.billing_unit	C	R	R	C
real_estate.billing_unit.log	C	R	R	C
real_estate.billing_unit.moves	C	R	R	C
real_estate.settlement_unit	C	R	R	C
real_estate.cost_share	C	C	C	C
real_estate.settlement_result	C	C	C	C
real_estate.bved.service_provider	C	—	R	C
real_estate.bved.provider_assignment	C	—	R	C
real_estate.bved.object_number	C	—	R	C
real_estate.bved.object_number. m_satz_line	C	—	R	C
real_estate.bved.export	C	—	R	C
real_estate.bved.import	C	—	R	C
real_estate.bved.import.line	C	—	R	C
account.configuration.real_estate	C	R	R	R

2.5 Data Model

The data model is split into the following areas:

- Property Management
- Contract Management
- Operating Cost Settlement
- CO2 Cost Allocation (CO2KostAufG)
- BVED External Billing Interface
- Option Rate (Input VAT Deduction)
- Extensions to Core Modules

2.6 Property Management

real_estate.address (address.py)

Structured address with granular fields (street_name, building_number, unit_number, floor_number, room_number, post_box) plus an unstructured fallback text field. Supports both formats and is linked to base_object records.

real_estate.base_object (base_object.py)

Central entity for every real estate asset.

Types: property · building · object · land · equipment

Workflow: Draft ☐ Active ☐ Closed

Key features:

- Parent-child tree (`tree()` mixin), e.g. Property ☐ Building ☐ Apartment
- One2Many relations to Address, ObjectParty, Measurement, and BillingUnit
- History tracking via BaseObjectOccupancy (tenant occupancy periods)
- `occupancy_state` (Function field, `type = 'object'` only): rented / vacant / under negotiation as of the `occupancy_date` context key (defaults to today), read from BaseObjectOccupancy. Added as a column to the object search's default list view (`base_object_list_simple.xml`, priority 10 — the one actually used for a Many2One's pick dialog, not the higher-priority-number `base_object_tree.xml`) so that picking an object for a contract item shows its status as of *that item's own* `valid_from` (`ContractItem.objects'` own `context={'occupancy_date': Eval('valid_from')}`), not just today.
- Meter readings (MeterReading) linked to equipment objects
- `billing_as / collective_billing` flags to control how operating cost billing is aggregated at property level
- `next_billing_start_date` (function field, property only): the earliest `start_date` among all non-billed billing units of the property. Drives the *ready for billing* checks and the green line-color highlight in the billing unit list view.
- Buttons `compute_value_shares`, `compute_settlement_result_property`, and `ready_for_billing_property` delegate bulk settlement actions to all billing units of the property that share `next_billing_start_date`. `billing_property` opens the `real_estate.billing_unit.wizard` instead of billing directly.
- `call_billing / do_billing` (classmethods) run the actual billing for one or more properties, optionally in the background queue (`execute_in_queue`). `do_billing` requires every billing unit that would be billed to already be in state `ready_for_billing`; with `collective_billing` all billing units sharing the same start date must be included together, otherwise a `ValidationError` is raised.
- `bved_provider_assignments` (function-less One2Many, `readonly=True`, visible only for type in `('property', 'building')`) shows the `real_estate.bved.provider_assignment` records anchored on this object. The *BVED Provider Assignments* notebook page itself stays hidden until at least one such assignment actually exists — it is a read-only overview, not a way to create or edit assignments; those are always maintained on the dedicated *BVED Provider-Liegenschaft* screen (`real_estate.bved.provider_assignment`, see below).

Rental object fields (visible only for type = `'object'`):

type_of_use

Economic use: residential, commercial, property (owner-occupied), or internal.
Drives the contract-type filter.

use_class

Many2One to `real_estate.use_class`. Controls which additional fields (`basement_nr / parking_nr`) appear on the form.

Meter fields (visible only for type = `'equipment'`, `e_type = 'meters'`):

meter_no_decimals

Boolean, default True. When set, meter readings are validated and rounded to integer values. The estimate-consumption wizard and `simulate_estimate` respect this flag and round accordingly.

Context classes for list views (BaseObjectEquipmentContext, BaseObjectOccupancyContext, MeterReadingContext) provide filterable search panels. Selection fields shared with the underlying model (e.g. `e_type`, `state`) are derived dynamically so their labels stay in sync automatically.

real_estate.object_party.role (object_party.py)

Configurable role definitions per object type (e.g. *Tenant* only for type `object`, *Owner* for all types).

real_estate.object_party (object_party.py)

Links a `party.party` record to a `BaseObject` with a typed role and an optional validity period.

real_estate.measurement.type (measurement.py)

Named measurement type linked to a `product.uom` unit.

Supports a **group hierarchy**: a type with `is_group = True` acts as a container grouping one or more child types via the parent `Many2One` field. Multi-level hierarchies are supported — groups can themselves have a parent group (e.g. *Gross Floor Area* ▢ *Net Floor Area* ▢ *Living Area*).

Constraints enforced at save time:

- All child types must share the same unit as their parent group.
- Circular references (a group referencing one of its own descendants as parent) are rejected.
- Only **leaf** (non-group) types can be assigned to individual `real_estate.measurement` records on `BaseObject` instances.

When a group type is referenced in `ContractTermType.m_type` or in `SettlementUnit.m_type`, the system automatically expands the group to all descendant leaf type IDs at query time, so measurements of any child type are included in the calculation.

get_effective_ids(m_type)

Classmethod resolving `m_type` to the flat list of leaf type ids to search: itself if not a group, else all descendant leaf ids (recursively, for nested groups).

real_estate.measurement (measurement.py)

Associates a numeric value and measurement type with a `BaseObject` for a given validity period.

get_total_value(base_object_id, m_type, as_of_date=None)

The single, hierarchy-aware entry point for “the value of `m_type` on `base_object_id` as of `as_of_date`” — every computation in the module that needs a measurement value (as opposed to just listing raw rows for display) goes through this classmethod rather than querying `real_estate.measurement` directly. Resolves `m_type` via `MeasurementType.get_effective_ids()` and, for **each** effective leaf id independently, looks up the object’s own latest row with `valid_from` ≤ `as_of_date` (or the single latest row ever, if `as_of_date` is `None`) — then **sums** whatever was found. This matters for a “Summenbemessung” (group type) where a single object carries values under **several sibling leaf types** at once (e.g. a mixed-use object with both a residential and a commercial area entry): the object contributes all of them, not just whichever happens to be the most recently dated row. Returns `None` if `m_type` is falsy, resolves to no effective ids, or none of them has any matching row at all (true “not recorded”, as opposed to a recorded value of zero) — callers use this to distinguish “no data” from a real zero. Used by `real_estate.bved.provider_assignment` (L-Satz *Gesamtfläche*), `BillingUnit.on_change_with_co2_total_area`, `SettlementUnit.compute_value_shares` (allocation by measurement), `ContractTerm._sum_measurements`, and `OptionRate._measurement_value` (dynamic option-rate weighting).

company / property (Function fields)

Display/search-only, derived from `base_object` — `company` is simply `base_object`. `company`; `property` is `base_object` itself if its own `type = 'property'`, else

`base_object.property` (the stored ancestor-property reference every `base_object` already carries). Used by the *Measurements* list below to show and filter by company/Wirtschaftseinheit without a join in the view itself. `search_property` matches either a row whose own property field equals the given value, or a property-type row whose own id does (so filtering by a given property also finds that property's own direct measurements, not just its descendants').

Measurements list (`act_measurement_tree` in `measurement.xml`)

Menu *Master Data*, between *Rental Object* and *Equipment*. A plain, filterable browse list over `real_estate.measurement` (columns: Company, Property, Object, From, Measurement Type, Value — summed — , Symbol), **not** a wizard and **not** hierarchy-aware the way `get_total_value()` is — it lists raw rows matching a simple filter, with no de-duplication to “the one currently effective row per (object, type)”. The filter panel (`real_estate.measurement.context`, via the action's `context_model/context_domain` — same mechanism as `real_estate.meter_reading.context` above) offers:

- `company` (required) — restricts to `base_object.company`.
- `property` — restricts the `base_object` picklist to that property's own subtree (via `child_of`) and, if `base_object` itself is left empty, restricts the list the same way.
- `base_object` — if set, takes precedence over `property` and restricts the list to this object and **all** of its descendants (('base_object', 'child_of', [base_object], 'parent') — inclusive of the object itself).
- `m_type` — exact match, if set.
- `date` (“Stichtag”, required, default today) — a plain `valid_from <= date` filter; deliberately **not** the latest-row-per-group logic of `get_total_value()` — every row satisfying the date cutoff is shown (and contributes to the summed Value column), including any historical rows later superseded by a newer `valid_from` on the same object/type.

`real_estate.meter_reading` (`base_object.py`)

Meter reading record linked to an equipment object of type meters.

Key fields: `company` (stored, auto-filled from `base_object` on change), `base_object`, `meter_id`, `reading_date`, `m_type` (initial / reading / estimate / final), `value`, `unit` (derived from the meter's `meter_unit`), `consumption` (difference to previous reading for counter meters), `comment` (free text).

Browseable via the *Meter Readings* menu entry under *Master Data*, filterable by company, property, parent object, equipment (meters only), and date range (`from_date` / `to_date`).

Consumption estimate (`simulate_estimate` / `create_estimate`):

`simulate_estimate(base_object, per_date, meter_id=None)`

Returns (`estimated_value`, `consumption`, `r1`, `r2`). Prefers **interpolation** when readings exist both before and after `per_date`: takes the closest reading on each side and interpolates linearly between them. Falls back to **extrapolation** using the last two readings within one year before `per_date` when no future reading is available. Rounds the result to the meter's UOM digit precision; if `meter_no_decimals` is set on the meter, rounds to integers.

`create_estimate(base_object, per_date, reason, meter_id=None)`

Calls `simulate_estimate` and saves a new reading with `m_type` = 'estimate'.

2.7 Contract Management

real_estate.contract.type (contract_type.py)

Template for contracts. Defines invoice direction (in/out), default taxes, accounting journal, number prefix, step sizes for item and term sequence numbers, and whether occupancy exclusivity is enforced.

oc_mark

Free-text label used in operating cost settlement invoice descriptions and invoice headers, e.g. "Betriebskostenabrechnung 2025". Falls back to "Operating Cost Settlement" / "Operating Costs" when empty.

adjustment_procedures

Rent adjustment procedures allowed for contracts of this type (MultiSelection, see *Rent Adjustments* below). A procedure is only possible for a term if both the contract type and the term type allow it.

real_estate.contract.type.tax (contract_type.py)

Many2Many relation table between ContractType and account.tax.

real_estate.contract.term.type (contract_type.py)

Template for contract terms. Defines default rhythm, rhythm type (daily / weekly / monthly / quarterly / annually / one-time), rhythm start day, measurement type for quantity derivation (m_type), informative measurement type for a value per area only (info_m_type), default quantity, and default account.

adjustment_procedures

Rent adjustment procedures allowed for terms of this type (MultiSelection). Consistency rules: operating cost procedures only with an operating cost processing, rent procedures only without; one-time terms have no procedures.

separate_move / move_description

Separate Move: terms of this type are posted in periodic postings as an invoice of their own per contract and posting date instead of together with the other terms of the contract (e.g. rent deposit). *move_description* (translatable, only visible with *separate_move*) is the description of that invoice; empty = the default description (contract type mark or name). The contract reference is kept on every invoice.

real_estate.contract (contract_core.py)

Main contract record.

Workflow: Draft ☐ Running ☐ Terminated / Cancelled

Key features:

- Links to `party.party` (contractual partner, see `real_estate.contract.party` above), `base_object` (property), and one or more `ContractItem` records
- Generates Tryton accounting moves (invoices) for all active terms via `CreateContractMoves` wizard (`call_create_moves`): one invoice per posting date for the regular terms, one per term type (and own payment term) for terms of a `separate_move` term type (`_move_group_key`, `_move_description`)
- `get_move_payment_term(term=None)` resolves the payment term of these invoices and of the cash flow due dates: the term's own `payment_term` (separate move only) ☐ the contract's `payment_term` ☐ the party's customer/supplier payment term (by invoice type) ☐ the default customer payment term of `account.configuration` (no default on the supplier side)
- Cash flow tabs on the contract form: *Draft* (invoice state draft/validated), *Pending* (posted), *Paid* (paid)

- `_refresh_occupancy_for_contracts` updates occupancy records when a contract starts or is terminated; cancelled contracts are excluded from occupancy calculations automatically
- `add_log` appends timestamped `ContractLog` entries
- `next_item_sequence` / `next_term_sequence` auto-increment helpers
- `sequence` is only editable in draft; readonly once running/terminated/cancelled.

Contract type before type of use. `c_type` is picked first (its domain filters by the company's accounting scheme, `re_accounting`). `type_of_use` is only editable (Function field `c_type_multi_use`) once a contract type is chosen **and** it allows more than one type of use (its `types_of_use` `MultiSelection`); the selection is then restricted to the contract type's allowed values. If the contract type allows only one, `on_change_c_type` presets `type_of_use` to it (readonly).

settlement_units (Function field, `get_settlement_units`)

The contract's *last valid* settlement units: settlement units of the property's billing units whose objects overlap with the objects assigned to this contract via its items. Billing units are restricted to the property's `next_billing_start_date` (the earliest non-billed billing unit start date); if the property has none set, the most recently billed period is used instead. The overlap is determined in one batch by `_participating_settlement_units` (billed units by their cost shares, the others by the approved objects of the property matching `reg_ex_object`) instead of the objects function field of every unit. Shown in the tab *Operation Costs* (participation only, no amounts), used by `get_cost_shares` and by `real_estate.contract.annex4`. report for the Anlage 4 print (see [Reports](#)) — the report intentionally reuses this field instead of re-deriving the billing unit itself.

Costs and shares are opened from the contract with the relates *Operating Costs Settlement Units* (wizard, all billing units of the property overlapping the contract period, `get_settlement_units_all_periods`), *Operating Costs Cost Shares* and *Operating Costs Settlement Results* (domain contract).

Tab *Tasks and Processes*: sub tabs *Open* (open tasks - '+' creates a task - and running processes) and *History* (done/cancelled tasks and processes), filtered One2Many fields `tasks_open/tasks_history` and `processes_open/processes_history`.

Fixed term / termination. `unlimited` (Boolean, default True) determines whether the contract has a fixed end date. Editable only in draft:

- `unlimited = True` (default) — `end_date` is readonly and must be empty; `on_change_unlimited` clears it automatically when toggled on.
- `unlimited = False` — `end_date` becomes required and editable (only in draft).
- The invariant ("unlimited contract must not have an end date", `msg_contract_unlimited_with_end_date`) is enforced by `validate_fields` only in draft — once running/terminated it is no longer checked, since termination legitimately sets `end_date` regardless of `unlimited` (see below).

The *Terminate* button (`real_estate.terminate_contract.wizard`, see *Wizards*) also writes the resolved `termination_date` into `end_date` — so `end_date` always reflects the contract's actual end once terminated, fixed-term or not.

The *Running* button is only shown for draft/cancelled. A **terminated** contract is reactivated via the *Revert Termination* button (`revert_termination`, transition terminated → running, only shown for state = 'terminated'). It clears the termination fields (`termination_date`, `terminated_by_type`, `receipt_of_termination_notice`, `termination_notice`, `termination_reason`) and, **only if the contract is "unlimited"**, also `end_date` — a fixed-term contract that was terminated early keeps its `end_date`.

See also the `update_contract_status` cron task (*Configuration* above) for the automatic expired termination of fixed-term contracts whose `end_date` has passed without an active termination.

Cancellation: the *Cancel* button transitions the contract to *Cancelled*. Before the transition:

- If any cash flow entry in state *done* (already invoiced) exists, a `ContractCancelWarning` is shown explaining that existing postings will **not** be reversed automatically. The user must confirm to proceed.
- All cash flow entries still in state *draft* are deleted.
- Occupancy records are recalculated; the cancelled contract is excluded.

`real_estate.contract.log (contract_core.py)`

Append-only audit log attached to a contract (event name + description).

`real_estate.contract.party.role (contract_party.py)`

Configurable role definitions for the “Parties” tab on a contract (e.g. *Hauptmieter* / Main Tenant, *Nebenmieter* / Secondary Tenant, *Eigentümer* / Owner — shipped as default data), optionally restricted to specific contract types via the `contract_types` Many2Many (`real_estate.contract.party.role—contract.type`); left empty, a role applies to every contract type.

mandatory

If set, this role must be assigned without gaps for the contract’s *whole* validity period (`start_date` to its effective end date, or indefinitely if open-ended) — checked via `Contract._check_party_roles` (`validate_fields`, so on every create/write): a *warning* while the contract is still *draft* (the user may still be assembling the party list), a hard `ValidationError` otherwise.

only_once

If set, this role may only be assigned once at any given point in time on a contract (no two overlapping `valid_from/valid_to` assignments) — same warning-in-draft/error-otherwise split as mandatory.

Confirmed warnings of both checks are remembered per role (not per contract): confirming a missing/overlapping role once also skips the warning for other *draft* contracts with the same gap.

`real_estate.contract.party (contract_party.py)`

One party assignment row (`party`, `role`, `valid_from/valid_to`) on a contract’s “Parties” tab, plus `invoice_address` (domain-restricted to the assigned party’s own addresses) and a read-only `phone_partner` (first phone contact mechanism of the party). A unique SQL constraint on (`party`, `contract`, `valid_from`, `role`) prevents exact duplicates.

`Contract.contractual_partner` is **derived** from whichever party currently holds the contract type’s configured *Main Tenant Role* here, not set directly — `on_change_parties` keeps it in sync. It is a stored, required Many2One column (used by the *Kontenblatt* query `AccountContract.table_query()`).

`delete()` blocks removing the *last* assignment row for a party that still has booked (`state= 'done'`) cash flow entries on the contract (`msg_contract_party_delete_has_bookings`) — the party must stay traceable even if its specific role/period is being corrected, as long as some assignment row for it remains.

Change Partner (see *Wizards*) is the supported way to swap the main tenant on a running contract, including rebooking still-open invoices — editing the “Parties” tab directly for that purpose is still possible but only warns (`ContractPartnerChangedWarning`, confirmable) when the outgoing party already has booked entries, rather than doing any of the rebooking itself.

`real_estate.contract.item (contract_item.py)`

Associates one or more rental objects with a contract for a given validity period (`label`,

`valid_from/valid_to`).

`objects` is a Many2Many to `real_estate.base_object` via the relation model `real_estate.contract.item.object`; the client shows the objects with their normal list/form views (including `occupancy_state`). The object selector is restricted to objects of the **same property** as the contract, and additionally to `type = 'object'` for **occupancy contracts** (`contract.c_type.occupancy`, mirrored by the Function field `occupancy`). A unique SQL constraint on (`item`, `object`) prevents assigning the same object twice to the same item; the same object may be assigned to an item of another contract.

On create/write/delete, triggers occupancy refresh and re-runs `BillingUnit` selection and value-share calculation for the affected property.

`_check_occupancy_overlap` — only for occupancy contracts, only while the contract isn't cancelled — checks at save time, for every assigned object, whether this item's `valid_from/valid_to` range overlaps an existing `BaseObjectOccupancy` period of a *different* contract:

- Overlap with a rented period → `ValidationError(msg_occupancy_overlap)`.
- Overlap with an under_negotiation period only → confirmable `ContractItemOccupancyWarning(msg_occupancy_overlap_warning)`, remembered per object.

`real_estate.contract.term(contract_term.py)`

A recurring charge line on a contract (rent, operating cost advance, etc.).

Key fields: `term_type`, `reference_item`, `valid_from/valid_to`, `rhythm + rhythm_type + rhythm_start`, `quantity`, `unit`, `unit_price`, `taxes`, `payment_term` (optional, only visible for a term type with `separate_move`, Function field `term_type_separate_move`).

Graduated rent fields: `rent_adjustment` (the graduated rent the term belongs to), `graduated_step` (0 = base term, 1...n = steps), `graduated_amount` (agreed net amount of the step), `graduated_increase_percent` (information) and `graduated_locked` (Function field with searcher, see *Rent Adjustments*).

`_split(term, valid_from, unit_price, quantity=None, values=None)`

Common term split: ends term the day before `valid_from` and copies it into a follow-up term from `valid_from` on (cash flow and graduated rent membership are not copied). Refuses a date not after the term's start, after its end, inside its booked period (`get_booked_to()`) or when a follow-up term of the same type and item exists. Writes with `_skip_re_calc` - the caller recalculates the cash flow once afterwards.

Key methods:

`re_calc()`

Rebuilds the `CashFlow` list from existing invoice lines and projects future entries up to `_re_calc_year` years ahead.

`_next_document_date()`

Calculates the next invoice date based on rhythm and last posting date.

`_on_change_with_next_due_date()`

Applies the payment term of `Contract.get_move_payment_term()` to derive the due date.

`real_estate.contract.term.tax(contract_term.py)`

Many2Many relation table between `ContractTerm` and `account.tax`.

`real_estate.contract.term.cash_flow(contract_term.py)`

Projected or realised cash flow entry for a term.

States: draft (planned, no invoice line yet) · done (invoiced)

Invoice states (computed from the linked invoice): draft / validated — not yet posted (excluded from settlement calculations); posted — open receivable; paid — settled. Only posted and paid entries appear in the balance sheet and are used as *advance payment* in operating cost settlement.

Stores `posting_date`, `document_date`, `due_date`, and a link to the `account.invoice_line` once billed. `base_object` (function field) is derived from the linked invoice line and used to key advance payments to a (contract, object) pair during operating cost settlement. `create_moves_run_id` (format YYYYMMDD-HHMMSS-U<userid>) is set for all cash flow entries created in a single `CreateContractMoves` run, allowing traceability back to the wizard invocation. Supports date-pattern search (YYYY/MM or YYYY/MM/DD) in the name field.

Quantitative (contract_term.py)

Custom `fields.Numeric` subclass that carries a unit reference and sets `quantitative=True` in its field definition so the UI renders the associated unit symbol.

real_estate.contract.term.adjustment (contract_term.py)

History record documenting a single old-term → new-term adjustment (e.g. a rent/advance-payment change following an operating cost billing run, an operating cost plan, or a free percentage/absolute change).

States: draft · approved

Key fields: `adjustment_mode` (percentage / absolute), `term_old` (required, `ondelete='RESTRICT'`), `term_new` (`ondelete='RESTRICT'`, set once the replacement term exists), and an optional `settlement_result` link when the adjustment originates from an operating cost billing run.

Function fields mirror `company` / `property` / `contract` from `term_old`, and `valid_from` / `valid_to` / `amount` / `tax_amount` / `total_amount` from both `term_old` (suffix `_old`) and `term_new` (suffix `_new`), so a reviewer can compare the before/after amounts without opening either term individually.

Browseable read-only via the *Contract Term Adjustments* menu entry under *Contracts* → *Adjustment*.

Note

Only the data model and its history/comparison fields exist so far — nothing currently creates these records. See the *Adjustment of Contract Terms* wizard (below, under *Wizards*), which defines the full input mask but still has placeholder processing logic only.

real_estate.contract.rent_adjustment (contract_rent_adjustment.py)

Rent Adjustments (*Mietanpassungen*): one record per adjustment of one contract term, for every procedure, shown on the contract's *Rent Adjustments* tab (O2M `rent_adjustments`) and in the menu *Contracts* → *Rent Adjustments*. A new record is created there via *New*: first the procedure, then the term.

Procedures (`contract_type.ADJUSTMENT_PROCEDURES`): `graduated_rent` (§ 557a BGB), `index_rent` (§ 557b), `comparative_rent` (§§ 558 ff.), `modernisation` (§§ 559 ff.), `operation_costs_billing` / `operation_costs_plan` (§ 560), `free_adjustment`. So far the graduated rent has processing and the index rent its agreement (see below); the other procedures are header records.

Header fields (all procedures): `contract`, `procedure`, `term` (exactly one term - offered are terms of the contract whose contract type and term type both allow the procedure, and in state draft no term locked by a graduated rent), `valid_from`, `agreement_date` (required for graduated/index rent), `written_form`, `comment`, `state` (draft / generated for a graduated rent, draft / active / closed for an index rent). Checks on save: term belongs to the contract, procedure allowed by

contract type and term type, at most one agreed procedure (graduated or index rent) per term (§§ 557a, 557b BGB; a closed index rent no longer counts), no comparative rent for a residential term with an active index rent. Only drafts can be deleted.

Index rent (procedure = 'index_rent', § 557b BGB, spezifikation-indexmiete.md) - so far the agreement; the adjustment runs, declarations and execution follow. Tab *Index*: price_index (residential: only series with residential_allowed, i.e. the VPI), index_base_month (first of the month) with the contract's own statement index_base_value_contract / index_base_year_contract (documentation) and the computed index_base_value from the current base year of the series, threshold_type / threshold_value (none / percent / index points), effective_rule (statutory - mandatory for residential - or contract_month with effective_offset_months for commercial), apply_cap (auto / never). Information: current_term (latest term of the chain of the same term type and item from term on, also after splits by other procedures), current_index_month / current_index_value, last_change_date (start of the agreement valid_from resp. later the last executed adjustment) and next_possible_date (+12 months, § 557b para. 2 BGB). declaration_deadline (*Declaration until*, searchable) is the follow-up date: latest date to send the declaration so that the adjustment takes effect on the next possible date (receipt in the month before last minus receipt_days; none for the commercial contract month rule). Menu *Contracts* › *Rent Adjustments* › *Index Rents* - *Follow-up* lists the active index rents with the tabs *Due* / *Next 3 Months* / *All*.

Activate (draft → active) checks: written form and agreement date (I01; residential error, commercial confirmable warning), statutory effective rule for residential, index allowed for residential (I02), final value of the base month in the current base year (I03), no comparative rent on the term chain and a confirmable warning for a modernisation adjustment (I10, residential), hint on the Preisklauselgesetz for commercial contracts not fixed for at least 10 years (I12). *Draft* (active → draft) and *Close Index Rent* (active → closed) change the state; in active index series, base month and term are readonly, threshold and comment stay editable. *Draft* is refused once an adjustment is approved, declared or done, *Close* while an adjustment is open.

Index adjustments (real_estate.contract.term.adjustment with rent_adjustment, contract_index_rent.py, list on the *Index* tab): created by the adjustment run (see *Wizards*). Reference (index_month_old/index_value_old) is the agreement's current index (last executed adjustment, else the base month), the new value the run's index month - both from the current base year. compute_index_adjustment calculates the change (exact ratio, shown with 2 digits), the threshold (percent or points, on the uncapped change), the cap (apply_cap = 'auto', active cap rule for the planned receipt date and the property's tight market), the new amount planned_amount = old amount × ratio (resp. × capped change), rounded half up to the cent - the decisive amount - and planned_unit_price = amount / quantity (4 digits). planned_valid_from: statutory first day of the month after next following receipt_date (before that a preview from declaration_date + receipt_days of the real estate accounting, default 3), for contract_month the index month + offset. Check protocol check_state/check_message (codes I04 lock period, I05 index values, I06 contract running/end, I08 rounding, I09 booked beyond the effective date, I13 decrease, I14 graduated rent lock, S01 threshold). States draft → approved → declared → done, cancelled: *Recompute* (draft), *Approve* (refused with errors, confirmable warning with findings), *Cancel* (warning if declared), *Draft* (from cancelled, at most one open adjustment per agreement). *Declare* (approved → declared, declaration date default today) renders the declaration real_estate.contract.index_adjustment.letter (report/index_adjustment_letter_de.odt: one letter per adjustment, addressed jointly to all main tenants, with index series and base year, reference and new index month/value, change in percent and points, cap rule if applied, old and new net rent and the difference, expected effective date) and archives the original as attachment (letter); the values are frozen from then on. Printing it again from the print menu marks it *Zweitschrift*, before the declaration *ENTWURF*. Receipt date and dispatch method are entered in the adjustment form or the editable list *Contracts* › *Adjustment* › *Capture Receipt* (declared adjustments). *Execute* (declared → done, for the statutory rule only with a receipt date) recalculates the effective date from the re-

ceipt, checks again (I04, I06, I09, I14, the current term must still be `term_old`) and I11 (the declared rent must not exceed the rent allowed by the cap rule on the actual receipt date), splits the term (`ContractTerm._split` with the new unit price from the effective date), recalculates the cash flow, sets `term_new`, `executed_by/executed_date` and logs the adjustment in the contract log (event `index_rent`). The agreement then takes the executed adjustment as reference for the next one. Index values used by a declared or executed adjustment cannot be changed or deleted.

Graduated rent (procedure = 'graduated_rent'): all steps are generated in advance as terms. The procedure-specific fields are only visible (and required) for this procedure:

- Parameters: `rhythm_months` (≥ 12), `step_count` (≥ 1), `increase_mode` (absolute € per period, `per_area` € per m², percent), `increase_value`, `percent_basis` (base = same increase for all steps, previous = compound). `valid_from` is always the start of the base term.
- Area for `per_area`: the base term's informative measurement (`info_m_type`) as of its start, hierarchy-aware; fixed on generation (`generated_area`).
- Information: base amount (net, quantity $\times$ unit price), increase and increase % of the 1st step, final amount, total increase %, start of the last step, and a text preview of all steps (amount, increase and - with an informative area - the new amount per m²). Preview and generation use the same calculation `compute_amounts()`: the increase is rounded (half up) per step, every step is an exact cent amount.
- Steps tab: the step terms, booking state (`booked`, `last_booked_date`, `last_booked_step`), predecessor / successor (chain of follow-up graduated rents) and `generated_parameters` (snapshot of the last generation).

Buttons (`ir.model.button` records, restrictable per group):

Generate (draft → generated)

Checks G01-G15 (errors: procedure allowed, $\text{rhythm} \geq 12$, ≥ 1 step, increase ≥ 0.01 per step, base term not booked, no follow-up term, last step before the term's/contract's end with the maximum number of steps in the message, base term not an intermediate step of another graduated rent, contract draft/running without termination, written form for residential, area found, term type without `m_type`; confirmable warnings: written form for commercial, termination waiver over 4 years, rounding with quantity $\neq 1$, step start not matching the billing rhythm). Then the base term becomes step 0 and each step is created with `ContractTerm._split()`; the last step takes over the original end of the base term (`base_valid_to_orig`). Cash flow is recalculated and the contract log gets parameters and step overview.

Regenerate

Not booked: reset and generate again. Booked: after the graduated rent warning (below), only the steps after the last booked step are recalculated from that step on; booked steps keep amount and start. Refused if the next step would start inside a booked period.

Reset (generated → draft, not booked)

Deletes steps 1...n and restores the base term (original end, no membership).

End Graduated Rent (booked)

After the warning, deletes the steps not yet booked; the last booked step becomes the last step (open, unlocked, `step_count` adjusted). If only the base term is booked, the graduated rent is dissolved like *Reset*.

Lock (`ContractTerm.graduated_locked`): the base term and all steps except the last one of a generated graduated rent - and the last step carrying a follow-up graduated rent - cannot change `valid_from`, `valid_to`, `term_type`, `reference_item`, `rhythm` fields or taxes (readonly in the form, muted rows in the list, note in the form), cannot be split and get no other rent adjustment (§ 557a para. 2 BGB). No term of a graduated rent can be deleted individually. Quantity and unit price can be

corrected; `graduated_amount` follows. Only the graduated rent itself changes its terms (context `_graduated_rent_generate`).

After the first booking every change (regenerate, end, manual amount correction of a step) needs confirmation of `ContractGraduatedRentChangeWarning`: the graduated rent is part of the contract, a change requires an amendment agreed with the tenant. It comes before the existing warnings for booked terms, is keyed on the new parameters/values, and every confirmed change is logged in the contract log (old/new parameters, steps before/after).

Follow-up graduated rent: the last step of graduated rent A can be the base term of a new graduated rent B. The step stays a member of A and is step 0 of B only via B. term; while B exists (also as draft), A cannot be regenerated, reset or ended.

Specification: `spezifikation-mietanpassung.md` (not part of the repository).

`real_estate.contract.handover (handover.py)`

Handover report (*Übergabeprotokoll*) of a contract - see [Tasks, Processes and Handover Reports](#).

2.8 Operating Cost Settlement

`real_estate.cost_category_group (billing_unit.py)`

Groups cost types for reporting, e.g. *Heating, Water, Janitorial*.

`real_estate.cost_type (billing_unit.py)`

Individual cost item (e.g. *Gas, Cold Water*) with optional `category_group`, `comment`, and `no_print` flag.

For `allocation_by_consumption` settlement units, two fields control the meter-reading tolerance window around the start/end date of each cost share:

`reading_pre_days`

Days *before* the target date within which a reading is accepted (default: 7).

`reading_post_days`

Days *after* the target date within which a reading is accepted (default: 7).

The reading closest to the target date within the window is used. If no reading is found, an error is stored on the cost share.

`real_estate.billing_unit (billing_unit.py)`

Annual (or period) operating cost settlement for one property.

Workflow: Draft ☐ Approved ☐ Selection ☐ Value Share ☐ Ready for Billing ☐ Billed

`external_billing`

Boolean flag. When enabled, every settlement unit of the billing unit is forced to `allocation_rule = allocation_from_external_billing` (see `real_estate.settlement_unit` below) and costs are entered manually instead of being computed internally. Also reveals the *BVED* page and its `bved_provider_assignment` field — see *BVED External Billing Interface* below.

Two calculation methods:

`rental_apartment`

Operating cost settlement for residential tenancies under §§ 1–2 BetrKV. Costs are allocated to tenants proportionally.

`WEG_billing`

Annual statement for condominium owners under WEG (German condo law). Costs are allocated to co-owners by ownership share.

Key actions (buttons):

approved

Activates the billing unit.

selection

Identifies which contracts/objects are in scope for the billing period. Available in states approved, selection, value_share, and ready_for_billing (re-running from value_share / ready_for_billing revises the scope; existing settlement results are deleted after confirmation).

compute_value_shares_button

Calculates allocation shares (CostShare) for each settlement unit. Available in states selection, value_share, and ready_for_billing. If settlement results already exist for the billing unit, a confirmation warning is shown before they are deleted and value shares are recomputed. Does **not** automatically call compute_settlement_result. If any settlement unit has sub_state = error the billing unit is *not* advanced to value_share; the error is written to the billing unit log instead.

compute_settlement_result

Derives SettlementResult records per (contract, base_object) pair — actual costs, advances paid (only posted/paid invoice lines), and the resulting refund or additional receivable. Advance payments are matched to cost shares by the same (contract, object) key. If an advance-payment cash flow line has no matching cost-share group (e.g. no object on older invoices, or several terms for the same object) a fallback SettlementResult with actual_costs = 0 and a full refund is created for it; the fallback count is logged. Sets affected CostShare records to state error if any cash flow entries in the period are still in draft/validated state; the error message is prefixed with [draft] so it can be reset on re-run once the drafts are posted or deleted. Resets a billing unit already in state ready_for_billing back to value_share before recomputing.

check_ready_for_billing

Transitions value_share → ready_for_billing after validating:

- no settlement unit has sub_state = error;
- every settlement unit (except no_allocation) has reached sub_state = value_share;
- at least one approved SettlementResult exists and none has actual_costs = 0;
- every settlement result with a non-zero advance payment has both a term and a contract (a missing term usually means several term types contributed and the billing unit's term-type filter needs narrowing);
- all advance-payment invoices are posted;
- (unless external_billing) the sum of settlement result actual costs matches the sum of cost share actual costs.

Any failed check raises a ValidationError listing the offending records. Can also be triggered per property via BaseObject.ready_for_billing_property for all billing units sharing next_billing_start_date.

billing_wizard / billing

The form button billing_wizard opens the real_estate.billing_unit.wizard (see [Wizards](#)), which calls the billing classmethod. billing creates, per settlement result, up to two invoice lines — advance-payment dissolution and actual costs — with taxes copied from the advance-payment term, then one invoice per contract. Invoices are created in state draft and posted immediately if the wizard's invoice_state is posted. Each invoice's payment_term

(and therefore its due date) is taken from the wizard's `payment_term` field when set; otherwise the contract's own payment term is used, falling back to `account.configuration.re_payment_term_billing`. Both `invoice_date` and `accounting_date` are set to the wizard's `invoice_date` (analogous to the `accounting_date` on contract invoices generated by `CreateContractMovesWizard`), so the posting date matches the invoice date rather than the date the wizard was run. Refuses to proceed if `sub_state` is error or if draft cash flow lines still exist in the settlement period; with `collective_billing` all billing units of the property sharing the same start date must already be `ready_for_billing`. Generates a `billing_run_id` (YYYYMMDD-HHMMSS-U<userid>) that is written to the billing unit and all `BillingUnitMoves` records of the same run, so every posting can be traced back to its run. Hidden when the property has `collective_billing = True`; in that case the action is triggered from the property form instead (`BaseObject.billing_property` `same wizard` `BaseObject.do_billing`).

billing_run_id

Char field set at the end of a successful `billing()` call, identical to the value written to all `BillingUnitMoves` of that run.

rental_objects

(Function, One2Many, readonly.) Distinct rental objects referenced by this billing unit's own `settlement_results` (via `settlement_result_objects()`) — the objects that actually ended up with a settlement result, as opposed to `bved_covered_object_ids()` (derived from `settlement_unit.objects` and used for BVED A-/D-Satz matching, which can include an object excluded during `selection()`, e.g. a genuine vacancy edge case). Shown as a read-only *Rental Objects* tab, right after *Settlement Results*.

covered_rental_objects()

Method (not a stored/Function field) used by the BVED L-Satz "Gesamtfläche" calculation — see *BVED External Billing Interface* below: returns `settlement_result_objects()` when non-empty, else falls back to the objects covered by this billing unit's own settlement units (`bved_covered_object_ids()`) for a billing unit that hasn't had "Compute Settlement Results" run yet. External callers (BVED included) always go through this one method rather than re-deriving the object set themselves.

real_estate.billing_unit.log (billing_unit.py)

Timestamped log entries attached to a billing unit.

real_estate.billing_unit.moves (billing_unit.py)

One record per invoice line created by `billing()` — a separate record for the advance-payment dissolution line and for the actual-costs line of the same settlement result (not combined into one record). Links the billing unit to the contract, settlement result, and the individual posting record:

- `moves_advanced_payment` — `account.invoice.line` that reverses the operating-cost advance (credit note line)
- `moves_actual_costs` — `account.invoice.line` for the actual costs
- `moves_alloc_by_owner` — `account.move.line` for the owner allocation journal entry

Function fields `amount`, `currency`, and `invoice` are derived from whichever of `moves_advanced_payment` / `moves_actual_costs` is set, for quick display in the tree view without opening the invoice line. For vacancy records (no contract, but `moves_alloc_by_owner` set), `amount` is instead computed as `debit - credit` of that `account.move.line`, `currency` from its own `currency` field, and `invoice` stays empty (move lines have no invoice reference).

`billing_run_id` ties all moves of one billing run together (same value as on the parent `BillingUnit`). Browseable via the *Billing Unit Moves* menu entry under *Operation Costs*, filtered by company, property, billing unit, contract, and date range.

real_estate.settlement_unit (settlement_unit.py)

One cost-type line within a billing unit, e.g. Gas 2024.

Allocation rules:

no_allocation

Entire cost stays unallocated.

allocation_by_measurement

Allocated by a measurement value, e.g. living area. $\text{value_share} = \text{measurement_value} \times \text{time_share} / \text{time_total}$ (time-weighted: a tenant occupying only part of the period receives a proportionally smaller share).

allocation_by_consumption

Allocated by meter reading consumption (HeizkostenV). $\text{value_share} = \text{raw consumption}$ (no time weighting applied).

Meter readings are looked up within a tolerance window defined by `reading_pre_days` / `reading_post_days` on the cost type; the closest reading to the target date is chosen.

Vacancy handling: cost shares without a contract receive $\text{value_share} = 0$ automatically — no meter reading is required. For the immediately following contract cost share, if no start reading exists within the normal window, the system falls back to the reading taken at the start of the preceding vacancy. This allows a single read-out at move-out to serve as both the vacancy baseline and the contract's opening reading.

Missing readings set the cost share to state error with one of:

- *“Messwert für Anfangsverbrauch nicht ermittelt”* — start reading absent
- *“Messwert für Endverbrauch nicht ermittelt”* — end reading absent

allocation_per_rental_unit

Proportional share by occupancy duration. $\text{value_share} = \text{time_share} / \text{time_total}$ (full period = 1.0, half period = 0.5, etc.).

allocation_from_external_billing

No internal calculation; `planned_costs/actual_costs` are entered manually on the cost share. Automatically suggested (via `on_change_external_billing`) on every settlement unit of a billing unit when that billing unit's `external_billing` flag is enabled (see `real_estate.billing_unit` below) — except units already set to `allocation_via_cost_collector`, which are left alone. Enforced (not just suggested) by `validate_fields`: for an externally billed billing unit, every settlement unit's `allocation_rule` must be either this or `allocation_via_cost_collector`.

allocation_via_cost_collector

No allocation of its own. Used to route one settlement unit's costs into another settlement unit of the *same* billing unit (its `reference_settlement_unit`, required for this rule and restricted to a unit that does not itself use this rule — no chaining) for allocation there instead. Also selectable when the billing unit has `external_billing` enabled, as an alternative to `allocation_from_external_billing` (e.g. several fuel suppliers, each invoiced on their own settlement unit, feeding one externally billed heating settlement unit).

A settlement unit with this rule:

- determines no rental objects of its own — objects always mirrors `reference_settlement_unit.objects`;
- generates no cost shares and is excluded from `Contract.get_settlement_units()` (so it never appears twice, once under its own cost type and once under the reference's, in e.g. the Annex 4 report);

- still tracks its own `planned_costs/actual_costs` (the latter from its own `invoice_lines`, via the normal `selection_actual_costs()`) — these are summed, across *all* settlement units referencing the same target, into the target's `planned_costs_from_references/actual_costs_from_references` (Function fields, see below) and folded into the target's own `planned_costs/actual_costs` when it computes its value shares.

`BillingUnit.compute_value_shares_button` processes all `allocation_via_cost_collector` units of a billing unit before any other settlement unit, so a reference target always sees its referencing units' up-to-date actual costs. `BillingUnit.duplicate_next_period` copies `reference_settlement_unit` to point at the *newly created* successor of the original target (not the old period's unit) — non-cost-collector units are always copied first so that successor already exists by the time a referencing unit is copied.

planned_costs_from_references / actual_costs_from_references

(Function fields, any settlement unit) Sum of `planned_costs/actual_costs` of all settlement units of the same billing unit that reference this one via `allocation_via_cost_collector`. Zero when nothing references this unit.

Vacancy handling: unoccupied periods can be charged to the owner or left unallocated.

When `compute_value_shares` is re-run, cost shares in state error are automatically reset to selection and their `error_message` cleared before the new calculation starts, so corrected readings or measurements take effect immediately.

Heating cost billing split (HeizkostenV §7/§8):

heating_billing_mode

Selection: none (default) / `central_heating` / `central_hot_water`. Independent of `allocation_rule/m_type` above (which govern how *this* settlement unit's own costs are allocated per tenant) — this models the legally mandated split, for a centrally supplied heating or hot water system, between the consumption-based and area-based portions of the heating cost statement itself.

heating_consumption_share_percent

Numeric percentage entered by the user: the share of heating/hot water cost allocated by consumption ("Anteil nach Verbrauchsumlage"). Required and visible only when `heating_billing_mode` is `central_heating` or `central_hot_water`; domain-restricted to 50–70 (statutory range, HeizkostenV §7/§8) — but only while one of those two modes is selected, so a value entered under a previous mode (or left over from an import) never blocks saving once the mode is set back to none.

heating_area_share_percent (Function field)

Computed as $100 - \text{heating_consumption_share_percent}$ ("Anteil nach Flächenumlage"); read-only, same visibility as above.

heating_area_measurement_type

Many2One to `real_estate.measurement.type` (object-level measurement types only): which measurement to use for the area-based portion of the heating cost split. Required and visible only under the same condition as the two fields above.

total_value_consumption / total_value_area

Sum, across all of this unit's cost shares, of their `consumption_share / area_share` (see `real_estate.cost_share` below). Read-only, visible only when `heating_billing_mode` is `central_heating/central_hot_water`. Computed by `_compute_heizkostenv_split()`, called at the end of `compute_value_shares()` (both the regular per-cost-share path and both branches of `_compute_value_shares_external()`) — i.e. whenever *Compute Value Shares* is run on the billing unit.

real_estate.cost_share (settlement_result.py)

Intermediate allocation record: share of a specific cost type for one contract or object within a billing period.

States: preparation · selection · estimated_value_share · value_share · error

Stores value_share (time-weighted allocation factor — for allocation_by_measurement and allocation_per_rental_unit this already incorporates the occupancy fraction time_share / time_total; for allocation_by_consumption it holds the raw consumption value, unless the settlement unit is HeizkostenV-split — see consumption_share below), time_share (days), planned_costs, actual_costs. error_message describes the problem; entries set by compute_settlement_result carry a [draft] prefix and are automatically cleared on the next successful re-run.

allocation_rule / external_billing (Function fields, mirrored)

Mirrored from the parent settlement_unit. planned_costs/actual_costs are only editable (readonly otherwise) when external_billing is set, i.e. for cost shares of a settlement unit with allocation_rule = allocation_from_external_billing.

heating_billing_mode (Function field, mirrored)

Mirrored from the parent settlement_unit; drives the visibility of the two fields below (only visible for central_heating/ central_hot_water).

consumption_share / area_share

The two HeizkostenV split components, computed by SettlementUnit._compute_heizkostenv_split() (called at the end of compute_value_shares()) only when the parent settlement unit's heating_billing_mode is central_heating/ central_hot_water:

- consumption_share — only for allocation_rule = allocation_by_consumption: the raw consumption value that would otherwise sit in value_share is moved here instead, and value_share is reset to 0 (so a HeizkostenV-split consumption-based unit currently distributes no planned_costs/actual_costs via compute_value_shares()'s own _distribute() step — a deliberate, temporary state pending a follow-up that recombines consumption_share/area_share via heating_consumption_share_percent/heating_area_share_percent into the actual cost distribution).
- area_share — computed for every cost share of a HeizkostenV-split unit regardless of its allocation_rule: the value of the unit's own heating_area_measurement_type for the cost share's base_object, weighted by time_share / settlement_unit.time_total (same weighting as allocation_by_measurement above).

Both values are summed into the parent settlement unit's total_value_consumption/total_value_area.

real_estate.settlement_result (settlement_result.py)

Final settlement record per contract (or object) and billing unit.

States: approved · billed

Stores planned_costs, actual_costs, advanced_payment (sum of posted/paid operating-cost advance invoice lines during the period), and the derived refund_receivable (positive = refund to tenant, negative = additional receivable). Optionally links to the single ContractTerm that covered all advances when exactly one term was involved. The display name includes the record id in parentheses (e.g. "2026-01-01 – 2026-12-31 / Mieter 1 (42)") to disambiguate several results for the same contract/object; the id is also searchable via the name field.

2.9 CO2 Cost Allocation (CO2KostAufG)

Implements the German *CO2-Kostenaufteilungsgesetz* (CO2KostAufG), which splits the CO2 cost of heating fuel between tenant and landlord depending on the building's emission intensity (kg CO2/m²/year). Applies via an optional `co2_kostaufg` reference on one or more of a billing unit's settlement units (typically its *Heizkosten* settlement unit) — settlement units without a reference are unaffected, and a billing unit with none of its settlement units referencing one gets no CO2 Costs page at all.

Note

The reference and the raw consumption-row table live on `real_estate.settlement_unit`, but every *derived* figure (totals, area, per-m² emission, tenant/landlord shares) is aggregated on the parent `real_estate.billing_unit` instead — across **all** of its settlement units that carry a `co2_kostaufg` reference, not just one. This matters when a billing unit's costs are split across more than one CO2KostAufG source (e.g. two heating circuits, two fuel deliveries under separate master records): the billing unit's total consumption/emission/cost figures, and the object set used for the area basis, are the union across all of them, not just whichever settlement unit happens to be entered first.

`real_estate.co2_kostaufg (co2_kostaufg.py)`

Master record for one CO2KostAufG data source (e.g. one heating installation/fuel), scoped to a property (required, type = 'property') with company derived from it (Function field). Referenced from one or more settlement units of the same property via their `co2_kostaufg` field (domain-restricted to that property — a settlement unit can only pick a CO2KostAufG belonging to its own property). Menu: *Real Estate* ▢ *Operation Costs* ▢ *CO2 Kosten verwalten*.

`real_estate.co2_kostaufg.consumption (co2_kostaufg.py)`

Child records under a `co2_kostaufg` (parent, `ondelete='CASCADE'`), one per billed/metered period: `date_from/date_to`, `consumption_kwh`, `co2_kg_per_kwh` (emission factor), `co2_emission_kg`, `co2_price_ct_per_kwh`, `vat_rate`, `co2_cost_net`, `co2_cost_gross`.

`co2_emission_kg` is pre-filled (`consumption_kwh × co2_kg_per_kwh`) only while still empty — once any value exists (auto-filled or typed by the user), later changes to `consumption_kwh/co2_kg_per_kwh` never overwrite it again, so it is always freely (re-)editable, e.g. to enter the supplier's own figure. `co2_cost_net/co2_cost_gross` behave differently **on purpose**: they are always recomputed from `consumption_kwh/co2_price_ct_per_kwh/vat_rate` whenever any of those three change; a manual override of net/gross only sticks until the next such recompute.

`split`

Boolean. Set automatically by `SettlementUnit.compute_value_shares()` when this record was created by splitting an original record at a settlement-period boundary — see *Splitting at settlement-period boundaries* below.

Uses `DeactivableMixin` — a record replaced by a split is deactivated (`active = False`), never physically deleted.

`real_estate.co2_emission_share (co2_kostaufg.py)`

Configuration table for the legal 10-tier distribution model (Anlage 1 CO2KostAufG, residential rented buildings without separate sub-metering by usage type): `emission_limit` (kg CO2/m²/year — the *exclusive* upper bound of the tier), `tenant_share / landlord_share` (% , must sum to 100 — enforced in `validate()`). `get_share(value)` returns the first row, in sequence order, whose `emission_limit` is strictly greater than `value`; if `value` reaches or exceeds every configured limit, the last row (by sequence) is used as an open-ended top tier regardless of its own stored limit value. Default data for all 10 legal tiers is loaded at module installation (< 12 kg ▢ 0 % / 100 % landlord/tenant ... ≥ 52 kg ▢ 95 % / 5 %). Menu: *Real Estate* ▢ *Configuration* ▢ *Emission-CO2*

Verteilung.

Fields kept on `real_estate.settlement_unit` — a minimal CO2 Costs page shows just these two:

co2_kostaufg

Many2One reference, restricted to CO2KostAufG records of the same property as the settlement unit.

co2_consumption

(Function, One2Many, readonly.) All consumption records of the referenced CO2KostAufG that overlap *this settlement unit's own period* — the raw, per-source audit table.

The boundary-splitting logic (`_split_co2_consumption()`, see *Splitting at settlement-period boundaries* below) still operates per settlement unit and its own `co2_kostaufg/period`, unaffected by the aggregation described next.

Fields added to `real_estate.billing_unit` — a CO2 Costs page is shown only when `co2_relevant` is true (i.e. at least one of the billing unit's settlement units has `co2_kostaufg` set); a *Non-residential building >50% commercial (§8)* flag at the top of the page then further splits which of the remaining fields are shown:

co2_relevant

(Function.) True if any settlement unit of this billing unit has `co2_kostaufg` set. Controls the page's own visibility.

non_residential_flag

Boolean, default **false**. CO2KostAufG §8: sets whether this building is treated as predominantly commercial (>50 % of usable area) — where the residential emission-per-m² tier table (Anlage 1) does not apply and a flat, configured tenant/landlord split is used instead. This is also the corresponding BVED L-Satz field 19 (Kennzeichen Nichtwohngebäude) — see *BVED External Billing Interface* below, whose provider-assignment L-Satz preview and real export both read this field directly.

- **False** (default): `co2_measurement_type`, `co2_consumptions`, the four totals, `co2_emission_per_m2`, and the residential-tier `co2_tenant_share/co2_landlord_share` are shown; the two commercial share fields are hidden.
- **True**: only `co2_commercial_tenant_share/co2_commercial_landlord_share` are shown; all of the above are hidden. (The underlying values are always computed regardless of the flag — it only controls what the form displays.)

co2_measurement_type

Many2One to `real_estate.measurement.type` (object-type measurements only) — which measurement to sum for the area basis below, across the union of every co2-relevant settlement unit's own objects (each object counted once even if covered by more than one such settlement unit).

co2_consumptions

(Function, One2Many, readonly.) Union of the consumption records of every `co2_kostaufg` referenced by any settlement unit of this billing unit, overlapping the billing unit's own `start_date/end_date` — the aggregated audit table (as opposed to each settlement unit's own single-source `co2_consumption` above).

co2_total_consumption / co2_total_emission / co2_total_cost_gross

(Function.) Sum of `consumption_kwh / co2_emission_kg / co2_cost_gross` across `co2_consumptions` above, each weighted by the fraction of the record's *own* date range that actually falls inside the billing unit's period. A record fully inside the period contributes 100 %; a record extending beyond either boundary is interpolated pro-rata by days, always

relative to its own actual range — a record that simply doesn't reach as far as the period's end (no later data booked yet) is never extrapolated, it only ever contributes its own days.

co2_total_area

(Function.) Sum, across the union of objects covered by every co2-relevant settlement unit (deduplicated), of each object's latest `real_estate.measurement` value of `co2_measurement_type` (or its effective leaf types, if a measurement group) valid as of the billing unit's `end_date`.

co2_emission_per_m2

(Function.) `co2_total_emission / co2_total_area`, annualized via $\times 365 / (\text{end_date} - \text{start_date} + 1)$ so that billing periods shorter or longer than a calendar year still yield a correct "kg CO₂/m²/year" figure.

co2_tenant_share / co2_landlord_share

(Function.) Looked up via `Co2EmissionShare.get_share(co2_emission_per_m2)` — the residential 10-tier split. Always computed; only shown when `non_residential_flag` is false.

co2_commercial_tenant_share / co2_commercial_landlord_share

(Function.) The flat split used for commercial properties (not covered by the residential tier model): the company's configured `re_accounting.co2_landlord_share_commercial` (landlord), and 100 % minus that value (tenant). Always computed; only shown when `non_residential_flag` is true.

Splitting at settlement-period boundaries. `SettlementUnit.compute_value_shares()` ("Compute Value Shares" button, also reachable via the billing unit's own button of the same name) calls `_split_co2_consumption()` first, before anything else. For each of `start_date` and `end_date` + 1 day, every active consumption record of the referenced CO₂KostAufG whose own `[date_from, date_to]` strictly contains that boundary date is split into two new records at that date: amounts are interpolated pro-rata by day count (the second part is computed as the remainder of the first, so the two new records always sum back exactly to the original — no rounding drift); rate fields (`co2_kg_per_kwh`, `co2_price_ct_per_kwh`, `vat_rate`) are copied unchanged onto both. Both new records get `split = True`; the original is deactivated (soft-deleted via `active`), never physically removed. A record entirely inside the settlement period, or one that only covers part of it because no later data has been booked yet, is never split or extrapolated — only an *existing* record that actually spans across a period boundary gets divided. Re-running is idempotent: already boundary-aligned active records are left untouched, so repeated calls never produce duplicate splits.

2.10 BVED External Billing Interface

Implements the BVED / ARGE-FHW "Standard-Datenaustausch" Version 3.10 — the German fixed-width record format used to exchange operating-cost data with an external Messdienstleister (heating-cost/consumption billing service) — for billing units with `external_billing = True` (see [Operating Cost Settlement](#)). Exports the property/tenant master data plus optional fuel and cost data the provider needs to bill (A-/L-/M-/B-/K-Satz); imports the provider's response (D-Satz actual costs, plus optional E835-/E898-/P-Satz) and applies it back onto `real_estate.settlement_result`. Implemented in `bved.py` (Tryton models) and `bved_records.py` (pure-Python fixed-width (de)serialization with no Tryton dependency, unit-testable standalone).

Menu: *Real Estate* ▢ *Operation Costs* ▢ *Externe Abrechnung* (placed immediately before *Betriebskostenabrechnung*), bundling all models below.

real_estate.bved.unit (bved.py)

Reference table mirroring BVED Tabelle 'E' ("Einheiten/Maßeinheiten", see `bved_records.TABLE_E`) — code (3-digit key, e.g. '010'), description (e.g. 'm² Wohnfläche'), and

name (Function, "{code} – {description}", e.g. '010 – m² Wohnfläche'). All 29 entries from the table are loaded as default data at module installation, with measurement_type left unset — mapping a unit to a real_estate.measurement.type (e.g. '010 – m² Wohnfläche' → the “Living Space” measurement type) is a per-database configuration decision, made via the *BVED Units* list (menu: *Real Estate* → *Operation Costs* → *Externe Abrechnung* → *BVED Units*). Used by real_estate.bved.provider_assignment.allocation1_unit/allocation2_unit/allocation3_unit (below) to resolve M-Satz fields 36-41.

real_estate.bved.service_provider (bved.py)

The Messdienstleister itself: party, bved_key (2-char code from BVED Tabelle ‘U’, e.g. '40' for ista — not enforced as a fixed selection since the table changes over time), bved_version (currently only '3.10'), transport_type (only 'manual' file download/upload is actually implemented; email/sftp/webbservice_api are reserved for a future automated transport layer).

M-Satz field 7 (Kennzeichen Adressfeld) and address-source rules:

field7_mode

Selection '1'=Nutzer / '2'=Eigentümer / '3'=Eigentümer/Nutzer / '4'=Leistungsnehmer (default '1', matching the field's old hardcoded value). Written unchanged into M-Satz field 7 of every record generated for this provider, and controls which address block(s) BvedObjectNumber._m_satz_values() actually fills:

- '1'/'3' — fields 8-15 (Nutzer) from the occupying contract's own party (entry. contract.contractual_partner).
- '2'/'3' — fields 16-23 (Eigentümer) per owner_rule.
- '4' — fields 59-66 (Leistungsnehmer) per tenant_rule.

owner_rule

Selection 'company'=Gesellschaft ist Eigentümer / 'role'=Eigentümer über Rolle (default 'role'). Visible/ required only when field7_mode is '2'/'3', but always *evaluated* (see provider_org_rule below) regardless of field7_mode. 'company': the Eigentümer block is filled from the company party/address (the same ones passed as company_party/company_address). 'role': filled via owner_role instead.

owner_role

Many2One to real_estate.object_party.role — which role counts as “Eigentümer” (used when owner_rule = 'role'), resolved via BvedObjectNumber._find_party_by_role() below. Defaults to the module's built-in “Owner” role (object_party_owner_role) for new records; a provider that needs a different role (e.g. one that also covers building/land, since the built-in role only covers property/object) can override it here.

tenant_rule

Selection 'tenant'=Mieter / 'role'=über Partner-Rolle (default 'tenant'). Visible/required only when field7_mode is '4'. 'tenant': the Leistungsnehmer block (59-66) is filled the same way as the Nutzer block (the occupying contract's own party — reproducing the module's original, unconditional “debtor mirrors tenant” behavior). 'role': filled via tenant_role instead.

tenant_role

Many2One to real_estate.object_party.role — which role counts as “Leistungsnehmer” (used when tenant_rule = 'role'), looked up the same way as owner_role.

provider_org_rule

Selection 'owner'=Leistungsgeber wie Eigentümer / 'role'=über Partner-Rolle (required, default 'owner'). Fills M-Satz fields 42-49 (Leistungsgeber name/address) — **independent of**

field7_mode (fields 42-49 are always attempted, regardless of what field 7 selects). 'owner': reuses whichever party/address owner_rule resolved to, even if field7_mode itself isn't '2'/'3' (so a provider can have field 7 = "Nutzer" while still deriving the Leistungsgeber block from the configured Eigentümer source). 'role': filled via provider_org_role instead.

provider_org_role

Many2One to real_estate.object_party.role — which role counts as "Leistungsgeber" (used when provider_org_rule = 'role'), looked up the same way as owner_role.

tax_id_type

Selection sourced from party.identifier.get_types() (all globally-configured identification types, e.g. 'de_vat') — which type on the company party (Leistungsgeber, the same party used for M-Satz fields 42-49) provides M-Satz field 51 (USt-ID-Nr. oder Steuernummer). When set and the company party has a matching party.identifier, field 51 gets that identifier's code and field 50 gets tax_id_flag below; both fields stay unset if left empty or no matching identifier exists.

tax_id_flag

Selection '1'=USt-ID-Nr. / '2'=Steuernummer (visible/ required only when tax_id_type is set; default '2', matching the field's old hardcoded value). Written into M-Satz field 50 (Kennzeichen USt-ID/Steuernummer) whenever field 51 is — the admin's own classification of what the configured tax_id_type actually represents, since Tabelle 'E' has no generic notion of "this is a USt-ID vs. a Steuernummer" built in.

tax_rate_flag

Selection '1'=Regelsteuersatz / '2'=ermäßigt, optional (Kann-Feld). Written unchanged into M-Satz field 52 (Kennzeichen Steuersatz) of every record for this provider; left unset, field 52 stays unset too.

invoice_number_flag

Selection '0'=keine Rechnung §14 UStG / '1'=aus Feld 54 / '2'=vom Abrechnungsunternehmen erstellt, optional (Kann-Feld). Written unchanged into M-Satz field 53 (Kennzeichen Rechnungsnummer). '1' additionally requires invoice_number_rule to fill field 54 itself.

invoice_number_rule

Selection 'contract'=Nr. Mietvertrag / 'object'=Nr. Mietobjekt / 'settlement_result'=ID Settlement result. Visible/required only when invoice_number_flag is '1'. Fills M-Satz field 54 (Rechnungsnummer, max. 25 chars) per occupancy segment: 'contract' — the occupying contract's own contract_number; 'object' — this mapping's own base_object.object_number; 'settlement_result' — the id of the real_estate.settlement_result matching this object (and contract, or None for a vacancy segment) whose billing_unit period overlaps [period_start, period_end]. Field 54 stays unset if no matching value/record is found.

direct_debit_flag

Selection '0'=keine Abbuchungserlaubnis / '1'=Abbuchungserlaubnis, default '0'. Written unchanged into M-Satz field 58 (Kennzeichen Zahlungsart) of every record for this provider.

The optional selection fields owner_rule, tenant_rule, invoice_number_rule, tax_id_flag, tax_rate_flag, invoice_number_flag and direct_debit_flag include a blank choice, so they can be left empty.

real_estate.bved.provider_assignment (bved.py, form label "BVED Provider-Liegenschaft")

Anchors one provider + customer number + 9-digit Liegenschaftsnummer (external_property_number) to a base_object of type property or building, with valid_from/valid_to so a provider change over time doesn't destroy history. Unique per (base_object, provider, valid_from) — a property/building may have several *concurrent* assignments for different providers (e.g. heating via Techem, water via ista, both on the same build-

ing). Referenced explicitly from `billing_unit.bved_provider_assignment` (never derived from the object tree), since one building can have more than one active assignment and only the user knows which one a given billing unit means.

object_numbers

One2Many to `real_estate.bved.object_number` (below).

allocation1_unit / allocation2_unit / allocation3_unit

(“M-Satz Allocation Key 1/2/3”) Many2One to `real_estate.bved.unit` each. Resolve M-Satz fields 36/37, 38/39, 40/41 (Schlüssel/Anteil Umlage 1-3) for every object number mapping under this assignment, via `BvedObjectNumber._allocation_shares()`: field 36/38/40 gets the unit’s own code (Tabelle ‘E’), field 37/39/41 gets the rental object’s own measurement value (as of the M-Satz row’s `occupancy_end`) for the unit’s mapped `measurement_type` — left unset if the unit has no `measurement_type` mapped (the key is still written on its own in that case) or if the slot itself is left empty.

tenant_change_fee_flag

Selection '0'=keine Umlage / '1'=Umlage (required, default '0'). Written unchanged into M-Satz field 68 (Kennzeichen Umlage Nutzerwechselgebühr) of every record generated for this provider assignment — unlike the other M-Satz catalog settings (on `real_estate.bved.service_provider`), this one is set per assignment, since it may differ per Liegenschaft under the same provider.

L-Satz Preview page — read-only preview of how this assignment’s L-Satz (Liegenschaft) record would look today, split into two field groups:

- **Automatic** — `l_period_start/l_period_end` (always the most recently completed calendar year), `l_provider_key`, `l_street/ l_country/l_postal_code/l_city` (from the property’s/ building’s address), `l_vat_flag` (from the covered billing units’ Optionssatz: 100 % ☐ net/fully opted, 0 % ☐ no VAT shown, mixed ☐ per M-Satz field 25/user), `l_weg_flag` (from `calculation_method` — Cash basis sets it, Accrual basis doesn’t), `l_non_residential_flag` (true if any covered billing unit’s own `non_residential_flag` is set — see [CO2 Cost Allocation](#)), `l_co2_landlord_share_percent` (from the covered heating-cost billing unit’s own `co2_landlord_share/co2_commercial_landlord_share`), `l_total_area` (computed once a measurement type is selected below).
- **To Be Entered** — `gross_floor_area_measurement_type` (drives `l_total_area`: summed, as of each billing unit’s own end date, over the union of every assigned billing unit’s own `covered_rental_objects()` — objects with a settlement result where one exists, else every object covered by a settlement unit; each object counted once even if covered by several billing units), plus six purely-manual fields with no derivable source: `vacancy_risk_flag/vacancy_risk_percent`, `labor_share_flag`, `energy_improvement_flag`, `heat_supply_flag`, `heat_connection_2023_flag` (various L-Satz Kann-/Muss-Felder — legal facts about the building not represented anywhere else in the data model). `vacancy_risk_flag` is also reused, unchanged, for M-Satz field 26 (Kennzeichen Umlageausfallwagnis) — see `BvedObjectNumber._m_satz_values()` below.

The preview always uses the most recently completed calendar year across every billing unit currently assigned; the real export (`BvedExport._build_l_m_records()`) recomputes the same underlying helpers per specific billing unit and its own period instead, so preview and actual export can differ if a billing unit’s period doesn’t align with a plain calendar year.

real_estate.bved.object_number (bved.py)

Maps one rental object to its `internal_reference` (“Ordnungsbegriff des Auftraggebers”) and 4-digit `external_unit_number` under a provider assignment, with its own `valid_from/valid_to` — a provider renumbering (e.g. after a renovation) should close the old row and add a new one rather than overwrite `internal_reference` in place, otherwise already-imported historical D-Satz

lines referencing the old number can no longer be resolved. Numbers are assigned automatically (`BvedExport._ensure_object_numbers()`) the first time an object is exported — scoped per assignment (not per billing unit) and counted all-time, so a closed mapping's number is never reused by a later one.

`_m_satz_values(period_start, period_end, provider, company_party=None, company_address=None, warnings=None, refresh_occupancy=True)`

Returns the list of M-Satz value dicts for this mapping's object over the given period — one dict per `real_estate.base_object.occupancy` segment overlapping it (vacancy periods included with `vacancy_flag=1`). Field 25 (Kennzeichen MwSt, `vat_treatment_flag`) is derived per segment from the object's own Optionssatz as of that segment's `occupancy_end`: 0 (kein Ausweis) if 0 % (or unknown), else 1 (gewerbl. Vermietung). Field 7 (`address_flag`) and the Nutzer/Eigentümer/Leistungsnehmer/Leistungsgeber blocks are governed by `provider.field7_mode/owner_rule/tenant_rule/provider_org_rule` — see `real_estate.bved.service_provider` above for the full rule description. Bank account fields (55/56) and `vacancy_flag` keep coming unconditionally from the occupying contract's own party, independent of `field7_mode`. Field 51 (USt-ID-Nr. oder Steuernummer) comes from `company_party`'s own `party.identifier` of the type configured on `provider.tax_id_type` — always the company party specifically, never the `field7_mode/provider_org_rule`-resolved Leistungsgeber party; field 50 (Kennzeichen USt-ID/Steuernummer) is `provider.tax_id_flag` whenever field 51 is set, otherwise both fields stay unset. Field 52 (Kennzeichen Steuersatz) is `provider.tax_rate_flag` unchanged, if set. Fields 53/54 (Kennzeichen Rechnungsnummer / Rechnungsnummer) come from `provider.invoice_number_flag` and, when that is '1', `provider.invoice_number_rule`. Field 58 (Kennzeichen Zahlungsart) is `provider.direct_debit_flag` unchanged (see `real_estate.bved.service_provider` above for all of these). Field 68 (Kennzeichen Umlage Nutzerwechselgebühr) is `assignment.tenant_change_fee_flag` unchanged — this one comes from the provider *assignment* (`real_estate.bved.provider_assignment` above), not the provider itself. Field 26 (Kennzeichen Umlageausfallwagnis) is 1 if `assignment.vacancy_risk_flag` (the assignment's own L-Satz field 13) is set, else 0 — reusing the L-Satz value directly rather than a separate M-Satz-specific setting. The single, shared implementation of the M-Satz record content — used both by the real export (`BvedExport._build_l_m_records()`) and by `refresh_m_satz_preview()` below, so they can never diverge. `refresh_occupancy` (default True) recomputes `real_estate.base_object.occupancy` first.

`_find_party_by_role(ObjectParty, role_id, as_of_date)`

Generic role-based party lookup — shared by the Eigentümer (`owner_role`), Leistungsnehmer (`tenant_role`), and Leistungsgeber (`provider_org_role`) resolutions alike: searches `real_estate.object_party` for `role_id`, valid *exactly on* `as_of_date` (a point-in-time check — `valid_from <= as_of_date` and no `valid_to` or `valid_to >= as_of_date` — not merely overlapping the billing period), walking up from this mapping's own `base_object` through its parent chain (rental object → building/land → property) until a match is found or the top of the tree is reached. Returns `None` immediately if `role_id` is `None`. All three call sites in `_m_satz_values()` use `period_end` as `as_of_date` (resolved once per call, not per occupancy segment).

`_area_share_by_mode(mode, as_of_date)`

Shared by `_heating_base_share()` (`mode='central_heating'`, M-Satz fields 27/69) and `_hotwater_base_share()` (`mode='central_hot_water'`, fields 30/70). Returns (`share`, `key`):

- `share` — the object's own **direct** measurement value (via `Measurement.get_total_value()`, as of `as_of_date`) for the `heating_area_measurement_type` of the (first, if several) settlement unit belonging to this mapping's object's property with `heating_billing_mode = mode`. Deliberately **not** time-weighted by

the occupancy segment (unlike `cost_share.area_share`, which drives the actual cost allocation and is prorated by `time_share/time_total`) and **not** affected by the `heating_consumption_share_percent/heating_area_share_percent` split — fields 27/30 always report the object's plain Bemessung. Does not require `compute_value_shares()` to have been run at all (no cost share involved). None — leaving the field unset (Kann-Feld) — if no qualifying settlement unit has a `heating_area_measurement_type` set, or the object has no matching measurement recorded.

- `key` — the BVED Tabelle 'E' code (see `real_estate.bved.unit` above) of the unit whose own `measurement_type` matches that measurement type — i.e. the unit share is actually expressed in. None if none is mapped.

`_heating_base_share(as_of_date)` and `_hotwater_base_share(as_of_date)` are thin wrappers writing into fields 27/69 and 30/70 respectively (called with the M-Satz row's own `occupancy_end` as `as_of_date`) — the two are fully independent (a property can have both a central-heating and a central-hot-water settlement unit, each with its own `heating_area_measurement_type`/mapped `real_estate.bved.unit`).

`_mode_settlement_unit(mode)`

The first `real_estate.settlement_unit` of this mapping's own object's property with `heating_billing_mode = mode`, or None — the same lookup `_area_share_by_mode()` performs inline, factored out since `_advance_by_mode()` below needs it independently of any `heating_area_measurement_type`.

`_advance_by_mode(mode, contract, start_date, end_date)`

M-Satz fields 28/29 (Heizung Vorauszahlung Brutto/Netto, `mode='central_heating'`) or 31/32 (Warmwasser Vorauszahlung Brutto/Netto, `mode='central_hot_water'`) — **not** 30/31, which is the Warmwasser Grundanteil/Vorauszahlung-Brutto pair respectively; field 30 itself is the (already-implemented) Warmwasser Grundanteil, see `_area_share_by_mode()` above. Returns (`gross`, `net`), either possibly None:

- Resolves the qualifying settlement unit via `_mode_settlement_unit(mode)` and, through it, its own `billing_unit` — the billing unit whose *Konditionstyp* (`term_types_of_use`) and *Vorauszahlungen* tab (`cash_flow_lines`) define which advance-payment condition applies. (None, None) if no qualifying settlement unit, or it has no `billing_unit`.
- For `mode='central_hot_water'`: if the property's own central-heating settlement unit exists and shares the *same* `billing_unit` as the central-hot-water one, returns (None, None) unconditionally — German rental contracts normally carry a single combined “Heizkosten” advance payment covering both heating and hot water; attributing it to both fields would double it. Sharing a billing unit is the normal setup where one annual “Heizkosten” cost group contains both a central-heating and a central-hot-water settlement unit side by side (see `tests/test_billing_unit.py`'s two-Settlement-Unit “Heizkosten” billing unit).
- Otherwise, sums `total_amount` (gross) and `amount` (net) over every entry of the billing unit's own `cash_flow_lines` (already filtered there by `term_types_of_use`/invoice state, see [Operating Cost Settlement](#)) whose own contract matches `contract` and `base_object` matches this mapping's own object, restricted to `document_date` within `[start_date, end_date]`. (None, None) if nothing matches (a genuine Kann-Feld, not a zero).

`_heating_advance(contract, start_date, end_date)` and `_hotwater_advance(contract, start_date, end_date)` are thin wrappers, called from `_m_satz_values()` with the M-Satz row's own `occupancy_start`/`occupancy_end`

(not the whole export period) and its resolved tenant contract (None for a vacancy segment, in which case both return (None, None) immediately).

Note

Fields 33-35 (Kaltwasser Grundanteil/Vorauszahlung) already exist as Kann-Felder on `real_estate.bved.object_number.m_satz_line` (`coldwater_base_share/coldwater_advance_gross/_net`) but are not populated by `_m_satz_values()` — there is no `heating_billing_mode` value for a centrally-billed cold-water system (cold water is always metered per object via `allocation_by_consumption` in this module), so `_mode_settlement_unit()/_advance_by_mode()` have no analogous “central cold water” case to resolve them from.

`_allocation_shares(as_of_date)`

Resolves M-Satz fields 36-41 (Schlüssel/Anteil Umlage 1-3): for each of the provider assignment's `allocation1_unit/ allocation2_unit/allocation3_unit` slots (in order), returns (code, share) — code is the `real_estate.bved.unit`'s own Tabelle ‘E’ code, share is this mapping's own base_object's measurement value (via `Measurement.get_total_value()`, no time-weighting) for the unit's `measurement_type` as of `as_of_date` — or (code, None) if the unit has no `measurement_type` mapped, or None for an unset slot. Always returns exactly 3 entries. Called with each M-Satz row's own `occupancy_end` as `as_of_date`.

`m_satz_lines / refresh_m_satz_preview`

A stored (not Function) One2Many to `real_estate.bved.object_number.m_satz_line` (below), populated by the `refresh_m_satz_preview` button: deletes any existing preview lines for the mapping, then rebuilds them from `_m_satz_values()` for the most recently completed calendar year (same period as the provider assignment's L-Satz preview, `BvedProviderAssignment._last_full_year()`) — one line per occupancy segment. Deliberately a real, explicitly-triggered button rather than a Function field: a Function getter runs inside a *read-only* database transaction (plain `read()` RPCs), where `_m_satz_values(refresh_occupancy=True)`'s delete-and-recreate inside `Occupancy.refresh()` would fail outright — and a true multi-row, per-field table needs real addressable child records for Tryton's list/form widgets anyway.

`real_estate.bved.object_number.m_satz_line (bved.py)`

One row per occupancy segment, generated only by `BvedObjectNumber.refresh_m_satz_preview()` — never created or edited directly (every field is readonly). Holds all 70 M-Satz fields from the BVED Nutzer/Eigentümer-Satz spec (field number prefixed in each field's label, e.g. “8. Tenant Name 1”), grouped on the form by spec section (identification, tenant, owner, occupancy period, VAT/vacancy-risk/heating-hotwater-coldwater shares, allocations, provider organization, tax/invoice/bank/payment, debtor, other flags/keys). The embedded list view shows just `occupancy_start/occupancy_end/vacancy_flag/tenant_name1` for a quick overview across several tenants/vacancy periods; opening a row shows the full detail form.

Fields added to `real_estate.billing_unit`:

`bved_provider_assignment`

Which provider assignment applies (domain: same property/building subtree, validity window covering the billing unit's start date). Only visible when `external_billing` is set.

`bved_object_numbers`

(Function, One2Many.) The assignment's object numbers, restricted to objects actually covered by this billing unit (`bved_covered_object_ids()` — type object base objects reachable via at least one non-`no_allocation` settlement unit).

check_bved_provider_assignment()

Validation (run from `pre_validate`) rejecting a billing unit whose covered objects include one that is neither the assignment's own `base_object` nor a descendant of it (e.g. an object from a different building than the one referenced).

Shown on a dedicated *BVED* page, visible only when `external_billing` is set.

Fields added to `real_estate.settlement_unit` (B-Satz — fuel/stock/hot-water data, typically entered only on the heating-cost settlement unit):

bved_fuel_data

Enables the rest of the B-Satz fields below; also identifies “the” heating-cost unit representative of a billing unit's CO2 landlord share (see [CO2 Cost Allocation](#)).

`bved_fuel_type` (BVED Tabelle ‘B’), `bved_heating_value`, `bved_fuel_indicator` (field 23, Kennzeichen Brennstoffart — Selection ‘0’-‘9’, default ‘0’), and `bved_fuel_rule` (‘stock’/‘meter’, default ‘stock’) — selects which of two mutually exclusive field groups below the B-Satz / Brennstoff page shows; two further groups apply either way and are always shown.

`bved_fuel_indicator` distinguishes several concurrent B-Satz fuel records for the same property/period (e.g. two fuel suppliers each feeding their own externally-billed settlement unit within the same billing period). ‘0’ if field 8 (`bved_fuel_type`) is left empty, else ‘1’-‘9’. `on_change_bved_fuel_type` keeps it consistent automatically: clearing field 8 resets it to ‘0’; setting field 8 bumps it from ‘0’/empty to ‘1’ (the user may raise it to ‘2’-‘9’ by hand for an additional concurrent fuel record). `SettlementUnit.validate_fields` enforces, whenever `bved_fuel_data` is set: the ‘0’ ⇔ empty-field-8 correspondence above, and — for a non-‘0’ value — uniqueness across every other settlement unit of the same property (`billing_unit.property`) whose billing period overlaps this one's (`billing_unit.start_date/end_date`).

‘stock’ (Bestandsführung, B-Satz fields 10-17 — storable fuels like heating oil, tracked via initial/closing stock only): stock start/end date + quantity + amount (gross/net). Hidden when `bved_fuel_rule = ‘meter’`.

WW-Anteil (B-Satz fields 18-22 — hot-water average temperature/consumption/flat-rate percentage/meter start-end) and *Versorgungszeitraum* (B-Satz fields 24-27 — up to two heating and two hot-water supply periods, start/end each) apply to both `bved_fuel_rule` values and are always shown (once `bved_fuel_data` is set) regardless of it.

‘meter’ (Zähler, B-Satz fields 28-34 — district heating or other supply metered directly, without a storable stock): `bved_meter_type` (BVED Tabelle ‘G’), `bved_meter_measurement_unit` (Many2One to `real_estate.bved.unit`, BVED Tabelle ‘E’ — the same model used for the M-Satz allocation keys above, reused here since it already covers the full Tabelle ‘E’ code list), `bved_meter_number`, `bved_meter_consumption`, `bved_meter_reading_start/bved_meter_reading_end`. `bved_primary_energy_factor` (field 34) is shown as part of this group, per the standard's field-position grouping, even though it is a property of the fuel type (mandatory for Fernwärme) rather than of the metering method itself. Hidden when `bved_fuel_rule = ‘stock’`.

All four groups are always packed into the B-Satz record regardless of `bved_fuel_rule` — the fields belonging to the currently hidden group are simply left empty by the user and packed blank/zero as usual.

Note

Every field label in this section (and the L-Satz Preview fields on `real_estate.bved.provider_assignment` below) is prefixed with its record field number, e.g. “10. Stock Start Date” — matching the convention already used by the M-Satz Preview line model. `bved_fuel_data` and `bved_fuel_rule` are left unnumbered since they are module-only controls, not fields of the B-Satz record itself.

K-Satz cost records (`BvedExport._build_b_k_records()`) are built not only from invoice lines booked directly on the externally-billed settlement unit, but also from every settlement unit of the same billing unit that uses `allocation_via_cost_collector` with it as `reference_settlement_unit` (e.g. several fuel suppliers, each invoiced separately, feeding one heating settlement unit) — each such invoice line keeps its own settlement unit’s type. `bved_cost_key` rather than the referenced unit’s, since the underlying invoices may carry a different cost-type classification. B-Satz (fuel/stock data above) is unaffected — it stays tied to the externally-billed settlement unit itself.

Export (`real_estate.bved.export`, workflow Draft ☐ Generated ☐ Sent):

`provider` + `cutoff_date` (default: 31 December of the previous year — a still-running billing period shouldn’t be exported yet since its cost data isn’t final) default-select the eligible `billing_units` (assigned to this provider, `external_billing` = True, `end_date` <= `cutoff_date`); the list stays editable. `record_types` (multi-select A/L/M/B/K, default all five) controls which files get built.

generate

Validates every selected billing unit has a provider assignment matching this export’s provider and a complete property address, auto-creates any missing object numbers, then builds one .DAT file per requested record-type group (A; L+M combined; B+K combined) and attaches them (ISO-8859-1 encoded, CRLF line endings) to the export record. Sets `export_date` and moves to generated.

mark_sent

Moves to sent — the actual transmission happens outside the app (manual file handoff, per the provider’s `transport_type`).

All activity (files built, warnings such as a missing German IBAN for the A-/M-Satz bank fields) is appended to `activity_log`.

Import (`real_estate.bved.import`, workflow Draft ☐ Parsed ☐ Matched ☐ Processed):

Attach the provider’s response file(s) as `ir.attachment` on the import record (filename prefix determines the record type: D/E835/ E898/P), then:

parse

Full fresh snapshot on every click: deletes every not-yet-applied line and rebuilds `real_estate.bved.import.line` rows from whatever is currently attached, so re-running after attaching a corrected/additional file never leaves stale duplicates. Already-applied lines are never touched.

match

Re-evaluates every line not yet applied (including previously error/skipped ones, so fixing a missing object number and clicking again re-checks them too). Resolves `internal_reference` + provider to a `bved.object_number` valid on the line’s period end date, then the matching `settlement_result` for that object — cross-checked against the result’s own billing unit’s provider assignment, so an object with two concurrent externally-billed billing units (e.g. heating via one provider, water via another)

cannot be matched to the wrong result. E835-/E898-/P-Satz lines missing “Letzter Tag Nutzungszeitraum” (a Mussfeld per spec for these three types) are flagged as an error rather than guessed. A line with no data and no match is skipped (not an error); one with data and no match is an error.

apply

Writes matched data onto the `settlement_result`:

- **D-Satz** — lines for the same result are grouped by `d_cost_key` (BVED Tabelle ‘K’ cost-type code): different keys are summed (e.g. Heizung + Warmwasser), two lines sharing the same key (including both empty) are treated as a duplicate delivery and only the last is kept, with a warning. Sets `actual_costs` (re-running `on_change_actual_costs()` so `refund_receivable` updates immediately), plus a plausibility check (total – advance $\approx$ balance per the D-Satz’s own figures; reported advance vs. the internally computed `advanced_payment` — skipped when the reported sum is exactly 0, since BVED’s fixed-width numeric fields can’t distinguish “blank” from “genuinely zero”). Sets `bved_state` to `validated` or `validation_error` (with the concatenated messages in `bved_check_message`). Already-applied D-Satz lines whose result is still `validation_error` are re-evaluated on every subsequent Apply run too, so a plausibility-check fix (e.g. a corrected advance payment) takes effect without re-parsing.
- **E898-Satz** — copies the referenced PDF attachment (matched by filename) from the import onto the settlement result.
- **E835-/P-Satz** — informational only; no settlement-result field exists to write them back to, browsable via the result’s own `bved_e835_lines/bved_p_lines` tabs.

Afterwards, logs which of a touched billing unit’s covered objects still have no D-Satz result (`bved_state` not yet imported/validated/validation_error) as a completeness check.

line_summary

(Function.) A per-record-type/state line count plus amount summary (D-Satz total, E835/P-Satz user-share subtotal) shown on the import form.

real_estate.bved.import.line (bved.py)

One row per parsed fixed-width record, typed fields for all four import record types (D/E835/E898/P) plus `raw_line/raw_data` (full field dump as JSON) for audit. States: `parsed` ☐ `matched` ☐ `applied` (or `skipped/error`). Form notebook pages *D-Satz/E835-Satz/E898-Satz/P-Satz* show/hide automatically based on `record_type` (`view_attributes()`); the *Row* page (raw data) is always visible.

Fields added to `real_estate.settlement_result`:

bved_state

Selection (`awaiting_import` / `imported` / `validated` / `validation_error`) tracking the data-exchange progress independently of state (`approved/billed`); editable until billed, e.g. to manually clear a plausibility-check false positive.

bved_import_date / bved_check_message / bved_import_line

(readonly) — when the last D-Satz was applied, its check messages (if any), and the import line that last wrote `actual_costs`.

bved_matched_lines

(Function, One2Many.) Every import line matched to this result, regardless of type/state, shown as one unified, detailed table.

bved_e835_lines / bved_p_lines / bved_e835_labor_share_user_total / bved_p_user_amount_total

(Function.) Informational subsets of `bved_matched_lines` by record type, and their summed amounts.

Demo / test tooling. `tests/test_bved_provider_response.py` has no trytond/database dependency (it loads `bved_records.py` directly from disk by path) and simulates a provider's response from a set of exported A-/L-/M-/K-Satz files: pools K-Satz costs per property, distributes them across M-Satz units weighted by heating advance payment $\times$ occupancy-period length in days (with reproducible random jitter and a largest-remainder, cent-exact correction so the total still matches exactly), emits D-Satz plus, where applicable, E835-Satz (labor share) and a small synthetic P-Satz (Energiepreisbremse — format exercise only, the underlying support program has since ended), and one E898-Satz record per unit/period referencing a generated single-page PDF “Heizkostenabrechnung” (period, per-cost-type total vs. share, overall total/advance payment/balance) built with a dependency-free, hand-rolled minimal PDF writer:

```
python tests/test_bved_provider_response.py DTA310_....DAT DTM310_....DAT \
    DTK310_....DAT [--out-dir DIR] [--seed N]
```

2.11 Option Rate (Input VAT Deduction)

Tracks, over time, what percentage of input VAT (Vorsteuer) on purchase invoices related to a real estate object is deductible (“optiert”) rather than treated as a final cost (added to the gross expense) — relevant wherever the property owner can opt for VAT liability on rent (§ 9 UStG). Applies to `real_estate.base_object` (property / building / land / rental object), `real_estate.settlement_unit`, and `real_estate.billing_unit`.

account.invoice.line.taxes_deductible_rate auto-fill (invoice.py)

For purchase invoice lines (`invoice_type = 'in'`), the core `taxes_deductible_rate` field (0–1 fraction of input VAT that is deductible; core already forces it to 0 when `company.purchase_taxes_expense` is set, via its own `on_change_company`) is auto-filled from the applicable option rate, divided by 100. Applies both interactively (`on_change_base_object` / `on_change_settlement_unit` / `on_change_billing_unit`) and to programmatic line creation (`InvoiceLine.create()` override) — the latter only fills the field when the caller did **not** pass `taxes_deductible_rate` explicitly, so an explicit value is never overridden.

The real-estate reference used is picked by `InvoiceLine._option_rate_priority()` in order of specificity: `base_object` $\square$ `settlement_unit` $\square$ `billing_unit` $\square$ the derived property (as a `base_object` reference, last-resort fallback via `on_change_with_property` / `term.property`) — the first of these that is set on the line wins. `OptionRate.get_current_rate_fraction(ref_field, record, date)` then returns the record's latest `option_rate` at or before that date (`taxes_date` if set, else the invoice's `invoice_date`, else today), divided by 100; falling back to 1/0 for `fix_100/fix_0` if no history record exists yet, or `None` (leaving the field untouched) for `dynamic_measurement` with no booked history.

The auto-fill is skipped entirely (field left at its core default of 1) when: the line is not a purchase line, or the company has `purchase_taxes_expense` set (core's own logic already governs that case). The line's contract field has no bearing on this logic and is ignored — a real-estate reference is used whenever present, even on a line that also carries a contract.

real_estate.option_rate (option_rate.py)

History-versioned option rate record, valid from a given date. Has three mutually exclusive Many2One reference fields — `base_object`, `settlement_unit`, `billing_unit` (all `ondelete='CASCADE'`) — exactly one of which must be set (enforced in `validate()`); a unique SQL constraint prevents two records for the same reference and `valid_from`. `option_rate` is a percentage (`digits=(5, 2)`, domain 0–100).

Fields added to `real_estate.base_object`, `real_estate.settlement_unit`, and `real_estate.billing_unit` (identical on all three):

option_rate_method

Required selection: `fix_0` (always 0 %), `fix_100` (always 100 %), or `dynamic_measurement` (calculated — see the wizard below). Defaults to `fix_0`. On a rental object (`base_object` with type = 'object'), changing `type_of_use` auto-sets it to `fix_100` for commercial and `fix_0` otherwise (`on_change_type_of_use`); `dynamic_measurement` is rejected by `validate_fields` for rental objects — only property/building/land/ settlement unit/billing unit may use it.

option_measurement_type

Many2One to `real_estate.measurement.type`, required only for `dynamic_measurement`. May reference a measurement **group**: all of its descendant leaf types are then summed per rental object (see the group hierarchy under `real_estate.measurement.type` above).

option_rates

One2Many (readonly) to the object's own `real_estate.option_rate` history.

purchase_taxes_expense

Function field mirroring the pre-existing `company.purchase_taxes_expense` field (added by `account_invoice`). When set on the object's company, all input VAT is always booked as an expense (fully gross) — equivalent to a permanent option rate of 0 % — and the *Option Rate* notebook page is hidden on the form (also always hidden for type = 'equipment').

Shown as a dedicated *Option Rate* page on the `base_object`, `settlement_unit`, and `billing_unit` forms (`page_option_rate`).

real_estate.option_rate_update.wizard (see [Wizards](#))

Batch recalculation entry point; see the [Wizards](#) page for the full selection/calculation logic.

Selection / filter screen and standalone list. Menu: *Real Estate* ▢ *Master Data* ▢ *Update Option Rates*, with a child menu item *Option Rates* opening a read-only list of all `real_estate.option_rate` records (both list and form views are fully non-editable — `creatable="0"` plus `readonly="1"` on every field; this applies only to the standalone list, not to the `option_rates` tab embedded in the `base_object/settlement_unit/billing_unit` forms, which remains editable there). A *Selektion* context form — modelled on the *Occupancy* context pattern (`real_estate.option_rate.context`, class `OptionRateContext`) — sits above the list with three optional filter fields, `base_object`, `billing_unit`, `settlement_unit`; whichever one is set narrows the list via `context_domain` (PYTHON, evaluated independently per field, so any combination — or none — can be applied).

2.12 Extensions to Core Modules

party.party (party.py)

Adds sequence (integer sort key) and salutation fields.

account.invoice (invoice.py)

Adds a contract Many2One field so invoices can be traced back to the originating contract. Shown on the invoice form's *Other Info* tab (view extension view/`invoice_form.xml`, inherits `account_invoice.invoice_view_form`).

_get_move_line(date, amount)

Sets the invoice's contract on the receivable/payable move line as well, so the open item shown on the *Payable/Receivable Lines* list can be traced to its contract (revenue/expense lines get it via the invoice lines, see below).

account.invoice.line (invoice.py)

Adds real-estate assignment fields, gated by `assignment_control` (Selection: *All*, contract,

operating_costs, settlement_result_contract, settlement_result_vacant — controls which of the fields below are visible/required for a given line):

- contract / term — the originating real_estate.contract / ContractTerm
- base_object — the real-estate object the line relates to
- billing_unit / settlement_unit — for operating-cost billing lines
- property (Function) — derived from billing_unit/settlement_unit
- service_period_from / service_period_to — billed service period
- estg_35a (Selection) — German §35a EStG tax-deduction category (household services / craftsmen services)
- invoice_date, tax_amount, total_amount (Function fields)

Indexed on contract, term, settlement_unit, billing_unit.

account.move.line (invoice.py, class AccountMoveLine)

Mirrors the same real-estate fields as account.invoice.line above (assignment_control, contract, term, base_object, billing_unit, settlement_unit, property) directly on the journal entry line, so postings can be traced/filtered without going through the invoice line. Extended list view shows this context for journal entries.

effective_contract (Function field)

Getter on_change_with_effective_contract, searcher search_effective_contract. This line's own contract if set, else the contract of whichever *other* line in the same reconciliation group has one. This way payment lines, which carry no contract of their own, are found by contract once they are reconciled with the invoice's receivable/payable line. The stored contract field is not changed.

Payable/Receivable Lines (act_contract_move_line_payable_receivable in contract.xml)

Menu *Contracts*, between *Contract* and *Create Contract Moves*. Lists open (unreconciled) lines on receivable/payable accounts (account.move.line) across all parties — the same list as the core *Payable/Receivable Lines* relate action on the party form, but reachable from a menu without opening a party first.

order: [('payable_receivable_date', 'ASC NULLS FIRST'), ('move', 'ASC')] — by due date, then by move.

Tree view: contract_move_line_view_list_payable_receivable (view/
contract_move_line_payable_receivable_list.xml, inherits account.
move_line_view_list_payable_receivable):

- party — optional column.
- payable_receivable_date (“Fälligkeitsdatum” — maturity_date if set, else date) and date (“Buchungsdatum”) — both optional.
- amount, debit (“Soll”), credit (“Haben”) — optional.
- payable_receivable_balance (“Saldo”) — optional.

Filter panel (real_estate.contract.move_line_payable_receivable.context, own context model):

- company (required)
- party, contract, account — optional, exact match; contract filters via effective_contract (see account.move.line above), so reconciled payment lines are found too

- `date_from/date_to` — restrict `account.move.line.date`
- `receivable/payable/reconciled` — checkboxes with the same defaults (True/True/False) and behaviour as the core party-form dialog; can be preset via the action context.

Relate button on the contract form itself (`act_contract_move_line_payable_receivable_relate`) reuses the same tree view with its own, minimal context model `real_estate.contract.move_line_payable_receivable.relate_context` (`date_from/date_to` and the three toggles only). The list is restricted to the open contract via the action's static domain (`'effective_contract', 'in', Eval('active_ids')`).

Print (`real_estate.contract.move_line_payable_receivable.report`)

Class `ContractMoveLinePayableReceivableReport` in `invoice.py`, template report/`contract_move_line_payable_receivable_de.odt`. Registered as `ir.action.report` with an `ir.action.keyword` (`keyword='form_print'`) on `account.move.line,-1` — select the desired rows in the list and use the client's *Print* action. The printed table has a fixed column set, independent of the list's column/sort settings: `Datum` (`payable_receivable_date` — due date if set, else booking date, as in the list), `Partei`, `Soll`, `Haben`, `Buchungssatz (move)`, `Beschreibung (description_used)` — plus a totals row (`Soll/Haben` summed). The filter panel's `date_from/date_to` restrict the booking date (`date`).

`get_context()` adds lines (the selected records), `total_debit/total_credit` (summed), and the `format_value` helper (date/number formatting, amounts with two decimal places) also used by `ContractReport/ContractAnnex4Report`.

`_selection_summary()` builds a one-line German summary of the filter panel's values (“`Partei: ...; Vertrag: ...; Konto: ...; Zeitraum: ... - ...; Forderungen, Verbindlichkeiten; inkl. ausgeglichene Posten`”) from `Transaction().context`, printed near the report header (`selection_summary`); with no filter set it reads “`keine Einschränkung`”. The action's context field forwards all filter panel fields into the transaction context for this purpose.

Kontenblatt (`act_contract_general_ledger_account_contract` in `contract.xml`)

Menu *Contracts*, between *Payable/Receivable Lines* and *Create Contract Moves*. A standalone equivalent of the `real_estate.contract` form's own *Party Ledger* (“*Kontenblatt*”) button (`Contract.open_party_ledger()` in `contract_core.py`, opening `act_general_ledger_account_contract_form_contract`, restricted to the open contract). Same underlying model (`real_estate.account_contract` — per-(`account`, `party`) aggregated balance/debit/credit for the contract's own party), reachable directly from a menu without a fixed contract restriction, like core's *General Ledger - Accounts* menu entry. Default `search_value` [`('line_count', '!=', 0)`] hides accounts with no activity.

`AccountContract.table_query()` (`contract_core.py`) is restricted to the current company (`context['company']`) and joins at most one contract per contractual partner (the most recent one, `Max(id)`).

`context_model:` `real_estate.contract.general_ledger_account_contract.context` (`ContractGeneralLedgerAccountContractContext` in `contract_core.py`) — a subclass of core's `GeneralLedgerAccountContext` (`account.general_ledger.account.context`) with its `fiscalyear/period/date-range/company/posted/journal` fields, plus two extra filter fields `party` and `contract`, applied via the `act_window`'s `context_domain` (no restriction when left empty). View: `contract_general_ledger_account_contract_context_form.xml`.

`Tree view:` `contract_general_ledger_account_contract_view_list` (`view/contract_general_ledger_account_contract_list.xml`) inherits `general_ledger_account_contract_list` and adds the `contract` column (`optional="1"`) right after `party`.

Print (real_estate.contract.general_ledger_account_contract.report)

Class `ContractGeneralLedgerAccountContractReport` in `contract_core.py`, template `report/contract_general_ledger_account_contract_de.odt`. Registered the same way as the Payable/Receivable report above (on `real_estate.account_contract`, -1) — select the desired rows in the *Kontenblatt* list and use the client's *Print* action. Fixed column set: Konto, Partei, Vertrag, Anfangssaldo, Soll, Haben, Endsaldo — plus a totals row.

Same `format_value` helper and `get_context()/_selection_summary()` pattern as the Payable/Receivable report; the summary reflects the *Kontenblatt* filter fields (Partei, Vertrag, Geschäftsjahr, Periode, Zeitraum, Journal, “nur gebuchte Bewegungen”), forwarded via the action's context field.

account.general_ledger.line (invoice.py, class GeneralLedgerLine)

Adds contract, term, base_object, billing_unit, and settlement_unit (all readonly Many2One) to Tryton's standard General Ledger — Lines report (German: *Kontenblätter – Positionen*), so the individual postings for an account can be filtered/traced back to the originating real-estate contract, term, object, billing unit, or settlement unit. No override of `table_query` is needed: it pulls any non-Function field straight from the `account.move.line` table by matching field name, and `account.move.line` already carries these same fields (see above). Shown as optional columns in the tree view (`view/general_ledger_line_list.xml`, inherits `account.general_ledger_line_view_list`).

res.user (res.py)

Adds phone and mobile fields.

2.13 Tasks, Processes and Handover Reports

Specifications: `spezifikation-wiedervorlage.md` (tasks, reminders, rules, processes) and `spezifikation-uebergabeprotokoll.md` (handover reports).

2.13.1 Overview

- **Tasks** (*Aufgaben*): follow-ups on a record - created manually, by hooks of the module (e.g. termination, index rent), by task rules or by process steps - with reminders and escalation.
- **Task rules**: scheduled creation of tasks from a date of a record (e.g. fixed-term contract ends, meter calibration expires).
- **Processes** (*Prozesse*): a sequence of tasks from a template (move-out, move-in, change of tenant, index rent adjustment), started manually or by the contract type.
- **Handover reports** (*Übergabeprotokolle*): move-in, pre-inspection and move-out reports of a contract; they complete the matching process steps.

Menus:

- *Real Estate > Tasks and Follow-ups: My Tasks, All Tasks, Processes*
- *Real Estate > Contracts > Handover Reports*
- *Real Estate > Configuration > Tasks and Processes: Task Types, Task Rules, Process Templates, Handover Checklists*

On the contract the tab *Tasks and Processes* has the sub tabs *Open* (open tasks - + creates a task - and running processes) and *History* (done/cancelled tasks and processes); the tab *Handover Reports* lists the handover reports.

2.13.2 Tasks

real_estate.task.type (task.py)

Task type (menu *Configuration > Tasks and Processes > Task Types*). `code` is a selection from the fixed catalog `TASK_CODES` in `task.py` (`code` = label, reference objects, manual or automatic only), unique and readonly once saved; hooks, rules and processes find their type by it. Types without code are own types without function in the module, their reference objects are selected in `custom_models` (empty = all, `all_models`). `resource_models` (catalog or own selection) and `manual` are shown; `for_model` (searcher only) filters the types allowed for an object. Default responsibility (`responsible_group` / `responsible_user`), `remind_days`, `remind_daily`, `escalation` (`escalate_days`, `escalation_group`), `recurrence_months`, `email`, `icon`, `note_on_done`. Default types (`task.xml`, `noupdate`) for the uses of chapter 3 of the specification, e.g. `manual`, `contract_unsigned`, `index_prepare`, `index_receipt`, `billing_deadline`, `meter_calibration`, `cron_error`.

real_estate.task (task.py)

Task of a record (resource: contract, contract party, rent adjustment, term adjustment, object, billing unit, price index, scheduled task, party). `contract` and `property` are stored and derived from the reference. Fields: `subject`, `type`, `due_date`, `remind_date` (default due date - remind days), `responsible user and/or group` (default from the type, else the creator), `priority`, `description`, `result`, `recurrence_months`, `previous`, `origin` / `origin_key` (rule or process, idempotence), `notified_date` / `escalated_date` (reminders, phase B), `is_mine` and `overdue` (searchable).

States open → done / cancelled: *Done* (done by/on; with a recurrence the next task `n` months later; optional note on the referenced record), *Cancel* (reason in *Result* required), *Reopen* (creator or administration), *Postpone* (wizard: new due date and reason, history in the description, reminder reset), *Take Over* (responsible user = current user).

Menu *Real Estate > Tasks and Follow-ups > My Tasks* (tabs *Due*, *Overdue*, *Next 30 Days*, *All Open*, *Done* with counters; list, form, calendar) and *All Tasks*. Tab *Tasks* with + on contract (there: tab *Tasks and Processes*, sub tab *Open*) (One2Many over the stored contract: all tasks of the contract, also of its rent adjustments and parties; the contract is the reference of new ones), rent adjustment, object and billing unit (One2Many over the reference resource); a property additionally lists the tasks of all its objects (read-only). Action *New Task* on these forms. The type of a task is restricted to the types allowed for the reference object (`resource_model`) and, for manual tasks, to manual types; tasks created by the module are marked automatic.

Visibility: company rule; the groups Object/Contract/Billing/View see tasks assigned to them (user or group) or created by them, the administration sees all. For this the record rule context is extended by `user_id` (`ir.py`).

Programming interface: `Task.create_for(record, type_code, due_date, ...)` (idempotent), `close_for(record, type_code)`, `cancel_for(record, type_code)`. Hooks: index rent *Declare* creates `index_receipt` (declaration date + 7 days), entering the receipt date closes it, *Execute* closes `index_receipt` / `index_execute` / `index_declare` and `index_prepare` of the agreement.

Reminders and escalation (phase B, Task.notify)

Scheduled task `task_notify` (*Real Estate Accounting > Scheduled Tasks*, daily): open tasks with `remind_date` reached notify the responsible user, else all active members of the responsible group (client notification `res.notification` with link to the task) - once (`notified_date`) or every day with `remind_daily` on the type. Open tasks `escalate_days` after the due date notify the `escalation_group` once (`escalated_date`). With `email` on the type an e-mail is sent in addition (`ir.email`) to users with an address and `task_email` (user preference, default on); without SMTP configuration the error is only logged. For the live display of notifications in the client the server needs `[bus] allow_subscribe = True` in `trytond.conf`.

`Contract.cron_daily` runs every due scheduled task in its own transaction (`_cron_run_task`):

an error rolls back only this task, is logged and creates the task `cron_error` (*Scheduled task failed, administration*) for the scheduled task, further errors are appended to its description; the other scheduled tasks continue.

2.13.3 Task rules

`real_estate.task.rule` (`task_rule.py`, phase C)

Task rule (menu *Configuration > Tasks and Processes > Task Rules*): reference object (model), restriction domain (PYSON, like an action domain), reference date from a date field of the model (also function fields) or a named method, offset in months/days, lead time (`horizon_days`), task type (only types for the object), `name_template` (`%(record)s`), `done_domain` and `on_date_change` (cancel or done when the reference date changed). The scheduled task `task_rules` (daily) and the button *Run Now* call `TaskRule.run`: per record and reference date one task (`origin = rule`, `origin_key = record` and date, marked automatic) once its due date is within the lead time - also a task already done or cancelled is not created again for the same date. Open tasks of the rule are done automatically when the record matches `done_domain` or no longer matches domain, and are cancelled (or done) with a new task when the reference date changed. Errors of a rule are logged and shown in *Last Result*.

Named methods (`TaskRule._date_<name>`): `billing_deadline` (billing units not billed: end of period + 12 months), `meter_reading_due` (properties whose meters lack a reading at the day before the next billing start, ± 7 days), `index_values_stale` (last final value older than 2 months), `no_follow_up_contract` (terminated contracts without a later contract for their objects), `state_since` (date of the last state transition from `ir.model.log`), `cron_overdue` (scheduled tasks not run for their interval + 3 days).

Default rules (`task_rule.xml`, noupdate, all **inactive**): V02 contract not signed, V03 fixed-term contract ends, V07 contract party ends, V08 no follow-up contract, M01 prepare index rent adjustment, M02 index adjustment not declared, M04 not executed, M05 graduated rent ends, M06 termination waiver ends, M07 index values outdated, M08 tight market regulation ends, B01 billing deadline, B02 adjust prepayments, O01 meter readings, O03 meter calibration, O04 object ends, S02 scheduled task not run. Each default rule has a description (translatable, German in `locale/de.po`) that is copied into the tasks it creates.

Meter calibration (base object, tab *Meters*): `meter_calibration_date`, `meter_calibration_years`, `meter_calibration_valid_to` (proposed 31.12. of the year of the last calibration + validity, can be overwritten) and `meter_calibration_due` (ends within 3 months, searchable); optional column in the object list.

2.13.4 Processes

`real_estate.process.template` / `real_estate.process` (`process.py`, phase D)

Process templates (menu *Configuration > Tasks and Processes > Process Templates*): reference object, anchor date field (e.g. `termination_date`) and steps. A template step has a task type (reminder, escalation, responsibility) and optionally a responsible group, the due date base (start of the process, anchor date, previous step done or a method, e.g. `billing_deadline_for_contract`) with an offset - or the offset in months from the real estate accounting setting `deposit_task_months` (default 6) - mandatory/optional, a work instruction, an **action** (report, wizard or list) and the **completion** (manual, by executing the action, or by condition: PYSON domain on the reference record or a method `deposit_paid`, `meter_readings_complete`, `billing_settled`), optionally with a required result.

A process (menu *Tasks and Follow-ups > Processes*, tab *Tasks and Processes* on the contract) is started with the action *Start Process* on contract, rent adjustment, object or billing unit, or automatically by the templates set on the contract type: *Process at Contract Start* (contract set to running),

Process at Termination (termination wizard), *Process at Partner Change* (partner change wizard). It keeps one step line per template step with a derived state (planned, open, overdue, done, skipped) and creates the tasks (marked with process and step); steps after *previous step done* are created once the previous one is done. The task of a step with an action shows the button *Execute Action*: it opens the action for the reference record (and completes the step for completion *by action*). *Check State* evaluates the conditions (also daily with the scheduled task `task_rules`), *Reschedule* moves the open anchor tasks after a change of the anchor date (history), *Cancel* cancels the open tasks. When all mandatory steps are done or skipped the process is done (progress “n / m done”).

Default templates (`process.xml`, `noupdate`, not assigned to a contract type): *Move-out* (10 steps: confirmation with the report *Termination Confirmation*, pre-inspection, handover, meter readings, keys, deposit after `deposit_task_months`, remaining deposit and claims check optional, final operating cost billing), *Move-in* (5 steps: deposit received - `deposit_paid`, handover, meter readings, keys, direct debit mandate), *Change of Tenant in the Contract* (4 steps) and *Index Rent Adjustment* (run, declare, receipt, execute). Every default step has a work instruction (translatable, German in `locale/de.po`); it is copied into the task in the language of the user creating it, so existing tasks keep their text.

2.13.5 Handover reports

`real_estate.contract.handover` (`handover.py`)

Handover report (*Übergabeprotokoll*, menu *Contracts > Handover Reports*, tab *Handover Reports* on the contract) of a `move_in`, `pre_inspection` or `move_out` (`spezifikation-uebergabeprotokoll.md`): date and time, objects handed over, tenants present (or absent), landlord representative, other participants, check items (room, item, condition ok / normal wear / damage / missing, description, photos as attachments, remedy by tenant or landlord until a date, estimated costs - `total_cost_total` as basis for the deposit settlement), keys (type, description, quantity; for a move-out the quantity of the move-in report is shown and deviations are marked), meter readings, general condition, swept clean, agreements and the scan of the signed report (`signed_document`).

Proposals (on creation, when choosing contract/kind, button *Apply Proposals*): the objects of the contract items, the main tenants, the check items of the checklist chosen by the contract's type of use (*Configuration > Tasks and Processes > Handover Checklists*, default *Apartment* and *Commercial unit*), the meters below the objects, for a move-out the keys of the move-in report and the open defects of the last pre-inspection.

Complete (`draft` → `done`) checks objects, keys (move-in/out) and one done report per contract and kind (several pre-inspections allowed), warns about missing meter readings (confirmable), creates the meter readings at the handover date (`real_estate.meter_reading`, existing readings of the day are linked), logs the report in the contract log and completes the matching process steps at once. Only the administration can reset a done report to draft. Report *Handover Report (de)* (`report/contract_handover_de.odt`) with signature fields, marked ENTWURF before completion.

Process integration: actions *Move-in / Pre-inspection / Move-out Report* (opened for the contract with `default_kind`) and the done methods `handover_move_in_done`, `handover_pre_inspection_done`, `handover_move_out_done`, used by the default templates *Move-out* (pre-inspection, handover, keys) and *Move-in* (handover, keys).

2.14 Wizards

`real_estate.contract.create_moves.wizard` (`contract_wizard.py`, class `CreateContractMovesWizard`)

Batch invoice generation wizard. Supports three actions:

create

Generate invoices up to a given date. All `ContractTermCashFlow` entries created in this run share the same `create_moves_run_id` (YYYYMMDD-HHMMSS-U<userid>). One invoice per contract and posting date; terms of a term type with `separate_move` get an invoice of their own per term type (see *Contract Management*).

re_calc

Rebuild cash flow projections without creating invoices.

re_calc_and_create

Combine both steps.

Can be filtered by property and/or contract list. Optional queue execution via `execute_in_queue`.

real_estate.billing_unit.wizard (billing_unit_wizard.py, class BillingUnitWizard)

Batch billing wizard, opened via the `billing_wizard` button on the billing unit form or the `billing_property` button on the property form.

Start — `date` (default: last day of the current month), `company`, `invoice_date` (default: today; auto-set to the first of date's month when date lies in the past), `invoice_state` (draft / posted — invoices are posted immediately when posted), `payment_term` (default: account configuration's `re_payment_term_billing`; written to every invoice created by the run and therefore drives its due date — takes priority over the contract's own payment term), `execute_in_queue` (default True), optional `propertys / billing_units` filters (pre-filled from the active record when launched from a property or billing unit form/list).

Confirm — read-only summary of the matching billing unit count and the selected filters before processing.

Process (`transition_do_billing`) — calls `BaseObject.call_billing` for the resolved properties, which invokes `BaseObject.do_billing` either directly or via the background queue. Only billing units already in state `ready_for_billing` are billed; with `collective_billing` all billing units of a property sharing the same start date must be included, otherwise a `ValidationError` is raised.

Result — reports how many billing units were queued or processed.

real_estate.terminate_contract.wizard (contract_wizard.py)

Sets a contract to *Terminated*, records `terminated_by`, `receipt_of_termination_notice`, `termination_reason`, and calculates `termination_date` from the notice period (3 / 6 / 9 / 12 months to end of month); also writes the resolved `termination_date` into the contract's `end_date` (see *Fixed term / termination* under `real_estate.contract` above). `terminated_by_type` is tenant or landlord for a manual termination via this wizard; see the `update_contract_status` cron task above for the automatic expired case (fixed-term contracts with no active termination), and the *Revert Termination* button to undo a termination.

real_estate.change_contract_partner.wizard (contract_wizard.py, class ChangeContractPartnerWizard)

Reassigns a contract's main tenant as of a chosen `change_date` (domain- and server-side restricted to the contract's own validity period), rebooking still-open invoices to the new party rather than just swapping a reference.

Start — `contract` (readonly), `current_party` (Function), `new_party` (domain excludes the current party), `change_date` (required, domain restricted to [contract's start_date, effective end date] via two Function fields — a plain Many2One reference field cannot use `_parent_<field>` PySON the way a true parent-child nested form can, so `contract_start_date / contract_end_date` mirror those dates onto the wizard's own start state instead).

Process (`Contract.execute_change_partner`):

- Rejects reassigning to the same party (`msg_change_partner_same_party`) and a `change_date` outside the contract's validity (`msg_change_partner_date_out_of_range`).
- Warns (confirmable, `ContractPartnerChangeDraftInvoicesWarning`) if the outgoing party still has draft invoices on this contract — those are never picked up by the rebooking below (only posted, still-open items are), so they would otherwise silently stay with the old party.
- Finds still-open (posted, unreconciled) invoices via the cash flow (`ContractTermCashFlow`, filtered by contract — deliberately not restricted to a specific term/condition, so rent *and* operating cost/heating advances on the contract are all rebooked together, matching what a real partner change should do). For each: a credit note closes the old party's open item (same mechanism as `BillingUnit.cancel_units`), reconciled against it when balanced; a new invoice with lines copied 1:1 (same account/amount/taxes/ contract/term/base_object — only party and `accounting_date` differ) reopens the same charge under the new party.
- Ends the old party's open *Main Tenant Role* assignment the day before `change_date`; optionally starts a *Secondary Tenant Role* assignment for the old party (if configured on the contract type); starts a new *Main Tenant Role* assignment for the new party (`invoice_address` pre-filled from the new party's own default invoice address).
- Re-runs the cash flow plan (`call_create_moves` with `action='re_calc'`, synchronous, invoice-less) for this one contract afterwards, so still-draft plan entries immediately reflect the new party instead of waiting for the next scheduled `create_moves` run to happen to process this contract.

Button *Partner wechseln* on the contract form, “Parties” tab.

`real_estate.estimate_consumption.wizard` (`base_object.py`, class `EstimateConsumptionWizard`)

Two-step wizard launched from the *Meters* tab of any approved meter object. Estimates the meter reading for a chosen cut-off date and books it as an estimate reading.

Step 1 – Start: displays the meter description, unit and factor, pre-fills `meter_id` from the last reading, and prompts for `per_date` (default: today) and a free-text reason.

Step 2 – Result: calls `simulate_estimate` and shows the two basis readings (`reading1` / `reading2`), the derived consumption, and the editable `estimated_value`. The user can adjust the value before booking.

Book: saves a new `MeterReading` with `m_type = 'estimate'`. The value is rounded to the meter's UOM digit precision (integer if `meter_no_decimals` is set) before saving.

`real_estate.option_rate_update.wizard` (`option_rate_wizard.py`, class `OptionRateUpdateWizard`)

Recomputes and books option rates (see [Option Rate](#)) for a selection of base objects, billing units, and/or settlement units, as of a cut-off date.

Start — `base_objects` (Many2Many, restricted to property/building/land/rental object; an approved property/building/land is expanded to its building/land/rental-object descendants, and an approved property additionally cascades to its billing units and their settlement units), `billing_units` (expanded to their settlement units), `settlement_units`, `cutoff_date` (default: today — booked option rates are always dated on the first of this month).

Confirm — read-only counts of the directly selected base objects / billing units / settlement units, and the total number of objects that will actually be processed after expansion (`n_expanded`).

Process (`OptionRate.process_update`) — for every expanded object:

- Objects with `option_rate_method` `fix_0` / `fix_100` are booked at 0 % / 100 % directly, without looking at any sub-objects.

- `dynamic_measurement` objects are calculated from their approved rental objects: for a rental object, itself; for a property/building/ land, its approved rental-object descendants regardless of how many buildings/land lie in between (a non-approved intermediate object excludes its whole subtree — both from booking and as a calculation basis); for a settlement unit, its existing objects function field (i.e. whatever it already resolves to via its own allocation rule/regex — read-only here, never modified by this wizard); for a billing unit, the union of objects across all its settlement units that are not draft/billed, deduplicated. Each contributing rental object is weighted by its measurement value (leaf types under `option_measurement_type` summed if it is a group) at the cut-off date, and contributes its own current option rate (its latest `option_rate` record at or before the cut-off date, else its own `fix_0/fix_100` default). The new rate is the resulting weighted average, rounded to 2 decimals.
- Base objects not in state approved, and billing/settlement units in state draft or billed, are excluded entirely.
- A new dated `option_rate` record is only written when the computed rate differs from the current one; a record already dated on the cut-off month's first day is updated in place rather than duplicated.

Result — counts of created / updated / unchanged / skipped records, plus a per-record detail log.

Menu: *Real Estate* ▢ *Master Data* ▢ *Update Option Rates*.

`real_estate.contract_term_adjustment.wizard` (`contract_wizard.py`, class `ContractTermAdjustmentWizard`)

Note

Only the procedure `index_rent` is implemented. For the operating cost procedures and `free_adjustment` the *Start* ▢ *Confirm* ▢ *Process* ▢ *Result* flow works, but the placeholder methods (`_adjustment_operation_costs_billing`, `_adjustment_operation_costs_plan`, `_adjustment_free_adjustment`) return `processed = 0` and a “not yet implemented” message.

Index rent run (`procedure = 'index_rent'`, `_adjustment_index_rent` ▢ `RentAdjustment.index_run`): fields `price_index` (default VPI-DE), `index_month` (default: last final month of the series), `declaration_date` (planned, default today - preview of effective date, lock period and cap), `include_decreases`, `auto_approve` and the filters `company`, `property`, `contracts`; `valid_from_new` and the operating cost fields are hidden. For every active index rent agreement of the series one draft `real_estate.contract.term.adjustment` is created with the run's `run_id` - skipped (and counted) are agreements with an open adjustment (I07), residential agreements whose effective date would be inside the 12-month lock period (I04), threshold not reached, decreases without `include_decreases` (listed) and missing index values (I05). Adjustments without findings are approved directly with `auto_approve`. *Confirm* shows the number of matching agreements; *Result* the summary, the protocol and the button *Open Adjustments* (domain `run_id`). Every run is stored as `real_estate.contract.term.adjustment.run` (menu *Contracts* ▸ *Adjustment* ▸ *Adjustment Runs*) with its parameters, the summary, a protocol line per agreement (result, effective date and the check findings, i.e. the cause of a skip) and its adjustments.

Start — `procedure` (`operation_costs_billing` / `operation_costs_plan` / `free_adjustment`, required), `company`, `property` (defaulted from the active property record when launched from a property form/list), `valid_from_new` (effective date of the replacement term — the old term is intended to close the day before). Only for `free_adjustment`: `adjustment_mode` (percentage / absolute). Only for `operation_costs_billing`: `billing_run_id` (Selection, populated from billed billing units matching company/property),

guard flags `no_terminated_contracts`, `no_future_terms`, `no_booked_terms`, `only_rhythm_monthly_1` (all default `True`), and caps `max_adjustment_percent` (default 10 %) / `max_adjustment_absolute` (default 50, in the company currency).

Confirm — read-only echo of every *Start* value (no match count, since selection logic does not exist yet).

Result — processed count and a details message.

Menu: *Real Estate* ▢ *Contracts* ▢ *Adjustment* (submenu with the wizard itself and the list of `real_estate.contract.term.adjustment` records with tabs *Draft* / *Approved* / *Declared* / *Done* / *All*).

2.15 Reports

ODT templates (OpenDocument Text) are located in `report/` and rendered via `Genshi/relatorio`; `template_extension` on the `ir.action.report` record is `odt`. Values are inserted with `text:span py:content="..."` rather than literal `${...}` interpolation (which `relatorio` escapes in ODT text), and control flow (`py:if/py:for/py:choose`) is written as attributes on the surrounding ODF elements. Older `.html` versions of these templates remain in `report/` for reference only and are not registered.

Templates are maintained as ODF XML (`content.xml/styles.xml`), not by re-saving the `.odt` in an office suite (which drops the `py:` attributes). Context helpers exposed to templates must not start with an underscore and templates must not contain `import` statements (`Genshi sandbox`); the shared `format_value` helper and `Decimal` are provided via `get_context()`.

`real_estate.contract.report(contract_report.py)`

General contract report. Templates: `contract_en.odt`, `contract_letter_de.odt`.

`real_estate.contract.annex4.report(contract_report.py)`

Annex 4 – Betriebskostenaufstellung. Template: `anlage4_contract_de.odt`. Renders grouped operating cost positions with BetrKV paragraph references and allocation method labels, sourced from the contract's own `settlement_units` field (see `real_estate.contract` below) rather than re-deriving the billing unit independently. Allocation labels are translatable messages (`real_estate.msg_allocation_*` in `message.xml`).

`real_estate.contract.termination_confirmation.report(contract_report.py)`

Termination confirmation letter (“Kündigungsbestätigung”). Template: `contract_termination_confirmation_de.odt`. Registered exactly like the *Contract Letter/Annex 4* reports above — an `ir.action.report` plus an `ir.action.keyword` with `keyword='form_print'` on `real_estate.contract,-1` — so it appears in the standard *Print* toolbar for every contract, not behind a dedicated button. “Only available once a termination is recorded” is therefore enforced entirely inside `get_context()`: it checks `record.state == 'terminated'` for every selected record and raises `msg_contract_termination_confirmation_not_terminated` (a clear, translated error) otherwise, rather than by hiding the menu entry itself. Resolves the translated labels for `terminated_by_type/termination_notice` (both *Selection* fields) via `Contract.fields_get()` rather than exposing the raw storage keys to the template.

`real_estate.contract.index_adjustment.letter(contract_report.py)`

Declaration of an index rent adjustment (§ 557b para. 3 BGB) on `real_estate.contract.term.adjustment`. Template: `index_adjustment_letter_de.odt` - one letter per selected adjustment (page break), addressed jointly to all main tenants (`contract.main_tenant_party_ids`, invoice address). The button *Declare* renders it with `data['original']` and archives the original as attachment; printed from the print menu it is marked *Zweitschrift* (declared/done) or *ENTWURF* (before the declaration). Index values are formatted with one decimal (`format_index`).

real_estate.contract.handover.report (contract_report.py)

Handover report on `real_estate.contract.handover`, template `contract_handover_de.odt`: header with landlord, tenants, rented object, kind and date, tables of check items, keys (move-out: expected quantity) and meter readings, general condition, agreements and signature fields; ENTWURF until the report is done.

real_estate.base_object.report (base_object.py)

Fact sheet for a property or object. Template: `fact_sheet.odt`.

2.16 Accounting / WoWi

The `wowi/` directory contains a German “Kontenrahmen der Wohnungswirtschaft” (WoWi, housing-industry chart of accounts) as XML templates loaded at module installation:

- Account types and accounts
- Tax groups, tax templates, tax code templates, tax code line templates
- Tax rule templates

https://www.intex-publishing.de/pdf/Kontenrahmen_Wohnungswirtschaft.pdf
https://www.intex-publishing.de/pdf/Kontenrahmen_Immobilienwirtschaft.pdf

https://www.intex-publishing.de/pdf/Kontenrahmen_Immobilienwirtschaft.pdf

2.17 Source Layout

```
real_estate/
├── __init__.py           # Pool registration of all models, wizards and
├── reports
├── tryton.cfg           # module version, dependencies, XML data files
├── address.py           # real_estate.address
├── base_object.py       # real_estate.base_object, occupancy, meter
├── readings
├── billing_unit.py      # real_estate.billing_unit, billing_unit.moves,
                        #   billing_unit.log, cost_type,
├── cost_category_group
├── billing_unit_wizard.py # real_estate.billing_unit.wizard (batch billing)
├── bved.py              # BVED Tryton models: service_provider,
├── provider_assignment, #   object_number, export, import(.line)
├── bved_records.py      # BVED fixed-width record (de)serialization, no
├── Tryton dependency
├── co2_kostaufg.py       # real_estate.co2_kostaufg(.consumption),
├── co2_emission_share
├── company.py           # extension to company.company (re_accounting
├── link)
├── contract_core.py     # real_estate.contract, contract.log, account
├── views,
├── cron_daily_dispatcher + cron task handlers
├── contract_item.py     # real_estate.contract.item, contract.item.object
├── contract_party.py    # real_estate.contract.party, contract.party.role
├── (+ role-contract.type relation)
```

(continues on next page)

(continued from previous page)

```

|— contract_term.py      # real_estate.contract.term, term.tax, cash_flow,
|                        #   term.adjustment, Quantitative
|— contract_type.py      # real_estate.contract.type, term.type
|— contract_rent_adjustment.py # real_estate.contract.rent_adjustment (rent
|                        #   adjustments, graduated rent generation)
|— contract_report.py    # ContractReport, ContractAnnex4Report,
|                        #   ContractTerminationConfirmationReport
|— contract_wizard.py    # wizards: TerminateContract,
|→ CreateContractMoves,
|
|                        #   CancelPeriodBooking, ContractRunning,
|                        #   ContractTermAdjustment, ChangeContractPartner
|— cron_task.py          # real_estate.cron_task (per-company scheduled
|→ task config)
|— invoice.py            # extensions to account.invoice / invoice.line /
|                        #   move.line / general_ledger.line,
|→ receivable/payable
|
|                        #   list context + report
|— ir.py                 # extension to ir.cron (registers the cron_daily
|→ method)
|— measurement.py       # real_estate.measurement.type, measurement
|— object_party.py       # real_estate.object_party, object_party.role
|— option_rate.py        # real_estate.option_rate, option_rate.context
|— option_rate_wizard.py # real_estate.option_rate_update.wizard
|— party.py              # extension to party.party
|— re_accounting.py      # real_estate.re_accounting (company-scoped RE
|→ config)
|— res.py                # extension to res.user
|— settlement_result.py  # real_estate.settlement_result, cost_share
|— sequence.py           # extension to ir.sequence ("string timestamp"
|→ type)
|— settlement_unit.py    # real_estate.settlement_unit
|— report/               # ODT report templates (rendered via
|→ Genshi/relatorio)
|— view/                 # XML form and tree view definitions
|— wowi/                 # German WoWi accounting templates
|— locale/               # Translations (de.po)

```

2.18 Running Tests

Warning

tests/ currently has no unittest.TestCase-based tests — test_module.py (the standard Tryton ModuleTestCase boilerplate) has been removed and not replaced. tox.ini still defines a real test matrix (envlist = {py39,py310,py311,py312,py313}-{sqlite,postgresql}) and the commands below run without error, but unittest/xmlrunner discovery currently finds **zero** test cases in every environment and exits **0 (success)** regardless — i.e. tox reports a false-positive pass,

not “no tests configured”. There is no CI pipeline in this repo currently invoking it automatically, but running it manually and reading “OK” is misleading until a real test case is added back.

```
# Full test matrix (sqlite + postgresql, py39-py313) – currently a
# false-positive pass, see warning above
tox

# Single environment
tox -e py311-sqlite

# Direct run
export TRYTOND_DATABASE_URI=sqlite://
export DB_NAME=:memory:
coverage run --omit=*/tests/* -m xmlrunner discover -s tests
coverage report
```

See [Demo data scripts](#) for the one-shot proteus import scripts under tests/.

2.19 Demo data scripts

Everything in tests/ is instead a one-shot **proteus import script** that generates demo data against a running trytond server. These are run manually – `python tests/<script>.py --database <db> [--config trytond.conf]` – not via tox/xmlrunner, in the following order (each step builds on the previous one’s data):

tests/test_immo.py

No prerequisites. Creates two properties (*Musterstraße 1-4* and *Musterstraße 5-8*), each with four buildings. Every building has one ground-floor retail unit (`type_of_use='commercial'`, 140 m²) and four apartments (`type_of_use='residential'`, 57/83 m² alternating) – 16 apartments, 4 retail units, and 20 water meters per property in total – plus one land parcel with four parking spaces. Meter names follow the pattern *Wasser Zähler NN / Wasser Zähler EHNN*, each with an initial and a consumption reading. Looks up `real_estate.use_class` by sequence (language-independent) and measurement types by German name – the admin user must be set to German:

```
python tests/test_immo.py --database <db> [--config trytond.conf]
```

tests/test_contracts.py

Requires `test_immo.py`. Creates residential lease contracts for 15 of 16 apartments per property (one left vacant), each with rent, operating cost, and heating terms; three contracts per property are terminated, two of them with a follow-up contract. The four parking spaces per property are split between existing apartment contracts (as an extra contract item) and new standalone parking contracts. Also creates commercial lease contracts for the retail units – one combined contract for all four retail units on *Musterstraße 1-4*, one contract per unit on *Musterstraße 5-8*. Terms are absolute amounts (`price per m2 × area, quantity 1`). Up to three running apartment contracts per property get a graduated rent (rent adjustment with procedure `graduated_rent` on the rent term: 12-month rhythm, 5 steps, +30 € / +0.40 €/m² / +3 %), whose steps are generated; the procedure is allowed on the residential contract type and the rent term type first if missing. Up to two further running apartment contracts per property (without graduated rent) get an active index rent (procedure `index_rent`: price index VPI-DE, base month 01/2025, statutory effective date, no threshold, cap automatic); missing VPI values of the current base year are first taken over from `tests/61111-0002_de.csv` (GENESIS-Online table download, parsed like the CSV import wizard) – without the file or the base month value no index rents are created. The adjustment run itself is not executed:

```
python tests/test_contracts.py --database <db> [--config trytond.conf]
```

tests/test_billing_unit.py

Requires `test_immo.py`. Creates two billing units per property: *Kalte Betriebskosten* (measurement- and consumption-based settlement units, vacancy allocated to the owner) and *Heizkosten* (external_billing=True, settlement units use allocation_from_external_billing). Billing units are left in state draft — anything that requires a later state (e.g. `test_invoices.py`'s settlement-unit lookup) needs the workflow advanced manually first:

```
python tests/test_billing_unit.py --database <db> [--config trytond.conf]
```

tests/test_kreditor.py

No prerequisites. Creates 11 supplier/creditor parties (property tax office, building insurer, utilities, cleaning, caretaker, gardening, chimney sweep, heating maintenance), each with an invoice/delivery address:

```
python tests/test_kreditor.py --database <db> [--config trytond.conf]
```

tests/test_invoices.py

Requires `test_kreditor.py`, `test_immo.py`, and `test_billing_unit.py` (with billing units advanced past draft so settlement units can be looked up). Creates the corresponding purchase invoices — one-off and recurring — for each property, linking each line to its `settlement_unit` where a match is found. Invoices are only saved, not posted (remain in state draft):

```
python tests/test_invoices.py --database <db> [--config trytond.conf]
```

tests/test_payment.py

Requires `test_contracts.py` and at least one run of the CreateContractMoves wizard so posted tenant invoices exist. Books one payment receipt per tenant/commercial-tenant party (debit account 1800 Bank / credit the receivable account taken from that party's open lines) and reconciles the open items:

```
python tests/test_payment.py --database <db> [--config trytond.conf]
```

2.20 Release notes