# Test Run Report




## **Test Run Overview**

Started 07 B#e 2022, 11:14:50 Ended 07 B#e 2022, 11:15:43

Duration (mm:ss) 00:53.514

## Test Results Summary

Passed 1 Failed 0 Skipped 0



## **Test Case Summary**





## CreateAccount.testcase

### Summary

Started 07 B#e 2022, 11:14:50 Ended 07 B#e 2022, 11:15:40

Duration (mm:ss) 00:49.901
Outcome successful

#### Output

Salesforce Connect: Admin (Test)

0 11:14:50(00:00.021)

- (i) Connecting to Salesforce as Admin
- (1) Successfully connected to Salesforce as Admin
- On SF Account Home screen

0 11:14:52(00:01.975)

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?action=ObjectHome&object=Account
- ① Opening Chrome webdriver instance to https://test.salesforce.com/
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- i Successfully opened user home page
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Click the New button

0 11:15:11(00:21.709)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DNew%26object%3DAccount&name=New, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DNew%26object%3DAccount&name=New
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '604:0')]
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default&gt; wait.
- ① Found element: [[ChromeDriver: chrome on XP (43ea18cdec16ef52c43834f81d6434cb)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent')) or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table\_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '604:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null

- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=164664811381783865&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Successfully updated browser window handles.

#### On SF Account New screen

0 11:15:17(00:27.120)

- ① Start of With Screen. Connection Name: Admin, target: sf:ui:target?action=New&noOverride=true&object=Account
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- Going to update browser window handles.
- (i) Successfully updated browser window handles.

#### Set the Account Name field to AccentureTraining

0 11:15:23(00:33.721)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DName&name=Name, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName&name=Name
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=164664811381783865&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::section and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.
- 1 Found element: [[[org.openga.selenium.remote.RemoteWebElement@82e71f51 -> unknown locator]] -> xpath: .//input
- 1 Got webElement. tagName: INPUT, id: input-151, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: AccentureTraining, blur: true
- ① Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- i Successfully updated browser window handles.

#### Set the Type picklist to Analyst

0 11:15:27(00:37.080)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DType&name=Type, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DType&name=Type
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=164664811381783865&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//\*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'gorceTeysEnamand (contains(@class, 'inget'))] or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div


and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Type'] or .//text() = 'Type')]/
ancestor::div[1]

- ⑤ Find field using relative xpath: //\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@82e71f55 -> unknown locator]] -> xpath: .//\*[self::a or self::input or self::button[contains(@class, 'slds-combobox\_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-171, type: button, class: slds-combobox\_input slds-input\_faux slds-combobox\_input-value
- 1 Typing value. tagName: BUTTON, type: button, value: Analyst, blur: false
- (i) Clicking WebElement. WebElement [tag: button, text: --None--]
- ① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Analyst Competitor Customer Integrator Investor Partner Press Prospect Reseller Other]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- i Successfully updated browser window handles.


#### Set the Phone field to 123456789

0 11:15:30(00:40.340)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DPhone&name=Phone, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone&name=Phone
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=164664811381783865&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][[ast()]//\*[contains(@class, 'forcePageBerror')])][[ast()]//\*[contains(@class, 'forcePageBlockSection')]/\*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//\*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element\_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element\_label'))) or (self::div and contains(@class, 'test-id\_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (//text()[normalize-space()='Phone'] or .//text() = 'Phone')]/ ancestor::div[1]
- i) Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default&gt; wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@82e71f59 -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 123456789, blur: false
- i Doing after wait. waitUrl: default
- i End of <default&gt; wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Click the Save button 0 11:15:33(00:43.078)



Before Screenshot: 2022/03/07 11:15:33



After Screenshot : 2022/03/07 11:15:36

- ① Start of Interact. Connection: Admin, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DAccount&name=save, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3Dsave%26object%3DAccount&name=save
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST\_VIEW&uid=164664811381783865&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- (i) Sending screenshot. Data length: 101991
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- ① Doing before wait. waitUrl: default
- 1 End of <default&gt; wait.
- ① Found element: [[ChromeDriver: chrome on XP (43ea18cdec16ef52c43834f81d6434cb)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/
  ancestor::\*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel\_lwcdetailpanel]//runtime\_platform\_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//\*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- 1 Doing after wait. waitUrl: default
- End of <default&gt; wait.

- i Sending screenshot. Data length: 105797
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- 1 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X00000xjpjqQAA/view
- (i) Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: accountId, created ID: 0011X00000xjpjqQAA, location: https://provar-trial-org-training.lightning.force.com/lightning/r/Account/0011X00000xjpjqQAA/view
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0011X00000xjpjqQAA
- (1) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X00000xjpjqQAA/view
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) Handling managed resource. Name: Admin
- (i) Salesforce Connection handled successfully. Name: Admin