

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ CSS

```
name="csrfmiddlewaretoken"
value="X770F8qt6NFoNJl0AALM6xGPD9TwqeSqWWfu5dr9hia4hr7fozmJuHVFSl0EsVp6">
    <div class="col-12 col-md-9">
        <p><label for="id_body">Body:</label>
<textarea name="body" cols="20" rows="2" placeholder="Send a message to
your client" required id="id_body">
</textarea></p>
    </div>
    <div class="col-12 col-md-3 d-flex justify-
content-center">
        <button type="submit" class="btn btn-
primary send" aria-label="Send">
            Send
        </button>
    </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

## Source

```
1. ↵
2. ↵
3. ↵
4. <!doctype html>↵
5. <html lang="en">↵
6. ↵
7. <head>↵
8.     ↵
9.     <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
10.    <meta charset="utf-8">↵
11.    <meta name="viewport" content="width=device-width, initial-scale=1,
    shrink-to-fit=no">↵
12.    ↵
13. ↵
14.     ↵
15.     ↵
16. ↵
```

```

17.     ↵
18.     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
19.         integrity="sha384-
    GLhLTQ8iRABdZLl603oVMWSktQOp6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
    crossorigin="anonymous">↵
20.     <link rel="stylesheet" href="/static/css/base.css">↵
21.     ↵
22. ↵
23.     ↵
24.     ↵
25. ↵
26.     ↵
27.     <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js">
    </script>↵
28.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
    alpha1/dist/js/bootstrap.bundle.min.js"↵
29.         integrity="sha384-
    w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwXhTBTkF7CXvN"
    crossorigin="anonymous">↵
30.     </script>↵
31.     ↵
32. ↵
33.     ↵
34.     ↵
35. ↵
36.     <!-- Favicon -->↵
37.     <link rel="shortcut icon" type="image/x-icon"
    href="/static/favicon.ico">↵
38.     ↵
39.     <title>↵
40.     kiriajunior@hotmail.it2 kiriajunior@hotmail.it2↵
41.     | Advice Found</title>↵
42. </head>↵
43.     ↵
44. <body class="d-flex flex-column min-vh-100">↵
45.     ↵
46.     ↵
47.     <header>↵
48.         <nav class="navbar navbar-expand-lg navbar-dark">↵
49.         <div class="container">↵
50.             <a class="navbar-brand" href="/">Advice Found</a>↵
51.             <button class="navbar-toggler" type="button" data-bs-
    toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
    controls="navbarSupportedContent" aria-expanded="false" aria-
    label="Toggle navigation">↵
52.                 <span class="navbar-toggler-icon"></span>↵
53.             </button>↵
54.             <div class="collapse navbar-collapse"
    id="navbarSupportedContent">↵
55.                 <ul class="navbar-nav ms-auto mb-2 mb-lg-0 align-items-end">↵
56.                     ↵
57. ↵
58.                         ↵
59. ↵
60.                             ↵
61. ↵
62.                                 <li class="nav-item"><a class="nav-link px-3"
    href="/advisors/appointments/" aria-
    label="Appointments">Appointments</a></li>↵
63.                                 <li class="nav-item"><a class="nav-link px-3"
    href="/advisors/clients/" aria-label="Clients">Clients</a></li>↵
64.                                 <li class="nav-item"><a class="nav-link px-3"
    href="/advisors/profile/" aria-label="Profile">Profile</a></li>↵
65.                                 <li class="nav-item"><a class="nav-link px-3"
    href="/accounts/logout/" aria-label="Logout">Logout</a></li>↵
66. ↵
67.                         ↵
68. ↵
69.                             ↵
70. ↵
71.                                 ↵
72.                             </ul>↵
73.                         </div>↵
74.                     </div>↵

```

```

75.     </nav>↵
76.     </header>↵
77.     <div class="bg container-fluid p-0">↵
78.         ↵
79.     </div>↵
80.     ↵
81. ↵
82.     ↵
83. <section class="bg">↵
84.     <div class="container pb-5">↵
85.         <div class="row w-100 d-flex flex-column justify-content-center
align-items-center">↵
86.             <div class="col-12 col-md-6 match h-100">↵
87.                 <h1 class="text-center pt-4 pb-5">Your Client</h1>↵
88. ↵
89.                 <div class="card text-center">↵
90.                     <div class="card-body">↵
91.                         <h2 class="card-title pb-
2">kiriajunior@hotmail.it2↵
92.                             kiriajunior@hotmail.it2↵
93.                         </h2>↵
94.                         <p class="card-text"><span class="fw-
bold">Location:↵
95.                             </span>Castlebar</p>↵
96.                         <p class="card-text"><span class="fw-
bold">Specialisation:</span>↵
97.                             Wealth management</p>↵
98.                     </div>↵
99. ↵
100.                 </div>↵
101.                 <div class="mt-4 text-center message-bg">↵
102.                     ↵
103. ↵
104. <button class="btn btn-primary" data-bs-toggle="collapse" aria-
label="Schedule consultation" data-bs-target="#demo">↵
105.     Schedule consultation↵
106. </button>↵
107. ↵
108. ↵
109. <div id="demo" class="collapse mt-4">↵
110.     <form id="consultation-form" method="POST">↵
111. ↵
112.         <input type="hidden" name="csrfmiddlewaretoken"
value="X770F8qt6NFoNJloAALM6xGPD9TwqeSqWWfu5dr9hia4hr7fozmJuHVFsl0EsVp6
">↵
113.         <p> <input type="date" name="date" required id="id_date"></p>↵
114. <p> <input type="time" name="time" required id="id_time"></p>↵
115. <p> <input type="number" name="price" step="0.01"
placeholder="Consultation fee in € *" required id="id_price"></p>↵
116. ↵
117.         <button type="submit" name="consultation" class="btn btn-
primary" aria-label="Send consultation invite">↵
118.             Send consultation invite↵
119.         </button>↵
120. ↵
121.     </form>↵
122. ↵
123. </div>↵
124.         </div>↵
125.     </div>↵
126. </div>↵
127. </div>↵
128. </section>↵
129. ↵
130. ↵
131.     ↵
132. ↵
133. <section>↵
134.     <div class="row d-flex justify-content-center px-3">↵
135.         <div class="pb-150 col-12 col-md-6 justify-content-center
align-items-center">↵
136. ↵
137.             <div class="my-5">↵
138.                 <h2 class="text-center">Messages↵
139.                 </h2>↵
140.             </div>↵

```

```

141.  ↵
142.      <!-- Iterate through elements list -->↵
143.  ↵
144.  ↵
145.  ↵
146.      <div class="justify-content-between">↵
147.          <div class="comment-form flex-column">↵
148.              <!-- If the element in the list has a user value,↵
149.                  it must be a note -->↵
150.              ↵
151.              <!-- If the note is from the requester do this -->↵
152.              ↵
153.              <div class="row text-start justify-content-start">↵
154.                  <div class="col-auto message-box">↵
155.                      <div class="text-start card message-card">↵
156.                          <p>Hola</p>↵
157.                          <p>↵
158.                              <span class="small">↵
159.                                  March 11, 2023, 1:39 p.m.↵
160.                              </span>↵
161.                          </p>↵
162.                      </div>↵
163.                  </div>↵
164.              </div>↵
165.              ↵
166.              <!-- If the el.user is not true, ↵
167.                  the element in the list must be a
168. consultation, ↵
169.                  so do this -->↵
170.              ↵
171.          </div>↵
172.      ↵
173.  ↵
174.      <div class="justify-content-between">↵
175.          <div class="comment-form flex-column">↵
176.              <!-- If the element in the list has a user value,↵
177.                  it must be a note -->↵
178.              ↵
179.              <div class="row text-end justify-content-end">↵
180.                  ↵
181.                  <div class="col-auto">↵
182.                      <div class="text-start py-4 card message-
183. card message-bg">↵
184.                          <p class="fw-bold">Consultation:</p>↵
185.                          <p><span class="fw-bold">date:</span>↵
186.                              March 13, 2023↵
187.                          </p>↵
188.                          <p><span class="fw-bold">Time:</span>↵
189.                              11:11 a.m.↵
190.                          </p>↵
191.                          <p><span class="fw-bold">Fee:</span>↵
192.                              3.00↵
193.                          </p>↵
194.                          ↵
195.                          ↵
196.                          <p><span class="fw-bold">Status:
197. Confirmed↵
198.                          </p>↵
199.                          ↵
200.                          <a class="btn btn-primary mt-2"
href="https://gotalk.to/5A2iJfIe0x" target="_blank" rel="nofollow"
aria-label="Start meeting">↵
201.                              Start meeting↵
202.                          </a>↵
203.                          ↵
204.                          <p>↵
205.                              <span class="small">↵
206.                                  March 13, 2023, 11:11 a.m.↵
207.                              </span>↵
208.                          </p>↵
209.                      </div>↵
210.                  </div>↵
211.              </div>↵

```

```

212.         ↵
213.     </div>↵
214. </div>↵
215. ↵
216. ↵
217. ↵
218. ↵
219. ↵
220.     <div class="fixed-bottom bg">↵
221.         <div class="container">↵
222.             <div class="row h-100 py-1">↵
223.                 <form method="POST"↵
224.                     class="row justify-content-center align-
225. items-center">↵
226.                     <input type="hidden"
227. name="csrfmiddlewaretoken"
228. value="X77OF8qt6NFoNJloAALM6xGPD9TwqeSqWWfu5dr9hia4hr7fozmJuHVFSl0EsVp6
229. ">↵
230.                     <div class="col-12 col-md-9">↵
231.                         <p><label for="id_body">Body:</label>
232. <textarea name="body" cols="20" rows="2" placeholder="Send a message to
233. your client" required id="id_body">↵
234. </textarea></p>↵
235.                         </div>↵
236.                         <div class="col-12 col-md-3 d-flex justify-
237. content-center">↵
238.                             <button type="submit" class="btn btn-
239. primary send" aria-label="Send">↵
240.                                 Send↵
241.                             </button>↵
242.                         </div>↵
243.                     </form>↵
244.                 </div>↵
245.             </div>↵
246.         </div>↵
247.     </div>↵
248. </section>↵
249. ↵
250. ↵
251. ↵
252. ↵
253.     <footer class="py-3 container-fluid mt-auto">↵
254.         <div class="row">↵
255.             <div class="col d-flex flex-column justify-content-
256. center">↵
257.                 <p class="text-center">© 2023 Advice Found</p>↵
258.                 <a
259. href="https://res.cloudinary.com/dyl7p4jev/image/upload/v1678487229/AF_
260. facebook_page_ejda5g.png"↵
261.                 class="mx-auto my-2" target="_blank" aria-
262. label="Facebook">↵
263.                     <i class="fa-brands fa-facebook fa-xl text-white">
264. </i>↵
265.                 </a>↵
266.             </div>↵
267.         </div>↵
268.     </footer>↵
269. ↵
270. ↵
271.     <script src="/static/js/script.js"></script>↵
272.     <script src="https://kit.fontawesome.com/ee196b5910.js"
273. crossorigin="anonymous"></script>↵
274.     <!-- Stripe -->↵
275.     <script src="https://js.stripe.com/v3/"></script>↵
276.     <!-- Sweet alert script - To use Sweet alerts (Swal.fire in JS
277. files) -->↵
278.     <script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>↵
279. ↵
280. ↵
281. </body>↵
282. ↵
283. </html>

```

Used the HTML parser.

Total execution time 20 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 23.3.5