BPL_TEST2_Chemostat - demo

In [1]:
```
# Import the application model and context variables
from BPL_TEST2_Chemostat_pyfmi import*
```

```
Windows - run FMU pre-compiled JModelica 2.14
```

In [2]:
```
# Import the general FMU_explore functions ana adapt them to the application
from fmu_explore_pyfmi import AdaptWith

Application = AdaptWith(parValue, parLocation, parCheck, \
                        model, fmu_model, fmu_process_diagram, \
                        MSL_usage, MSL_version, BPL_version, \
                        opts_std, simulationTime, timeDiscreteStates, \
                        diagrams, ax, lines, external_function = cstrProdMax)

par = Application.par
init = Application.init
disp = Application.disp
simu = Application.simu
show = Application.show

resetPen = Application.resetPen
process_diagram = Application.process_diagram
describe_general = Application.describe_general
describe_parts = Application.describe_parts
describe_MSL = Application.describe_MSL
cstrProdMax = Application.external_function

FMU_explore_info = Application.FMU_explore_info
system_info = Application.system_info
SDG = Application.SDG
```

In [3]:
```
run -i BPL_TEST2_Chemostat_explore.py
```

```
Model for the process has been setup. Key commands:
 - par()       - change of parameters and initial values
 - init()      - change initial values only
 - simu()      - simulate and plot
 - newplot()   - make a new plot
 - show()      - show plot from previous simulation
 - disp()      - display parameters and initial values from the last simulation
 - describe()  - describe culture, broth, parameters, variables with values/units


Note that both disp() and describe() takes values from the last simulation
and the command process_diagram() brings up the main configuration

Brief information about a command by help(), eg help(simu)
Key system information is listed with the command system_info()
```

In [4]:
```
%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
```


In [5]:
```
process_diagram()
```

```
No processDiagram.png file in the FMU, but try the file on disk.
```



In [6]:
```
#fmu_model ='xBPL_TEST2_Chemostat_linux_om_me.fmu'
#model = load_fmu(fmu_model, log_level=0)
```

In [7]:
```
newplot(); ax[2].set_ylim([0, 6])
par(Y=0.50, qSmax=0.75,  Ks=0.1)                # Culture parameters
init(V_start=1.0, VX_start=1.0, VS_start=20)    # Bioreactor startup
par(S_in=30, t0=0, F0=0, t1=10, F1=0.2)         # Substrate feeding
simu(60)
```



In [8]:
```
# The maximal biomass productivity FX_max [g/h] marked red in the diagram above
# can be calculated for CSTR from the FMU and is
cstrProdMax(model)
```

Out[8]:
```
np.float64(5.625)
```

In [9]:
```
describe('cstrProdMax')
```

```
Calculate from the model maximal chemostat productivity FX_max : 5.625 [ g/h ]
```

In [10]:
```
disp('culture')
```

```
Y : 0.5
qSmax : 0.75
Ks : 0.1
```

In [11]:
```
describe('mu')
```

```
Cell specific growth rate variable : 0.2 [ 1/h ]
```

In [12]:
```
describe('parts')
```

```
['bioreactor', 'bioreactor.culture', 'D', 'feedtank', 'harvesttank', 'MSL', 'sche
mePumps']
```

In [13]:
```
describe('MSL')
```

```
MSL: RealInput, RealOutput, CombiTimeTable, Types
```

In [14]:
```
system_info()
```

```
System information
 -OS: Windows
 -Python: 3.12.11
 -Scipy: 1.16.0
 -PyFMI: 2.22.0
 -FMU by: JModelica.org
 -FMI: 2.0
 -Type: FMUModelCS2
 -Name: BPL.Examples_TEST2.Chemostat
 -Generated: 2025-07-26T09:39:44
 -MSL: 3.2.2 build 3
 -Description: Bioprocess Library version 2.3.1
 -Interaction: FMU_explore version 1.2.4
```

In [ ]:
```

```