<del>\_</del>

## BPL\_TEST2\_Perfusion script with PyFMI

The key library PyFMI is installed.

After the installation a small application BPL\_TEST2\_Perfusion is loaded and run. You can continue with this example if you like.

```
!lsb_release -a # Actual VM Ubuntu version used by Google

→ No LSB modules are available.
    Distributor ID: Ubuntu
    Description:
                    Ubuntu 22.04.3 LTS
    Release:
                    22.04
    Codename:
                    jammy
%env PYTHONPATH=
→ env: PYTHONPATH=
!wget https://repo.anaconda.com/miniconda/Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
!chmod +x Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
!bash ./Miniconda3-py310_23.1.0-1-Linux-x86_64.sh -b -f -p /usr/local
import sys
sys.path.append('/usr/local/lib/python3.10/site-packages/')
   --2024-10-24 09:42:42-- https://repo.anaconda.com/miniconda/Miniconda3-py310 23.1.0-1-Linux-x86 64.sh
    Resolving repo.anaconda.com (repo.anaconda.com)... 104.16.32.241, 104.16.191.158, 2606:4700::6810:20f1, ...
    Connecting to repo.anaconda.com (repo.anaconda.com)|104.16.32.241|:443... connected.
    HTTP request sent, awaiting response... 200 OK
Length: 74403966 (71M) [application/x-sh]
    Saving to: 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh'
    2024-10-24 09:42:43 (145 MB/s) - 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh' saved [74403966/74403966]
    PREFIX=/usr/local
    Unpacking payload ...
    Installing base environment...
    Downloading and Extracting Packages
    Downloading and Extracting Packages
    Preparing transaction: done
    Executing transaction: done
    installation finished.
!conda update -n base -c defaults conda --yes
```

Preparing transaction: done Verifying transaction: done Executing transaction: done

!conda --version
!python --version

conda 23.1.0 Python 3.10.15

!conda install -c conda-forge pyfmi --yes # Install the key package

₹

```
Preparing transaction: done
Verifying transaction: done
Executing transaction: done
```

## Notes of BPL\_TEST2\_Perfusion


This notebook explore perfusion cultivation in comparison with ordinary continuous cultivation (chemostat) and use comparable settings to earlier notebook. Further you see here examples of interaction with the simplified commands par(), init(), simu() etc as well as direct interaction with the FMU which is called "model" here. The last simulation is always available in the workspace and called "sim\_res". Note that describe() brings mainly up from descriptive information from the Modelica code from the FMU but is complemented by some information given in the Python setup file.

Now specific installation run a simulation and notebook for that Start with connecting to Github. Then upload the two files:


- FMU BPL\_TEST2\_Perfusion\_linux\_om\_me.fmu
- Setup-file BPL\_TEST2\_Perfusion\_explore.py

```
%bash
git clone https://github.com/janpeter19/BPL_TEST2_Perfusion
Cloning into 'BPL_TEST2_Perfusion'...
%cd BPL_TEST2_Perfusion
/content/BPL_TEST2_Perfusion
run -i BPL_TEST2_Perfusion_explore.py
→ Linux - run FMU pre-comiled OpenModelica
    Model for bioreactor has been setup. Key commands:
      - par()
                   - change of parameters and initial values
                   - change initial values only
     - init()
     - simu()
                   - simulate and plot
                  - make a new plot
     - newplot()
     - show()
                   - show plot from previous simulation
                   - display parameters and initial values from the last simulation
     - disp()
     - describe() - describe culture, broth, parameters, variables with values/units
    Note that both disp() and describe() takes values from the last simulation
    and the command process_diagram() brings up the main configuration
    Brief information about a command by help(), eg help(simu)
    Key system information is listed with the command system_info()
# Filter out DepracationWarnings for 'np.float as alias' is needed - wish
import warnings
warnings.filterwarnings("ignore")
%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
process_diagram()
```


 $\longrightarrow$  No processDiagram.png file in the FMU, but try the file on disk.



```
# Process parameters used throughout
par(Y=0.5, qSmax=0.75, Ks=0.1)
                                                                    # Culture
par(filter_eps=0.10, filter_alpha_X=0.02, filter_alpha_S=0.10)
                                                                    # Filter
par(S_in=30.0)
                                                                    # Inlet substrate conc
init(V_start=1.0, VX_start=1.0)
                                                                    # Process initial conditions that are common
                                                                    # Pump schedule parameter
eps = parDict['filter_eps']
# Simulation of process with flow rate close to wash-out for chemostat
init(VS_start=20)
                                                         # Process initial
par(pump1_t1=10, pump2_t1=10)
                                                         # Pump schedule - recycle flow 10 times perfusion flow
par(pump1_F1=2.5*0.155, pump2_F1=2.5*0.155/eps)
par(pump1_t2=940, pump2_t2=940, pump1_t3=950, pump2_t3=950, pump1_t4=960, pump2_t4=960)
newplot(title='Perfusion cultivation - flow rate corresponding to maximal rate for chemostat')
simu(60)
```



## # Simulation of process with flow rate close to wash-out for chemostat




Note the inability of the OpenModelica FMU to handle simu('cont') properly.

```
# Concentration factor of the filter
c=model.get('filter.retentate.c[1]')[0]/model.get('filter.inlet.c[1]')[0]
print('Conc factor of perfusion filter =', np.round(c,3))
→ Conc factor of perfusion filter = 1.179
c_data=sim_res['filter.retentate.c[1]']/sim_res['filter.inlet.c[1]']
print('Conc factor variation', np.round(min(c_data[151:]), 3), np.round(max(c_data[151:]),3))

→ Conc factor variation 1.179 1.179
# Simulation of process with step-wise increase of pefusion rate until wash-out.
# This means that re-circulation rate change at the same time as the perfusion rate.
                                                         # Process initial varied
init(VS_start=150)
par(pump1_t1=12, pump2_t1=12)
                                                         # Pump schedule - recycle flow 10 times perfusion flow
par(pump1_F1=2.5*0.155, pump2_F1=2.5*0.155/eps)
par(pump1_t2=22, pump2_t2=22)
par(pump1_F2=2.5*0.35, pump2_F2=2.5*0.35/eps)
par(pump1_t3=32, pump2_t3=32)
par(pump1_F3=2.5*0.63, pump2_F3=2.5*0.63/eps)
par(pump1_t4=42, pump2_t4=42)
par(pump1_F4=2.5*0.83, pump2_F4=2.5*0.83/eps)
newplot(title='Perfusion cultivation - step wise increase of perfusion rate and max productivity 4x chemostat')
simu(60)
```





# Simulation without a plot and just to check typical values at high production rate simu(40)

c\_data=sim\_res['filter.retentate.c[1]']/sim\_res['filter.inlet.c[1]']
print('Conc factor variation', np.round(min(c\_data[190:]), 3), 'to', np.round(max(c\_data[190:]),3))

# The maximal biomass productivity before washout is obtained aroudn 40 hours np.round(model.get('harvesttank.inlet.F')[0]\*model.get('harvesttank.inlet.c[1]')[0],1)

**→** 23.5

# Thus perfusion (with this filter) brings a productivity improvement of about np.round(23.5/5.6,1)

~ 1 2

-