₹

BPL_TEST2_Batch script with FMPy

The key library FMPy is installed.

After the installation a small application BPL_YEAST_COB_Batch is loaded and run. You can continue with this example if you like.

```
!lsb_release -a # Actual VM Ubuntu version used by Google

→ No LSB modules are available.

    Distributor ID: Ubuntu
    Description:
                     Ubuntu 22.04.3 LTS
    Release:
                     22.04
    Codename:
                     jammy
%env PYTHONPATH=
→ env: PYTHONPATH=
!wget https://repo.anaconda.com/miniconda/Miniconda3-py312_24.3.0-0-Linux-x86_64.sh
!chmod +x Miniconda3-py312_24.3.0-0-Linux-x86_64.sh
!bash ./Miniconda3-py312_24.3.0-0-Linux-x86_64.sh -b -f -p /usr/local
import sys
sys.path.append('/usr/local/lib/python3.12/site-packages/')
   --2024-08-13 11:22:49-- https://repo.anaconda.com/miniconda/Miniconda3-py312 24.3.0-0-Linux-x86 64.sh
    Resolving repo.anaconda.com (repo.anaconda.com)... 104.16.32.241, 104.16.191.158, 2606:4700::6810:20f1, ...
    Connecting to repo.anaconda.com (repo.anaconda.com)|104.16.32.241|:443... connected.
    HTTP request sent, awaiting response... 200 OK
Length: 143351488 (137M) [application/octet-stream]
    Saving to: 'Miniconda3-py312_24.3.0-0-Linux-x86_64.sh'
    Miniconda3-py312_24 100%[===========] 136.71M
    2024-08-13 11:22:50 (115 MB/s) - 'Miniconda3-py312 24.3.0-0-Linux-x86_64.sh' saved [143351488/143351488]
    PREFIX=/usr/local
    Unpacking payload ...
    Installing base environment...
    Preparing transaction: ...working... done
    Executing transaction: ...working... done
    installation finished.
!conda update -n base -c defaults conda --yes
```

```
frozendict-2.4.2 | 36 KB | : 100% 1.0/1 [00:00<00:00, 1.92it/s]
```

```
frozendict-2.4.2 | 36 KB | : 100% 1.0/1 [00:00<00:00, 1.92it/s] conda-24.7.1 | 1.2 MB | : 100% 1.0/1 [00:01<00:00, 1.01s/it]
```

Preparing transaction: done Verifying transaction: done Executing transaction: done

!conda --version
!python --version

conda 24.7.1 Python 3.12.2

!conda install -c conda-forge fmpy --yes # Install the key package



Preparing transaction: done Verifying transaction: done Executing transaction: done

```
#!conda install matplotlib --yes
#!conda install scipy --yes
#!conda install xlrd --yes
#!conda install openpyxl --yes
# For some reason conda installation does not work for optlang
!pip install optlang

→ Collecting optlang

                  Downloading optlang-1.8.2-py2.py3-none-any.whl.metadata (8.1 kB)
             Collecting swiglpk>=5.0.8 (from optlang)
                  Downloading \ swiglpk-5.0.10-cp312-cp312-manylinux\_2\_17\_x86\_64.manylinux2014\_x86\_64.whl.metadata \ (5.5 \ kB)
             Collecting sympy>=1.12.0 (from optlang)
                  Downloading sympy-1.13.2-py3-none-any.whl.metadata (12 kB)
             Collecting mpmath<1.4,>=1.1.0 (from sympy>=1.12.0->optlang)
                  Using cached mpmath-1.3.0-py3-none-any.whl.metadata (8.6 kB)
            Downloading optlang-1.8.2-py2.py3-none-any.whl (141 kB)
                                                                                                                                     141.8/141.8 kB 1.5 MB/s eta 0:00:00
            Downloading \ swiglpk-5.0.10-cp312-cp312-manylinux\_2\_17\_x86\_64.manylinux2014\_x86\_64.whl \ (2.3 \ MB) = 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.00 + 1.
                                                                                                                                     2.3/2.3 MB 15.2 MB/s eta 0:00:00
            Downloading sympy-1.13.2-py3-none-any.whl (6.2 MB)
                                                                                                                                     6.2/6.2 MB 50.1 MB/s eta 0:00:00
            Using cached mpmath-1.3.0-py3-none-any.whl (536 kB)
             Installing collected packages: swiglpk, mpmath, sympy, optlang
             Successfully installed mpmath-1.3.0 optlang-1.8.2 swiglpk-5.0.10 sympy-1.13.2
```

BPL_YEAST_COB_Batch setup

Now specific installation and the run simulations. Start with connecting to Github. Then upload the two files:

- FMU BPL_YEAST_COB_Batch_linux_om_me.fmu
- Setup-file BPL_YEAST_COB_Batch_fmpy_explore.py

```
%%bash
git clone https://github.com/janpeter19/BPL_YEAST_COB_Batch

→ Cloning into 'BPL_YEAST_COB_Batch'...
%cd BPL_YEAST_COB_Batch
/content/BPL_YEAST_COB_Batch
run -i BPL_YEAST_COB_Batch_fmpy_explore.py
→ Linux - run FMU pre-comiled OpenModelica 1.23.0-dev
    Model for bioreactor has been setup. Key commands:
     - par()

    change of parameters and initial values

     - init()
                   - change initial values only
     - simu()

    simulate and plot

     - newplot()

    make a new plot

     - show()
                   - show plot from previous simulation
                    - display parameters and initial values from the last simulation
      - disp()

    describe() - describe culture, broth, parameters, variables with values/units


    Note that both disp() and describe() takes values from the last simulation
    and the command process_diagram() brings up the main configuration
    Brief information about a command by help(), eg help(simu)
    Key system information is listed with the command system_info()
%matplotlib inline
plt.rcParams['figure.figsize'] = [25/2.54, 20/2.54]
import warnings
warnings.filterwarnings("ignore")
```

BPL_YEAST_COB_Batch - demo

from optlang import Model, Variable, Constraint, Objective


process_diagram()

No processDiagram.png file in the FMU, but try the file on disk.



simu(t_samp, 'cont', options=opts_fast)

```
describe('culture'); print(); #describe('liquidphase')
                                                                                        # Pump schedule parameter
→ Saccharomyces cerevisae - default parameters for strain H1022
# Define culture constraint-based model
def culture(G, E):
   # LP calculation of the optimal qGr, qEr based on G and E values
   # - parameters
   q02max = 6.9e-3; kog = 2.3; koe = 1.6; YGr = 3.5; YEr = 1.32;
   alpha = 0.01; beta = 1.0
   # - transfer data from dynamic reactor model to static LP model
   qGr_opt = Variable('qGr_opt', lb=0)
   qEr_opt = Variable('qEr_opt', lb=0)
   # - LP model constraint and objective
   mu_max = Objective(YGr*qGr_opt + YEr*qEr_opt, direction='max')
   q02lim = Constraint(kog*qGr_opt + koe*qEr_opt, ub=q02max)
   qGlim = Constraint(qGr_opt, ub=alpha*max(0,G))
   qElim = Constraint(qEr_opt, ub=beta*max(0,E))
   # - put together the LP model
   yeast_model = Model(name='Yeast bottleneck model')
   yeast_model.objective = mu_max
   yeast_model.add(q02lim)
   yeast_model.add(qGlim)
   yeast_model.add(qElim)
   # - do LP optimization
   yeast_model.optimize()
    return (yeast_model.objective.value, yeast_model.variables.qGr_opt.primal, yeast_model.variables.qEr_opt.primal, q02lim.
# Initialization
V start=1.0
init(V_start=V_start, VX_start=V_start*2.0, VG_start=V_start*10, VE_start=V_start*3.0)
# Loop of simulations
t_final = 8.0
t_samp = 0.0333
n_samp = t_final/t_samp + 1
# Simulate n sample steps
newplot(title='Batch cultivation', plotType='TimeSeries2')
ax1.set_xlim([0, t_final]); ax2.set_xlim([0, t_final]); ax3.set_xlim([0, t_final])
simu(t_samp, options=opts_fast)
for i in range(int(n_samp)):
    (mum_opt, qGr_opt, qEr_opt, q02_opt) = culture(sim_res['bioreactor.c[2]'][-1], sim_res['bioreactor.c[3]'][-1])
   par(mum=mum_opt, qGr=qGr_opt, qEr=qEr_opt, q02=q02_opt)
```



```
# Name
                          Version
                                                    Build Channel
                          1.8.2
optlang
                                                   pypi_0
                                                             pypi
```