BPL_YEAST_COB_Batch script with PyFMI

The key library PyFMI is installed.

After the installation a small application BPL_YEAST_COB_Batch is loaded and run. You can continue with this example if you like.

!lsb_release -a # Actual VM Ubuntu version used by Google

No LSB modules are available.

Distributor ID: Ubuntu

Description: Ubuntu 22.04.3 LTS

Release: 22.04 Codename: jammy

%env PYTHONPATH=

```
→ env: PYTHONPATH=
```

```
!wget https://repo.anaconda.com/miniconda/Miniconda3-py310_23.1.0-1-Linux-x86_64.
!chmod +x Miniconda3-py310_23.1.0-1-Linux-x86_64.sh
!bash ./Miniconda3-py310_23.1.0-1-Linux-x86_64.sh -b -f -p /usr/local
import sys
sys.path.append('/usr/local/lib/python3.10/site-packages/')
```

--2024-10-03 15:10:52-- https://repo.anaconda.com/miniconda/Miniconda3-py310
Resolving repo.anaconda.com (repo.anaconda.com)... 104.16.32.241, 104.16.191.: Connecting to repo.anaconda.com (repo.anaconda.com)|104.16.32.241|:443... con HTTP request sent, awaiting response... 200 0K
Length: 74403966 (71M) [application/x-sh]

Saving to: 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh'

 $\label{limits} \mbox{Miniconda3-py310_23 100\%[============]} \mbox{ 70.96M} \mbox{ 110MB/s} \mbox{ in 0.6s}$

2024-10-03 15:10:53 (110 MB/s) - 'Miniconda3-py310_23.1.0-1-Linux-x86_64.sh' :

PREFIX=/usr/local Unpacking payload ...

Installing base environment...

Downloading and Extracting Packages

Downloading and Extracting Packages

Preparing transaction: done Executing transaction: done installation finished.

!conda update -n base -c defaults conda --yes



Preparing transaction: done Verifying transaction: done Executing transaction: done !conda --version
!python --version

conda 23.1.0 Python 3.10.15

!conda install -c conda-forge pyfmi --yes # Install the key package



```
Preparing transaction: done
Verifying transaction: done
Executing transaction: done
```

!pip install optlang

```
Collecting optlang
Downloading optlang-1.8.2-py2.py3-none-any.whl (141 kB)

141.8/141.8 kB 5.9 MB/s eta 0:00

Collecting sympy>=1.12.0
Downloading sympy-1.13.3-py3-none-any.whl (6.2 MB)

Collecting swiglpk>=5.0.8
Downloading swiglpk-5.0.10-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_:

2.3/2.3 MB 45.2 MB/s eta 0:00:00

Collecting mpmath<1.4,>=1.1.0
Downloading mpmath-1.3.0-py3-none-any.whl (536 kB)

Installing collected packages: swiglpk, mpmath, sympy, optlang
Successfully installed mpmath-1.3.0 optlang-1.8.2 swiglpk-5.0.10 sympy-1.13.3
```

Notes YEAST_COB_Batch constraint-based approach

Now specific installation and the run simulations. Start with connecting to Github. Then upload the two files:

- FMU BPL_YEAST_AIR_Fedbatch_linux_jm_cs.fmu
- Setup-file BPL_YEAST_AIR_Fedbatch_explore

```
%%bash
git clone https://github.com/janpeter19/BPL_YEAST_COB_Batch
→ Cloning into 'BPL_YEAST_COB_Batch'...
%cd BPL_YEAST_COB_Batch
/content/BPL_YEAST_COB_Batch
run -i BPL_YEAST_COB_Batch_explore.py
Linux - run FMU pre-comiled OpenModelica
    Model for bioreactor has been setup. Key commands:

    change of parameters and initial values

     - par()
                  - change initial values only
     - init()
     - simu()
                  simulate and plot
                  - make a new plot
     - newplot()
```

```
show()show plot from previous simulation
```

disp()
 display parameters and initial values from the last simulation

- describe() - describe culture, broth, parameters, variables with values/u


Note that both disp() and describe() takes values from the last simulation and the command process_diagram() brings up the main configuration

Brief information about a command by help(), eg help(simu)
Key system information is listed with the command system_info()

```
plt.rcParams['figure.figsize'] = [20/2.54, 16/2.54]
```

process_diagram()

No processDiagram.png file in the FMU, but try the file on disk.



Try using LP in each step

```
from optlang import Model, Variable, Constraint, Objective

# Define culture constraint-based model
def culture(G, E):

# LP calculation of the optimal qGr, qEr based on G and E values

# - parameters
q02max = 6.9e-3; kog = 2.3; koe = 1.6; YGr = 3.5; YEr = 1.32;
alpha = 0.01; beta = 1.0

# - transfer data from dynamic reactor model to static LP model
qGr_opt = Variable('qGr_opt', lb=0)
qEr_opt = Variable('qEr_opt', lb=0)

# - LP model constraint and objective
mu_max = Objective(YGr*qGr_opt + YEr*qEr_opt, direction='max')
q02lim = Constraint(kog*qGr_opt + koe*qEr_opt, ub=q02max)
qGlim = Constraint(qGr_opt, ub=alpha*max(0,G))
```

qElim = Constraint(qEr_opt, ub=beta*max(0,E))

```
# - put together the LP model
   yeast_model = Model(name='Yeast bottleneck model')
   yeast model.objective = mu max
   yeast_model.add(q02lim)
   yeast_model.add(qGlim)
   yeast model.add(qElim)
   # - do LP optimization
   yeast model.optimize()
    return (yeast_model.objective.value, yeast_model.variables.qGr_opt.primal, ye
# Initialization
V start=1.0
init(V_start=V_start, VX_start=V_start*2.0, VG_start=V_start*10, VE_start=V_start
# Loop of simulations
t_final = 8.0
t_samp = 0.0333
n = t final/t = 1
# Simulate n sample steps
newplot(title='Batch cultivation', plotType='TimeSeries2')
ax1.set_xlim([0, t_final]); ax2.set_xlim([0, t_final]); ax3.set_xlim([0, t_final])
simu(t_samp, options=opts_fast)
for i in range(int(n samp)):
    (mum_opt, qGr_opt, qEr_opt, q02_opt) = culture(sim_res['bioreactor.c[2]'][-1]
    par(mum=mum_opt, qGr=qGr_opt, qEr=qEr_opt, q02=q02_opt)
    simu(t_samp, 'cont', options=opts_fast)
```



Batch cultivation



system_info()



System information

-OS: Linux

-Python: 3.10.12

-Scipy: not installed in the notebook

-PyFMI: 2.14.0

-FMU by: OpenModelica Compiler OpenModelica 1.25.0~dev-51-ge672d09

-FMI: 2.0

-Type: FMUModelME2

-Name: BPL_YEAST_COB.Batch

-Generated: 2024-10-03T17:06:18Z

-MSL: 3.2.3

-Description: Bioprocess Library version 2.2.1 - GUI

-Interaction: FMU-explore version 1.0.0

!conda list optlang

packages in environment at /usr/local:

#

Build Channel pypi_0 pypi