ASSIGNMENT – 1



ASSIGNMENT – 2





PostgreSQL online editor

ASSIGNMENT – 3





ASSIGNMENT – 4

```python
from nltk.stem import PorterStemmer
from nltk.tokenize import word_tokenize

# 1. Create an instance of the PorterStemmer class
ps = PorterStemmer()

# 2. Define some example words
example_words = ["python", "pythoner", "pythoning", "pythoned", "pythonly"]

# 3. Stem each word in the list
print("Stemming individual words:")
for w in example_words:
    print(ps.stem(w))

# 4. Example with a sentence
new_text = "It is important to be very pythonly while you are pythoning with python. All pythoners have pythoned poorly at least once."

# 5. Tokenize the sentence into individual words
words = word_tokenize(new_text)

# 6. Stem each word in the tokenized sentence
print("\nStemming a sentence:")
for w in words:
    print(ps.stem(w))
```

```
Stemming individual words:
python
python
python
python
pythonli

Stemming a sentence:
it
is
import
to
be
veri
pythonli
while
you
are
python
with
python
.
all
python
have
python
poorli
at
least
onc
.
```



ASSIGNMENT – 5



programiz.com/python-programming/online-compiler/

Programiz
Python Online Compiler

main.py

```python
    d = math.sqrt((X[i][0] - test_point[0])**2 +
                  (X[i][1] - test_point[1])**2)
    distances.append((d, y[i]))

distances.sort()

neighbors = distances[:k]

countA = 0
countB = 0

for neighbor in neighbors:
    if neighbor[1] == "A":
        countA += 1
    else:
        countB += 1

if countA > countB:
    prediction = "A"
else:
    prediction = "B"

print("Test Point:", test_point)
print("Nearest Neighbors:", neighbors)
print("Predicted Class:", prediction)
```

Output

```
Test Point: [5, 5]
Nearest Neighbors: [(1.4142135623730951, 'A'), (2.8284271247461903, 'A'), (2
    .8284271247461903, 'B')]
Predicted Class: A

=== Code Execution Successful ===
```