Sakuga icons: Hardware

Previews at 2.5×; actual icons use 0.6 pt strokes and black!60.



board



bus



cache



clock



cloud



cpu



debug-probe



dma



flash



fuses



interrupt



iot-device



laptop



microcontroller



network



peripheral



phone



power



radio



ram



register



reset



rom-otp



router



sensor



server



soc



usb

Sakuga icons: Software

Previews at 2.5×; actual icons use 0.6 pt strokes and black!60.



api



binary



bootloader



bug



code



configuration



download



file



firmware-image



function



git-branch



library



log



os-kernel



process



thread



update

Sakuga icons: Security

Previews at 2.5×; actual icons use 0.6 pt strokes and black!60.



attacker



authenticated-user



certificate



decryption



encryption



eye



eye-off



failed



fingerprint



forbidden



hash



integrity



key



key-pair



lock



malware



nonce

password



private-key



public-key



shield



shield-check



signature



unlocked



user



verified



warning

Sakuga icons: Trusted Computing

Previews at 2.5×; actual icons use 0.6 pt strokes and black!60.



attestation-evidence



attester



chain-of-trust



enclave



isolation



measured-boot



measurement



mpu-region



normal-world



pcr



privilege-level



relying-party



root-of-trust



sau-region



sealed-storage



secure-boot



secure-call



secure-world



tee



tpm



verifier

Computer architecture

Previews at 2.5×; actual icons use 0.6 pt strokes and black!60.



arch-register



arch-register-file



arch-alu



arch-adder



arch-multiplier



arch-multiplexer



arch-demultiplexer



arch-decoder



arch-encoder



arch-comparator



arch-and



arch-or



arch-not



arch-nand



arch-nor



arch-xor



arch-buffer-gate



arch-flip-flop



arch-latch



arch-counter



arch-shift-register



arch-fifo



arch-stack



arch-buffer



arch-finite-state-machine



arch-pipeline



arch-instruction



arch-program-counter



arch-branch



arch-core



arch-multicore



arch-cache



arch-cache-line



arch-tlb



arch-mmu

Actual size (about 3 mm), in preview order:



Computer architecture (continued)

Previews at 2.5×; actual icons use 0.6 pt strokes and black!60.



arch-mpu



arch-memory-hierarchy



arch-sram



arch-dram



arch-flash



arch-rom



arch-memory-mapped-io



arch-address



arch-data-word



arch-bit



arch-byte



arch-bus



arch-crossbar



arch-bridge



arch-dma



arch-nvic



arch-exception



arch-clock



arch-clock-domain



arch-power-domain



arch-reset



arch-gpio



arch-uart



arch-spi



arch-i2c



arch-adc



arch-dac



arch-timer



arch-watchdog



arch-accelerator



arch-crypto-engine



arch-gpu



arch-fpga



arch-asic



arch-soc

Actual size (about 3 mm), in preview order:



Inline sample (9 pt): Secure key; TEE; evidence.