

user@Dell MINGW64 ~/Desktop

```
$ git
usage: git [--version] [--help] [-C <path>] [-c <name>=<value>]
      [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
      [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
      [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
      <command> [<args>]
```

These are common Git commands used in various situations:

start a working area (see also: `git help tutorial`)

clone	Clone a repository into a new directory
init	Create an empty Git repository or reinitialize an existing one

work on the current change (see also: `git help everyday`)

add	Add file contents to the index
mv	Move or rename a file, a directory, or a symlink
restore	Restore working tree files
rm	Remove files from the working tree and from the index
sparse-checkout	Initialize and modify the sparse-checkout

examine the history and state (see also: `git help revisions`)

bisect	Use binary search to find the commit that introduced a bug
diff	Show changes between commits, commit and working tree, etc
grep	Print lines matching a pattern
log	Show commit logs
show	Show various types of objects
status	Show the working tree status

grow, mark and tweak your common history


branch	List, create, or delete branches
commit	Record changes to the repository
merge	Join two or more development histories together
rebase	Reapply commits on top of another base tip
reset	Reset current HEAD to the specified state
switch	Switch branches
tag	Create, list, delete or verify a tag object signed with GPG

collaborate (see also: `git help workflows`)

fetch	Download objects and refs from another repository
pull	Fetch from and integrate with another repository or a local branch
push	Update remote refs along with associated objects

'`git help -a`' and '`git help -g`' list available subcommands and some concept guides. See '`git help <command>`' or '`git help <concept>`' to read about a specific subcommand or concept.  
See '`git help git`' for an overview of the system.





user@Dell MINGW64 ~/Desktop  
\$ npm

Usage: npm <command>

where <command> is one of:

access, adduser, audit, bin, bugs, c, cache, ci, cit,  
clean-install, clean-install-test, completion, config,  
create, ddp, dedupe, deprecate, dist-tag, docs, doctor,  
edit, explore, fund, get, help, help-search, hook, i, init,  
install, install-ci-test, install-test, it, link, list, ln,  
login, logout, ls, org, outdated, owner, pack, ping, prefix,  
profile, prune, publish, rb, rebuild, repo, restart, root,  
run, run-script, s, se, search, set, shrinkwrap, star,  
stars, start, stop, t, team, test, token, tst, un,  
uninstall, unpublish, unstar, up, update, v, version, view,  
whoami

npm <command> -h quick help on <command>  
npm -l display full usage info  
npm help <term> search for help on <term>  
npm help npm involved overview

Specify configs in the ini-formatted file:

C:\Users\user\.npmrc

or on the command line via: npm <command> --key value

Config info can be viewed via: npm help config

npm@6.14.6 C:\Program Files\nodejs\node\_modules\npm

user@Dell MINGW64 ~/Desktop  
\$



```
MINGW64:/c/Users/user/Desktop

user@Dell MINGW64 ~/Desktop
$ npm install -g browser-sync
C:\Users\user\AppData\Roaming\npm\browser-sync -> C:\Users\user\AppData\Roaming\npm\node_modules\browser-sync\dist\bin.js
npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@~2.1.2 (node_modules\browser-sync\node_modules\chokidar\node_modules\fsevents):
npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@2.1.3: wanted {"os":"darwin","arch":"any"} (current: {"os":"win32","arch":"x64"})

+ browser-sync@2.26.12
updated 1 package in 85.485s

user@Dell MINGW64 ~/Desktop
$ browser-sync
bin.js [command]

Commands:
  bin.js start  Start the server
  bin.js init   Create a configuration file
  bin.js reload Send a reload event over HTTP protocol
  bin.js recipe Generate the files for a recipe

Options:
  --help      Show help                  [boolean]
  --version   Show version number        [boolean]

For help running a certain command, type <command> --help
  bin.js start --help

You can run a static server by providing a path(s) directly
  bin.js app/src app/tmp

If the directory contains a 'index.html' file, you can omit any input
  bin.js

You can run the proxy in this manner too
  bin.js https://example.com

To run a proxy, whilst also serving static files
  bin.js https://example.com htdocs/themes/example

user@Dell MINGW64 ~/Desktop
$
```

