

```
MINGW64: c:/Users/DELL/Downloads

DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$ git
usage: git [--version] [--help] [-C <path>] [-c <name>=<value>]
    [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
    [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
    [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
    <command> [<args>]

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)
  clone          Clone a repository into a new directory
  init           Create an empty Git repository or reinitialize an existing
one

work on the current change (see also: git help everyday)
  add           Add file contents to the index
  mv            Move or rename a file, a directory, or a symlink
  restore       Restore working tree files
  rm            Remove files from the working tree and from the index
  sparse-checkout Initialize and modify the sparse-checkout

examine the history and state (see also: git help revisions)
  bisect       Use binary search to find the commit that introduced a bug
  diff         Show changes between commits, commit and working tree, etc
  grep        Print lines matching a pattern
  log          Show commit logs
  show         Show various types of objects
  status       Show the working tree status

grow, mark and tweak your common history
  branch       List, create, or delete branches
  commit       Record changes to the repository
  merge        Join two or more development histories together
  rebase       Reapply commits on top of another base tip
  reset        Reset current HEAD to the specified state
  switch       Switch branches
  tag          Create, list, delete or verify a tag object signed with GPG

collaborate (see also: git help workflows)
  fetch        Download objects and refs from another repository
  pull         Fetch from and integrate with another repository or a local
branch
  push         Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.

DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$
```

```
MINGW64: c:/Users/DELL/Downloads
grow, mark and tweak your common history
  branch      List, create, or delete branches
  commit      Record changes to the repository
  merge       Join two or more development histories together
  rebase      Reapply commits on top of another base tip
  reset       Reset current HEAD to the specified state
  switch      Switch branches
  tag         Create, list, delete or verify a tag object signed with GPG

collaborate (see also: git help workflows)
  fetch      Download objects and refs from another repository
  pull       Fetch from and integrate with another repository or a local
branch
  push       Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.

DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$ npm

Usage: npm <command>

where <command> is one of:
  access, adduser, audit, bin, bugs, c, cache, ci, cit,
  clean-install, clean-install-test, completion, config,
  create, ddp, dedupe, deprecate, dist-tag, docs, doctor,
  edit, explore, fund, get, help, help-search, hook, i, init,
  install, install-ci-test, install-test, it, link, list, ln,
  login, logout, ls, org, outdated, owner, pack, ping, prefix,
  profile, prune, publish, rb, rebuild, repo, restart, root,
  run, run-script, s, se, search, set, shrinkwrap, star,
  stars, start, stop, t, team, test, token, tst, un,
  uninstall, unpublish, unstar, up, update, v, version, view,
  whoami

npm <command> -h  quick help on <command>
npm -l           display full usage info
npm help <term>  search for help on <term>
npm help npm     involved overview

Specify configs in the ini-formatted file:
  C:\Users\DELL\.npmrc
or on the command line via: npm <command> --key value
Config info can be viewed via: npm help config

npm@6.14.6 C:\Program Files\nodejs\node_modules\npm
DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$
```

```
MINGW64: c:/Users/DELL/Downloads
or on the command line via: npm <command> --key value
Config info can be viewed via: npm help config

npm@6.14.6 C:\Program Files\nodejs\node_modules\npm

DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$ npm install -g browser-sync

C:\Users\DELL\AppData\Roaming\npm\browser-sync -> C:\Users\DELL\AppData\Roaming\npm\node_modules\browser-sync\dist\bin.js
npm WARN optional SKIPPING OPTIONAL DEPENDENCY: fsevents@~2.1.2 (node_modules\browser-sync\node_modules\chokidar\node_modules\fsevents):
npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@2.1.3: wanted {"os":"darwin","arch":"any"} (current: {"os":"win32","arch":"x64"})

+ browser-sync@2.26.12
added 219 packages from 200 contributors in 60.867s

DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$

DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$ browser-sync
bin.js [command]

Commands:
  bin.js start  Start the server
  bin.js init   Create a configuration file
  bin.js reload Send a reload event over HTTP protocol
  bin.js recipe Generate the files for a recipe

Options:
  --help      Show help                                [boolean]
  --version   Show version number                      [boolean]

For help running a certain command, type <command> --help
  bin.js start --help

You can run a static server by providing a path(s) directly
  bin.js app/src app/tmp

If the directory contains a 'index.html' file, you can omit any input
  bin.js

You can run the proxy in this manner too
  bin.js https://example.com

To run a proxy, whilst also serving static files
  bin.js https://example.com htdocs/themes/example

DELL@DESKTOP-9V09JFS MINGW64 ~/Downloads
$
```