

EXPERIMENT NO. 01

```
Admin@Mingw64 ~/Desktop
$ git
usage: git [-v|--version] [-h|--help] [-C <path>] [-c <name>=<value>]
          [--exec-path<path>] [--html-path] [--man-path] [--info-path]
          [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
          [--git-dir<path>] [--work-tree<path>] [--namespace=<name>]
          <command> [<args>]

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)
  clone      Clone a repository into a new directory
  init       Create an empty Git repository or reinitialize an existing
  one

work on the current change (see also: git help everyday)
  add        Add file contents to the index
  mv         Move or rename a file, a directory, or a symlink
  restore    Restore working tree files
  rm         Remove files from the working tree and from the index
  sparse-checkout Initialize and modify the sparse-checkout

examine the history and state (see also: git help revisions)
  bisect     Use binary search to find the commit that introduced a bug
  diff       Show changes between commits, commit and working tree, etc
  grep       Print lines matching a pattern
  log        Show commit logs
  show       Show various types of objects
  status     Show the working tree status

grow, mark and tweak your common history
  branch     List, create, or delete branches
  commit     Record changes to the repository
  merge      Join two or more development histories together
  rebase     Reapply commits on top of another base tip
  reset      Reset current HEAD to the specified state
  switch     Switch branches
  tag        Create, list, delete or verify a tag object signed with GPG

collaborate (see also: git help workflows)
  fetch      Download objects and refs from another repository
  pull       Fetch from and integrate with another repository or a local
  branch     branch
  push       Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.

Admin@Mingw64 ~/Desktop
$
```



```
Admin@Mingw64 ~/Desktop
$ npm
Usage: npm <command>

where <command> is one of:
  access, adduser, audit, bin, bugs, c, cache, ci, cit,
  clean-install, clean-install-test, completion, config,
  create, ddp, dedupe, deprecate, dist-tag, docs, doctor,
  edit, explore, fund, get, help, help-search, hook, i, init,
  install, install-ci-test, install-test, it, link, list, ln,
  login, logout, ls, org, outdated, owner, pack, ping, prefix,
  profile, prune, publish, rb, rebuild, repo, restart, root,
  run, run-script, s, se, search, set, shrinkwrap, star,
  stars, start, stop, t, team, test, token, tst, un,
  uninstall, unpublish, unstar, up, update, v, version, view,
  whoami

npm <command> -h quick help on <command>
npm -l display full usage info
npm help <term> search for help on <term>
npm help npm involved overview

Specify configs in the ini-formatted file:
  C:\Users\Admin\npmrc
or on the command line via: npm <command> --key value
Config info can be viewed via: npm help config

npm@6.14.5 C:\Program Files\nodejs\node_modules\npm
Admin@Mingw64 ~/Desktop
$
```



```
MINGW64/c/Users/Admin/Desktop/SEM V
Admin@HP MINGW64 ~/Desktop/SEM V
$ browser-sync
bin.js [command]

Commands:
  bin.js start  Start the server
  bin.js init   Create a configuration file
  bin.js reload Send a reload event over HTTP protocol
  bin.js recipe Generate the files for a recipe

Options:
  -help      Show help                                [boolean]
  --version  Show version number                       [boolean]

For help running a certain command, type <command> --help
bin.js start --help

You can run a static server by providing a path(s) directly
bin.js app/src app/tnp

If the directory contains a 'index.html' file, you can omit any input
bin.js

You can run the proxy in this manner too
bin.js https://example.com

To run a proxy, whilst also serving static files
bin.js https://example.com htdocs/themes/example

Admin@HP MINGW64 ~/Desktop/SEM V
$
```