NANTA

MATRIXIQ · DEPARTMENT OPERATING MANUAL

Operations Module

Back Office delivery challans, equipment in and out, and the after-sales technical support desk.

STANDARD OPERATING PROCEDURE

Department / Module	Operations & Support — Back Office Operations (`backoffice`), Technical Support (`support-tickets`)
Document type	Standard Operating Procedure
Version	1.0
Preparation date	27 October 2026
Document owner	To be confirmed
Approved by	To be confirmed
Review frequency	To be confirmed
Classification	Internal Use
Platform	MatrixIQ 1.0.0 — NANTA TECH LIMITED

Prepared from the *MatrixIQ Feature Reference* (13 pages) and verified against the MatrixIQ application itself on 27 October 2026. Technical Project Management (TMS) is a **connected module, not part of Operations**; it is described here only where it hands work to or from Operations.

Contents

1 Cover Page 3
2 Document Control 4
3 Introduction 6
4 Access and Permissions 8
5 Module and Submodule Directory 10
6 Detailed Step-by-Step Procedures 12
6.1 Generating a Delivery Challan from a demo request 12
6.2 Creating a manual Delivery Challan 12
6.3 Dispatching the material 13
6.4 Verifying and receiving the return 14
6.5 Closing the challan 15
6.6 The monthly summary 16
6.7 Raising and triaging a support ticket 16
6.8 Working, resolving and closing a ticket 18
7 Workflow and Approval Process 20
8 Field and Status Reference 25
9 Reports, Downloads and Exports 29
10 Notifications and Follow-Ups 30
11 Common Problems and Troubleshooting 32
12 Best Practices and Compliance 34
13 Quick Reference 36
14 Glossary and Appendix 38

01 Cover Page

The cover of this document carries its identity. It is reproduced here so that a printed or extracted section can still be traced back to the correct version.

DOCUMENT IDENTITY

Attribute	Value
Title	MatrixIQ — Operations Module SOP
Platform	MatrixIQ, the internal business platform of NANTA TECH LIMITED
Module coverage	Back Office Operations and Technical Support, plus the Demo Schedule, TMS and project-handover workflows that connect to them
Document type	Standard Operating Procedure
Version	1.0 — first issue
Preparation date	27 October 2026
Document owner	To be confirmed
Classification	Internal Use

02 Document Control

2.1 Purpose of this document

This SOP explains how the Back Office prepares, dispatches, receives back and closes Delivery Challans for demonstration equipment, and how the technical support desk triages, assigns, works and resolves after-sales tickets against service targets.

Both modules sit at the physical and post-sale ends of the business: one controls equipment leaving and returning to the premises, the other controls the company's response once a customer has a problem. Both are entered through work that starts elsewhere, so this document also sets out the handoffs in and out.

2.2 Version history

Version	Date	Author	Summary of change
1.0	27 October 2026	To be confirmed	First issue. Prepared from the MatrixIQ Feature Reference and verified against the live application.

2.3 Ownership and approval

Role	Name	Responsibility
Document owner	To be confirmed	Keeps this document accurate as the Operations modules change.
Approver	To be confirmed	Signs off each version before it is issued.
Reviewers	To be confirmed	Back Office, Technical team and Sales representatives.
Review frequency	To be confirmed	Re-review is also required after any change to the service-level targets or to the Back Office department's managers.

2.4 Intended audience

- **Primary —** Back Office staff, who own the physical movement of demonstration equipment.
- **Primary —** The technical support desk: Technical Managers who triage and assign, and Engineers, Technicians and Team Leads who work tickets.
- **Secondary —** Sales representatives whose demo requests become challans, and who raise support tickets for their customers.
- **Reference —** Accounts and Administration colleagues who touch the connected workflows.

2.5 Scope and limitations

In scope. The Delivery Challan lifecycle, the material return verification, the monthly summary, and the support ticket lifecycle including service-level targets.

Context, not scope. The Demo Schedule approval chain, TMS bill-of-materials and procurement, and project handover from Sales to the Technical team — covered only as far as needed to understand what reaches Operations.

> **TMS IS A CONNECTED MODULE, NOT PART OF OPERATIONS**
>
> Technical Project Management — projects, tasks, bill of materials, procurement — has its own roles, its own per-tab permission matrix and its own departmental gate. It is **not** administered from Operations and is not covered by this SOP beyond its handoffs. Back Office staff have no TMS access by virtue of their role.

- Details the application could not confirm are marked ***To be verified in the live MatrixIQ application***.

03 Introduction

3.1 What the Operations modules do

Back Office answers "where is our equipment, and did it come back in one piece". Technical Support answers "a customer has a problem — who owns it, and are we meeting our targets".

Back Office Operations issues a Delivery Challan whenever equipment leaves the premises for a customer demonstration. The challan records what went out, with serial numbers; it is dispatched; and when the equipment returns it is checked against a verification checklist covering condition, accessories, missing items and serial numbers. Only then is the challan closed, with the cost of the demonstration recorded. A monthly summary rolls the whole thing up by sales person.

Technical Support takes after-sales tickets raised against a project or a quotation, triages them to a priority, stamps service-level targets, assigns an engineer, and carries the conversation with the reporter through to resolution and closure. A thirteen-status lifecycle makes it explicit at every point who is holding the ticket.

3.2 Why they exist

- **Equipment that leaves must come back.** A challan with serial numbers and an expected return date turns an informal loan into a tracked movement.
- **Damage must be recorded when it is found.** The return checklist captures condition, missing accessories and serial mismatches at the moment of receipt, not from memory weeks later.
- **Demonstration cost should be visible.** Closing a challan asks what the demonstration cost, and the monthly summary reports it by sales person.
- **A support promise should be measurable.** Response and resolution targets are set by priority, and breach is judged live rather than from a flag someone forgot to update.
- **Nobody should mark their own homework.** An engineer cannot close a ticket — closure follows the customer's confirmation or a manager's decision.

3.3 What users can and cannot do

Back Office can	Back Office cannot
Generate a Delivery Challan from an approved demo request.	Approve a demo request. Technical and manager approval happen before it reaches them.
Create a manual challan with no demo request behind it.	Re-open a closed challan. Closing is final.
Record serial numbers, dispatch, verify the return and close.	Edit the approval chain or the demo outcome report.
Produce the challan PDF and the monthly summary.	Reach Technical Project Management.

The support desk can	The support desk cannot
Triage a ticket, set its priority and stamp its targets.	Change what the targets are — those are policy per priority.

The support desk can	The support desk cannot
Assign to an engineer and reassign later.	Let an engineer close a ticket. Only a manager or the reporter can close.
Converse with the reporter in the ticket thread.	Declare a ticket resolved as the reporter — that is an engineering statement.
Resolve, reopen, escalate and cancel within the permitted transitions.	Cancel a ticket already being worked. That gets resolved or closed instead, so the trail shows what happened.

3.4 How Operations connects to the rest of MatrixIQ

From Sales

`demo-schedule → backoffice`

An on-site demo request that has cleared technical and manager approval arrives for a challan. Virtual demos never arrive.

Back to Sales

`backoffice → demo-schedule`

Dispatch, return and closure move the demo request's own status alongside the challan.

From Sales

`projects / quotation → support-tickets`

A support ticket attaches to the project and the quotation it came from.

From the Partner Portal

`partner-support → support-tickets`

Partner tickets enter the same desk. Partners see a collapsed status, not the internal queue states.

Connected — TMS

`tms-bom-requests → tms-procurement`

Materials for delivery work are requested, approved, paid and procured in TMS, not in Operations.

To the Audit Log

`audit-log`

Every demo and challan status change is recorded with user, time and IP.

04 Access and Permissions

4.1 Back Office Operations

Two things must both be true to act on a Delivery Challan: the module must be visible to your role, and you must be an authorised Back Office actor.

Route to act	Role key	Notes
By role — Back Office	`backoffice`	The normal route. The team that prepares, dispatches and closes challans.
By role — Admin	`admin`	Operational oversight.
By role — Super Admin	`superadmin`	Full oversight.
By configuration — Back Office department manager	any role	Whoever is listed as a manager of the department named **Back Office** in Department Master qualifies regardless of role. A deliberate, configured grant.

AN IMPORTANT SUBTLETY ABOUT THE MANAGER ROLE

The Back Office module tile is visible to the generic `manager` role. **Acting on a challan is narrower:** a manager qualifies only if they are listed as a manager of the *Back Office* department. A Sales or Technical manager can therefore see the module but will find the actions refused. If that causes confusion, ask Administration to untick the `manager` column for this module in Module Manager.

4.2 Technical Support — who is what kind of actor

The support workflow does not key its permissions on role names directly. It maps every viewer onto one of three **actor kinds**, and the transition rules are written against those.

Actor kind	Roles mapped to it	What they may do
Manager	Super Admin, Admin, Technical Manager	See every ticket. Triage, assign, escalate, resolve, cancel, close and reopen.
Engineer	Engineer, Technician, Team Lead	See their own assignments plus the unassigned pool. Acknowledge, work, escalate and resolve. **Cannot close anything.**
Partner	Any account linked to a partner company	See only their own company's tickets. Reply, confirm a resolution by closing, or reopen it.
No actor kind	Sales, Marketing, Accounts, HR, Back Office, and the generic `manager` role	**May raise a ticket and follow their own, but hold no queue role.** The screen is effectively read-only for them.

THE GENERIC MANAGER ROLE IS DELIBERATELY EXCLUDED FROM THE QUEUE

It is held by every department's managers — Sales, HR, Accounts and the rest — and the support queue belongs to the technical team. A department manager who needs queue authority should hold the **Technical Manager** role, not the generic one.

4.3 Which tickets each person can see

Viewer	Sees
Manager actor	Every ticket.
Engineer actor	Tickets assigned to them, tickets they raised, and **the unassigned pool** — so incoming work can be picked up.
Everyone else internal	Only tickets they raised themselves.
Partner account	Only their own partner company's tickets. Scoped by the partner link, never by role.

4.4 Separating the verbs

Action	Back Office Operations	Technical Support
View	Back Office actors; the tile is also visible to Manager.	Per §4.3.
Create	Back Office actors — generate from a demo, or create a manual challan.	Any internal user, and any channel partner.
Edit	Back Office actors — serial numbers, prices, client details, expected return date.	Manager and Engineer actors, within the permitted transitions.
Approve	Not applicable. Approval happens upstream in Demo Schedule.	Not an approval workflow; closure plays the equivalent role and is Manager or reporter only.
Delete	Available to Back Office actors, in a clearly marked danger area.	Not offered. A ticket is cancelled, not deleted.
Configure	Module visibility only, from Administration.	Service-level policy per priority. ***Where this is edited: to be verified.***

4.5 Partner separation

Partner accounts cannot reach either Operations screen. They use the Partner Portal's own support screen, which is scoped to their partner company and shows a deliberately collapsed set of statuses. Internal accounts, equally, cannot enter the Partner Portal. See the Partner Portal SOP.

05 Module and Submodule Directory

5.1 Back Office Operations

Attribute	Detail
Module key	`backoffice`
Where it lives	Sidebar section **Operations** → **Back Office Operations**; address `/backoffice`
Purpose	Delivery Challans — prepare, dispatch, verify the return, close. Drives demonstration equipment in and out, and produces the monthly summary.
Intended users	Back Office staff, the Back Office department manager, Admin, Super Admin.
Main functions	Generate a challan from a demo request · create a manual challan · record serial numbers · dispatch · verify and receive the return · close with the demonstration cost · download and print the challan · monthly summary.
Required inputs	Client name; the items going out with quantities; an expected return date. Serial numbers and prices as known.
Outputs	A Delivery Challan PDF; a verified return record; the monthly summary; audit entries.
Related modules	Demo Schedule, Project Dashboard, Application Settings (the challan number prefix), Audit Log.
Limitations	Closure is final. Virtual demos never produce a challan. The HSN code and serial number are not validated or mandatory.

The two views

View	Contents
All Delivery Challans	The working list, with **Create Manual DC** and **Refresh**. Approved demo requests awaiting a challan offer **Generate DC**.
Summary	The monthly summary run — totals, a breakdown by sales person, and a month-by-month trend.

5.2 Technical Support

Attribute	Detail
Module key	`support-tickets`
Where it lives	Sidebar section **Support** → **Technical Support**; address `/support`
Purpose	After-sales support tickets — triage, assignment, service-level tracking and resolution.
Intended users	Technical Managers, Engineers, Technicians and Team Leads on the desk; anyone internal as a reporter; channel partners through the portal.

Attribute	Detail
Main functions	Raise a ticket against a project or quotation · triage and set priority · assign to an engineer · comment thread with the reporter · live response and resolution targets · resolve and close · status history.
Required inputs	A title and a description of the issue. Optionally product, model or serial number, customer, installation site, contact person, date the issue occurred, and a linked project.
Outputs	A resolution summary with root cause and corrective action; a full status history; live service-level assessment.
Related modules	Project Dashboard, Quotations, Partner Portal, Audit Log.
Limitations	An engineer cannot close a ticket. A ticket already being worked cannot be cancelled. Service-level breach is computed, never stored.

The three queue tiles

Tile	What it counts
In this queue	Tickets visible to you under the rules in §4.3.
SLA breached	Tickets that have missed a response or resolution target. Recomputed every time the screen loads.
Unassigned	Tickets nobody has picked up. The pool engineers may claim from.

5.3 Connected modules described only as handoffs

Module	Owner	Relationship to Operations
Demo Schedule (`demo-schedule`)	Sales, Technical, Managers	The source of most challans. Its approval chain finishes *before* Back Office is involved. See §7.1.
BOM Request (`tms-bom-requests`)	Technical Project Management	Materials for delivery work. Approved through technical, administration and finance stages, then paid by Accounts and received by the technical team. **Back Office has no part in it.**
Procurement (`tms-procurement`)	Technical Project Management	Purchase and delivery tracking from approved BOM requests.
Project Dashboard (`projects`)	Sales	Holds the handover of a won project to the technical side, and is the record support tickets attach to.

06 Detailed Step-by-Step Procedures

6.1 Generating a Delivery Challan from a demo request

Preconditions

- You are an authorised Back Office actor (§4.1).
- The demo request is an **on-site** demo and has cleared both technical approval and manager approval — its status is **Pending Back Office**.
- The equipment is physically available.

Procedure

1. Open **Operations** → **Back Office Operations**, on the **All Delivery Challans** view.
2. Find the demo request awaiting a challan and select **Generate DC**.
3. The **Generate Delivery Challan** panel opens, pre-filled with the products the demo request listed. If the request listed none, the panel says so — "*No products were listed as required on this request*" — and you should go back to the requester rather than guessing.
4. Set the **Expected return date**. This is what makes an overdue return visible later.
5. Select **Create Delivery Challan**.

What happens next

- A challan is created with the next number in the configured series — the prefix comes from **Administration** → **Application Settings** → **Number Series**.
- The challan's status is **Prepared**.
- The demo request moves to **DC Generated**, so Sales can see the handover happened.
- An audit entry is written.

SCREENSHOT PLACEHOLDER

[Insert screenshot: Back Office Operations — the Generate Delivery Challan panel with the pre-filled product list and expected return date]

6.2 Creating a manual Delivery Challan

Use this where equipment must go out without a demo request behind it — an exhibition, a site survey, a replacement part.

1. Select **Create Manual DC**.
2. Optionally **Link to a project**. Doing so prefills the client details. Where no project exists, type a free-text project label instead — for example *a project not yet in the system*.
3. Enter **Client name ***, and the **Client phone** and **Client address** where known.
4. Enter **Requested By** — who asked for the equipment. Pick a name, or choose *Other (type a name)…* and type it.

5. Set the **Expected return date**.
6. Add the **Items**. Each line takes:

Column	Required	Notes
Product	Required	What is going out.
HSN Code	Optional	Labelled optional on screen; nothing validates it.
Serial Number	Optional at this point	Record it before dispatch — see the warning below.
Quantity	Required	—
Price	Optional	Set by Back Office only. It appears on the generated PDF.

7. Select **Create Delivery Challan**, or **Cancel**.

> **SERIAL NUMBERS ARE NOT ENFORCED — BUT RECORD THEM ANYWAY**
>
> Nothing in MatrixIQ requires a serial number. The return verification nevertheless asks whether the serial number was verified, and a *wrong serial number* is one of the standard return remarks. Without a serial recorded at dispatch, neither question can be answered honestly. **Treat recording serials before dispatch as mandatory in practice.**

6.3 Dispatching the material

Preconditions

- The challan is at `Prepared`.
- The physical goods match the item lines.
- Serial numbers have been captured.

Procedure

1. Open the challan.
2. Check each item line against the physical goods, correcting quantity or product if needed.
3. Enter the serial numbers and select **Save Serial Numbers**.
4. Produce the paperwork — **Download PDF** or **Print DC** — and send it with the goods.
5. Select **Dispatch Material**.

What happens next

- The challan moves to `Dispatched`.
- The linked demo request moves to **Material Dispatched**.
- An audit entry is written.

6.4 Verifying and receiving the return

> **IMPORTANT — "VERIFIED" IS AN ACTION, NOT A STATUS**
>
> The *MatrixIQ Feature Reference* describes the challan chain as *prepared → dispatched → returned → verified → closed*. The application has **four** challan statuses: **Prepared, Dispatched, Returned, Closed**. There is **no separate "Verified" status**.
>
> Verification is the *action* that moves a challan from Dispatched to Returned: the button is **Verify & Receive Material**, and completing the checklist is what records the return. So "returned" in MatrixIQ already means "returned and verified".

Preconditions

- The challan is at `Dispatched`.
- The equipment is physically back, in front of you.

Procedure

1. Open the challan. The **Material return — verification checklist** appears.
2. Record the **Condition**: **Good**, **Minor damage** or **Major damage**.
3. Set the **Flags** — whether anything is **missing** and whether anything is **damaged**.
4. Tick the **Accessories returned**: **power cable**, **remote**, **adapter**, **stand**, **packing**. Leave unticked whatever did not come back.
5. Confirm whether the **serial number** was verified against what went out.
6. Choose any standard **remark tags** that apply:

Tag	Use when
Good condition	Everything came back as it went out.
Minor scratch	Cosmetic damage only.
Major damage	Functional or significant damage.
Adapter missing	An accessory did not come back.
Power cable missing	
Wrong serial number	A different unit came back from the one sent.
Packing damaged	The packaging is no longer reusable.
Custom	Anything else — describe it in Remarks.

7. Add **Remarks** — the field invites "*Additional detail…*". Write what a colleague would need to know in three months.
8. Select **Verify & Receive Material**.

What happens next

- The challan moves to `Returned`, and the verification record is displayed thereafter as **Return verification** with Condition, Missing, Damaged, Serial verified and Remarks.

- The linked demo request moves to **Material Returned**.
- An audit entry is written.

> **RECORD WHAT YOU ACTUALLY FOUND**
>
> This checklist is the company's only contemporaneous record of the condition the equipment came back in. If something is missing or damaged, say so here — even when it is awkward, and even when it will be resolved informally. A challan closed as "good condition" with a damaged unit in the store is worse than useless.

SCREENSHOT PLACEHOLDER

[Insert screenshot: the Material return verification checklist, showing Condition, Flags, Accessories returned and the remark tags]

6.5 Closing the challan

Preconditions

- The challan is at `Returned`.
- Any damage or shortfall has been dealt with, or at least recorded and escalated.
- You know whether the demonstration cost anything.

Procedure

1. Open the challan and select **Close DC**.
2. MatrixIQ asks: "*Did anything cost money during this demo?*" If so, enter the **Amount (₹)**.
3. Read the warning on the dialog — "*Closing finalises this Delivery Challan and cannot be undone*" — then confirm, or **Cancel**.

> **LEAVING THE COST BLANK IS A REAL ANSWER**
>
> An empty demonstration cost means *nothing was recorded*, which is deliberately different from a recorded zero. Entering 0 says someone was asked and answered zero. Both appear in the monthly summary, where the figure shows as a dash when no cost was recorded on any challan in the period.

What happens next

- The challan moves to `Closed` and is shown thereafter as a **Closed — final record**, with the client, address, phone, requested-by, expected return, condition and demonstration cost summarised.
- The linked demo request moves to **DC Closed**, completing the demo pipeline.
- An audit entry is written.

> **CLOSING CANNOT BE UNDONE**
>
> There is no re-open. Complete the return verification properly and settle any dispute *before* closing. If a challan is closed in error, record the facts and escalate; the correction is not made from this screen. ***Escalation route: to be confirmed.***

6.6 The monthly summary

1. Switch to the **Summary** view.
2. Read the three tiles:

Tile	Meaning
Total Demos (DCs)	How many challans the period covers.
Total Expense	The demonstration costs recorded at closure. Shows a dash when none were recorded.
Sales People	How many distinct sales people the challans are attributed to.

3. Read **By Sales Person** for the breakdown. Challans with no attributable sales person are grouped as unattributed.
4. Read **Monthly Summary** for the month-by-month trend.
5. If the list says "*No Delivery Challans in this period*", there are none — the run did not fail.

6.7 Raising and triaging a support ticket

6.7.1 Raising a ticket

1. Open **Support** → **Technical Support** and start a new ticket.
2. Enter a **Title *** and a **Description of the issue ***.
3. Record what is known about the installation: **Product**, **Model / serial number**, **Customer**, **Installation site**, **Contact person**, **Date the issue occurred**, and the **Issue type**.
4. Link the **Related project** where one exists — this is how a ticket is traced back to the deal and the quotation it came from.
5. State the **business impact**, which sets the initial priority:

Impact	Priority
Low — minor inconvenience	**Low**
Medium — partially impaired	**Medium** (the default)
High — major function unusable	**High**
Critical — system down	**Critical**

6. Submit. The ticket enters the queue as `New`.

6.7.2 Triage

Preconditions

- You are a Manager actor, or an Engineer actor moving a ticket into triage.

1. Open the queue. Use the three tiles to decide where to start — **SLA breached** first, then **Unassigned**.

2. Open the ticket and read the issue, the customer, the product and the installation details.
3. Confirm or correct the **Priority**. This is the single most consequential triage decision, because it sets the targets.
4. Set the department where appropriate.
5. **Assign to** an engineer. An unassigned ticket shows as *Unassigned* and sits in the pool.
6. Select **Apply**.

> **TARGETS ARE STAMPED AT TRIAGE**
>
> The response and resolution due timestamps are **recorded when the ticket is triaged**, from the policy in force at that moment — because they are a commitment made at a point in time. Re-deriving them later from a policy that had since been edited would retroactively change what was promised.
>
> Changing a ticket's priority at triage **does** re-stamp the targets, so a ticket upgraded to Critical is judged against the Critical policy rather than the one it arrived under.

6.7.3 The service-level targets

RESPONSE AND RESOLUTION TARGETS BY PRIORITY, AS CONFIGURED

Priority	First response	Resolution	Pauses while awaiting the reporter?
Critical	30 minutes	4 hours	**Yes**
High	2 hours	8 hours	**Yes**
Medium	4 hours	24 hours	**Yes**
Low	8 hours	72 hours	**Yes**

All four policies are configured to run against the clock continuously rather than only during business hours.

> **BREACH IS COMPUTED, NEVER STORED**
>
> MatrixIQ does not keep a "breached" flag. It works the answer out every time a ticket is read, from the stamped due timestamps, the status history and the time spent waiting on the reporter. That means the figure is never stale — but it also means **the SLA state can change without anyone touching the ticket**, simply because the clock passed a threshold.
>
> The practical consequence: check the **SLA breached** tile at the start of every shift. A ticket nobody has touched can have breached overnight.

> **AWAITING THE REPORTER STOPS THE RESOLUTION CLOCK**
>
> Time a ticket spends in **Awaiting your information** is deducted, and the resolution deadline shifts out by that amount. This is why moving a genuinely blocked ticket into that status — rather than leaving it in progress — matters: it records the truth and stops the company being judged against time it was not in control of. Note that it requires a reason.

6.8 Working, resolving and closing a ticket

6.8.1 Picking up and acknowledging

1. An engineer finds the ticket in their assignments, or in the unassigned pool.
2. Open it. Read the issue, the customer and installation details, and the conversation so far.
3. Move it to **Acknowledged** or straight to **In progress** — use the **Move to** control and select **Apply**.
4. Post the first reply in the **Conversation** thread. This is what satisfies the first-response target.

6.8.2 Working the ticket

Situation	Move it to	Note
You are actively working on it	**In progress**	—
You need something from the reporter	**Awaiting your information**	**A reason is required.** Stops the resolution clock.
You need something from a colleague or supplier	**Awaiting internal team**	Does *not* stop the clock — it is our delay.
It needs more authority or expertise	**Escalated**	**A reason is required.**
The reporter has answered	**In progress**	The reporter can make this move themselves by replying.

Use the **Conversation** thread throughout and **Post** each update. The **Status history** below it records every move with when, from and to.

6.8.3 Resolving

1. When the problem is fixed, move the ticket to **Resolved**.
2. Complete the resolution record. These fields are what make a ticket useful to the next engineer:
   - **Resolution summary** — what was done.
   - **Root cause** — why it happened.
   - **Corrective action** — what prevents a recurrence.
3. Enter the **Reason *** — resolving requires one.
4. Select **Apply**.

> **ONLY AN ENGINEER OR A MANAGER MAY DECLARE A TICKET RESOLVED**
>
> Declaring a technical fix is an engineering statement. A reporter — including a channel partner — **cannot** move a ticket to Resolved. They can only confirm or dispute one.

6.8.4 Closing

Who closes	When
The reporter (including a partner)	They confirm the fix by closing the resolved ticket. This is the normal path.

Who closes	When
A Manager actor	Where the customer is unresponsive, or nobody will confirm. A deliberate decision, not a default.
An Engineer actor	**Never.** Otherwise the team marks its own homework and the reopen rate stops meaning anything.


If the fix did not work, the reporter moves the ticket to **Reopened** instead — a reason is required — and it returns to the desk. A manager may also reopen a ticket that has already been closed.

6.8.5 Cancelling

Cancelling is a **Manager actor** action, available only from the early statuses — New, Open, Under triage, Assigned, Acknowledged, In progress and the two waiting states. A ticket genuinely being worked is *resolved* or *closed*, never cancelled, so the trail shows what actually happened. A reason is required. A manager can later move a cancelled ticket back to Open.

07 Workflow and Approval Process

7.1 Demo Schedule → Back Office — the on-site chain



Back Office owns stages 4, 5, 7 and 8. Stages 1 to 3 are complete before the request appears in the Back Office list, and stage 6 is recorded by whoever gave the demonstration.

7.2 The virtual demo chain — Back Office is not involved



A SIGNIFICANT POINT THE REFERENCE SUMMARY OMITS

A demo request carries a **mode**: **on-site** or **virtual**. A *virtual* demo is given over a screen share — nothing leaves the office, so no challan, dispatch or return applies. On manager approval it lands at **Ready — Virtual Demo** and waits for its date, and the pipeline ends when the demonstration is done.

Virtual demos never reach the Back Office list and must not be challaned. If one appears to, check the mode on the request.

7.3 The approval steps before Back Office

STEP 1 **Sales raises the request**

Carries: project, client, products, date, priority, demo objective, and the mode — on-site or virtual. **Action:** Submit for Approval.

> **Note:** Technical Project Management roles can **see** the demo queue but are blocked from creating a request.
>
> **Partner requests** arrive as a draft owned by the assigned salesperson and are badged *Partner request*. They enter this chain only once that salesperson assigns a technical person and submits.

↓

STEP 2 **Technical approval**

Records: Availability (Available / Not available), **Expected arrival time**, **Remarks** · **Decision:** Approve, Reject, or Reschedule with a new date.

↓

STEP 3 **Manager review**

May also: assign a different engineer, and modify the schedule · **Decision:** Approve, Reject, or Save Changes.

> **On-site** → *Pending Back Office*. **Virtual** → *Ready — Virtual Demo*.


↓

STEP 4 **Back Office takes over**

Action: Generate DC. From here the chain is §7.1.

After the demonstration, whoever gave it records the **Demo outcome & report**: **Outcome *** (successful, needs follow-up, pending decision, or cancelled), a **customer rating** out of five, a **next follow-up date**, **key queries**, **technical challenges**, **unanswered queries**, a **suggested next action**, and attachments. This is a separate record from the pipeline status.

7.4 The Delivery Challan lifecycle



AUTOMATIC VERSUS MANUAL — BACK OFFICE

Event	Automatic?	Who acts
The challan number is assigned from the configured series	Automatic	—
The demo request's status following the challan	Automatic	—
Audit entries	Automatic	—
Recording serials; dispatching; verifying the return; closing	Manual	Back Office
Producing the challan PDF	Manual	Back Office
Running the monthly summary	Manual	Back Office

7.5 The support ticket lifecycle

ARRIVES **New**

By: any internal user, or a channel partner · **Next:** a manager moves it to Open, Under triage or straight to Assigned; an engineer may move it to Under triage.

↓

TRIAGE **Under triage → Assigned**

By: a manager, or an engineer assigning · **Sets:** priority, department, assignee · **Stamps:** the response and resolution targets.

↓

WORK **Acknowledged → In progress**

By: the assignee, or a manager · **First reply** in the conversation satisfies the response target.

> **Awaiting your information** — reason required; **pauses the resolution clock**; the reporter may return it to In progress by replying.
>
> **Awaiting internal team** — does not pause the clock.
>
> **Escalated** — reason required.

↓

FIX **Resolved**

By: an engineer or a manager — never the reporter · **Reason required** · **Records:** resolution summary, root cause, corrective action.

↓

END **Closed**

By: the reporter confirming, or a manager deciding — **never an engineer**.

Reopened — by the reporter if not actually fixed, by an engineer, or by a manager on an already-closed ticket. Reason required.

Cancelled — manager only, and only from the early statuses. Reason required. A manager can return it to Open.

7.6 Who may make which move

PERMITTED TRANSITIONS BY ACTOR KIND


From status	Manager may move to	Engineer may move to	Reporter / partner may move to
New	Open, Under triage, Assigned, Cancelled	Under triage	—
Open	Under triage, Assigned, Cancelled	Under triage	—
Under triage	Assigned, Escalated, Cancelled	Assigned	—
Assigned	Acknowledged, In progress, Assigned, Escalated, Cancelled	Acknowledged, In progress	—
Acknowledged	In progress, Assigned, Escalated, Cancelled	In progress, Awaiting your information, Awaiting internal team, Escalated	—
In progress	Awaiting your information, Awaiting internal team, Escalated, Resolved, Assigned, Cancelled	Awaiting your information, Awaiting internal team, Escalated, Resolved	—
Awaiting your information	In progress, Escalated, Resolved, Cancelled	In progress, Resolved	**In progress** — by replying
Awaiting internal team	In progress, Escalated, Resolved, Cancelled	In progress, Resolved	—
Escalated	In progress, Assigned, Resolved, Cancelled	In progress	—
Resolved	Closed, Reopened, In progress	Reopened	**Closed** or **Reopened**
Reopened	Assigned, In progress, Escalated, Cancelled	In progress, Acknowledged	—

From status	Manager may move to	Engineer may move to	Reporter / partner may move to
Closed	Reopened	—	—
Cancelled	Open	—	—

A move to **Cancelled**, **Escalated**, **Resolved**, **Reopened** or **Awaiting your information** always requires a reason — these are statements somebody will have to justify later.

7.7 Connected chains, for context

7.7.1 BOM Request and Procurement — owned by Technical Project Management



Procurement then tracks each line through a **purchase status** — requested, quotation required, quotation received, approval pending, approved, purchase order created, ordered, or cancelled — and a **delivery status**: pending, partially received, received, or cancelled. **Back Office has no role in either.** The finance approval stage belongs to a single named approver configured in Application Settings.

7.7.2 Project handover from Sales to the Technical team



ALTERNATIVES **Rejected or Cancelled**

Rejected by the receiving owner, with response remarks · **Cancelled** by whoever raised it.

A handover carries the project from one owner to another, with remarks both ways. A won project handed to the technical side becomes the basis of a technical project — without re-keying the customer — and remains the record that any later support ticket attaches to.

7.7.3 Ownership boundaries

Team	Owns
Sales	The lead, the project, the quotation, the demo request and its outcome report, the handover.
Technical team	Technical approval of a demo, technical projects and tasks, bill of materials, procurement receipt, and the support desk.

Team	Owns
Back Office	Delivery challans and the physical movement of demonstration equipment. Nothing else.
Accounts	Payment of approved bills of material, travel bookings and every other payable item.
Administration	The administration approval stage of a BOM request; all configuration.

08 Field and Status Reference

8.1 Delivery Challan statuses

Status	Set by	Meaning and next step
Prepared	Back Office, on creation	The challan exists; nothing has left. Record serials, then dispatch.
Dispatched	Back Office	Equipment is out. Awaiting return.
Returned	Back Office, via *Verify & Receive Material*	Equipment is back **and has been verified**. Awaiting closure.
Closed	Back Office	**Terminal and irreversible.** The demonstration cost is recorded here.

8.2 Delivery Challan fields

Field	Required	Notes
DC number	Automatic	Prefix from Application Settings → Number Series.
Linked project	Optional	Prefills client details. Where absent, a free-text project label may be used instead.
Client name	Required	—
Client phone, Client address	Optional	Appear on the PDF.
Requested By	***To be verified***	Pick a name or type one.
Issued Date	Automatic	—
Expected return date	***To be verified***	Set it — it is what makes an overdue return visible.
Items — Product, Quantity	Required	—
Items — HSN Code	Optional	Labelled optional; not validated.
Items — Serial Number	Optional	Not enforced. **Record it in practice** — see §6.2.
Items — Price	Optional	Set by Back Office only; appears on the PDF.
Demo Cost	Optional, at closure	Blank means nothing recorded — deliberately distinct from a recorded zero.

8.3 The return verification record

Element	Values
Returned	Yes / no

Element	Values
Condition	Good · Minor damage · Major damage
Flags	Missing · Damaged
Accessories returned	Power cable · Remote · Adapter · Stand · Packing
Serial number verified	Yes / no
Remark tags	Good condition · Minor scratch · Major damage · Adapter missing · Power cable missing · Wrong serial number · Packing damaged · Custom
Remarks	Free text

8.4 Demo request statuses

Status	Mode	Meaning
Draft	Both	Not yet submitted. Partner requests begin here, owned by the assigned salesperson.
Pending Technical Approval	Both	Awaiting the technical availability decision.
Pending Manager Approval	Both	Awaiting manager review.
Pending Back Office	On-site	**This is what reaches Back Office.**
Ready — Virtual Demo	Virtual	Approved and waiting for its date. **Never reaches Back Office.**
DC Generated	On-site	A challan exists.
Material Dispatched	On-site	Equipment is out.
Demo Completed	Both	The demonstration has happened. Terminal for a virtual demo.
Material Returned	On-site	Equipment is back and verified.
DC Closed	On-site	Terminal.
Cancelled	Both	Can occur from any status. No stage position is shown for a cancelled request.

Demo priority is **low**, **medium** or **high**. The demo **outcome** — recorded separately from the pipeline status — is successful, needs follow-up, pending decision, or cancelled.

8.5 Support ticket statuses

Status on screen	Who holds the ticket	Notes
New	Nobody yet	All three read as *Open* to a channel partner — "we have it, nobody has started yet".

Status on screen	Who holds the ticket	Notes
Open	Nobody yet	
Under triage	The desk	
Assigned	The assignee	Also reads as *Open* to a partner.
Acknowledged	The assignee	Reads as *In progress* to a partner.
In progress	The assignee	—
Awaiting your information	**The reporter**	Reason required. **Pauses the resolution clock.** The reporter may return it to In progress by replying.
Awaiting internal team	Us	Reads as *In progress* to a partner. Does not pause the clock.
Escalated	A manager	Reason required.
Resolved	Awaiting confirmation	Reason required. Engineer or manager only.
Reopened	The desk	Reason required.
Closed	—	Terminal. Reporter or manager only. A manager may reopen it.
Cancelled	—	Terminal. Manager only, from the early statuses. A manager may return it to Open.

8.6 Support ticket fields

Field	Required	Notes
Title	Required	—
Describe the issue	Required	—
Issue type	Optional	—
Business impact / Priority	Defaults to Medium	Sets the targets at triage. Low, Medium, High, Critical.
Related project	Optional	Links the ticket to the deal and quotation it came from.
Product; Model / serial number	Optional	—
Date the issue occurred	Optional	—
Customer; Installation site; Contact person	Optional	—
Assignee; Department	Set at triage	—

Field	Required	Notes
Resolution summary; Root cause; Corrective action	At resolution	What makes the ticket useful later.
Reason	Required on five transitions	Cancelled, Escalated, Resolved, Reopened, Awaiting your information.

8.7 Service-level states

State	Meaning
Not started	No target has been stamped — the ticket has not been triaged.
On track	Within the target with time to spare.
Due soon	Within the last hour before the deadline.
Breached	The target has been missed.
Met	The target was achieved.

Response and resolution are assessed separately. The effective resolution deadline is the stamped one shifted out by however long the ticket spent awaiting the reporter.

09 Reports, Downloads and Exports

Output	Format	Who	Contents
Delivery Challan	PDF	Back Office actors	The challan with company header, client details, item lines with serials and prices. **Download PDF** or **Print DC**.
Monthly summary	On screen	Back Office actors	Total demos, total expense, sales people; a by-sales-person table; a month-by-month trend.
Support ticket detail	On screen	Per §4.3	Issue, customer, product, resolution, conversation and full status history.
Status history	On screen	Per §4.3	Every status move with when, from and to.
Audit trail	PDF of a page	**Super Admin / Admin only**	Demo and challan status changes with user, time and IP, from Administration → Audit Log.

NO SPREADSHEET EXPORT FROM EITHER MODULE

Neither Back Office Operations nor Technical Support offers a CSV or Excel export. Figures must be read from the summary view and the queue tiles. ***Whether an export exists by another route: to be verified in the live MatrixIQ application.***

9.1 Search and filtering

- **Back Office** — the challan list can be opened directly on a specific challan or demo request by link, which is how drill-downs from performance dashboards arrive. A link to a specific challan always opens the Delivery Challans view, never the Summary.
- **Technical Support** — search matches ticket, partner, customer and product. Tickets are badged *Internal* or by partner, and *Unassigned* where nobody has picked them up.

9.2 How to interpret the monthly summary

- **Total Expense** counts only costs actually recorded at closure. A dash means no challan in the period recorded one — not that demonstrations were free.
- Challans that cannot be attributed to a sales person are grouped as unattributed. A large unattributed figure usually means manual challans were created without a linked project.
- The summary counts challans, not demonstrations. A virtual demo never appears, because it never produces a challan.

10 Notifications and Follow-Ups

10.1 What MatrixIQ sends

Event	Who is notified	What they must do
A demo request needs technical approval	The nominated technical person	Record availability and decide.
A demo request needs manager approval	The approving manager	Approve, reject, or modify the schedule.
A demo request reaches Pending Back Office	Back Office	Generate the Delivery Challan.
A challan is generated	The requester	Expect dispatch.
Material is pending return	Back Office	Chase the return against the expected return date.
A support ticket is raised	The support desk	Triage and assign.
A ticket is assigned	The assignee	Acknowledge and post a first reply.
A comment is posted	Participants on the ticket	Read and reply.
A ticket is resolved	The reporter	**Confirm by closing, or reopen.**
A monthly summary run completes	Configured recipients	Review the figures.

10.2 Service targets and what they oblige

Target	Value	Obligation
First response — Critical	30 minutes	Post a substantive first reply in the conversation thread within the target. An acknowledgement that says nothing is not a response.
First response — High	2 hours	
First response — Medium	4 hours	
First response — Low	8 hours	
Resolution — Critical / High / Medium / Low	4 / 8 / 24 / 72 hours	Resolve within the target, less any time spent awaiting the reporter.
Expected return date on a challan	Set per challan	Not enforced by MatrixIQ. Chase the return; it is the only control.

10.3 How e-mail behaves

E-MAIL CAN FAIL SILENTLY

Mail is sent through Amazon SES using server settings. If those are not provisioned, MatrixIQ skips the send and continues without an error. **The queue and the tiles are the reliable work lists** — particularly the **SLA breached** tile, which no notification can substitute for.

11 Common Problems and Troubleshooting

Problem	Likely cause	Recommended action	Responsible
A manager can see Back Office but every action is refused.	They are not listed as a manager of the *Back Office* department.	Add them in Department Master if they should act, or ask Administration to untick the Manager column for this module so the tile is not advertised misleadingly.	Super Admin / Admin
An approved demo request never appears for a challan.	It is a **virtual** demo, which never reaches Back Office.	Check the mode on the request. Virtual demos end at Demo Completed.	Back Office with Sales
"No products were listed as required on this request."	The demo request listed no products.	Go back to the requester for the list. Do not guess, and do not create a manual challan to work around it.	Sales
Equipment is out but the challan says Prepared.	Dispatch was never recorded.	Record it now and note the real date in the remarks. Do not leave it unrecorded.	Back Office
Equipment came back but nobody can say what condition it was in.	The return was verified without completing the checklist honestly, or not verified at all.	Complete the checklist at the moment of receipt, every time. Where it has already been closed, record the facts separately and escalate.	Back Office
A serial number cannot be verified on return.	No serial was recorded at dispatch.	Record serials before every dispatch. Tag the return *wrong serial number* only when you can actually show a mismatch.	Back Office
A challan was closed by mistake.	Closure is irreversible.	Record the facts, inform the Document Owner and escalate. The Audit Log preserves what was done and by whom.	***To be confirmed***
The monthly Total Expense shows a dash.	No challan in the period recorded a demonstration cost.	Record a cost at closure — including an explicit zero where nothing was spent.	Back Office
Many challans are unattributed in the summary.	Manual challans created without a linked project.	Link a project when one exists; it is what attributes the challan.	Back Office
A ticket shows as breached although nobody has touched it.	Breach is computed from the clock, not from a stored flag.	Expected behaviour. Check the **SLA breached** tile at the start of every shift.	Support desk
A ticket is "breaching" while we wait on the customer.	It is still in a working status, so the clock is running.	Move it to **Awaiting your information**, with a reason. That pauses the resolution clock.	Assignee

Problem	Likely cause	Recommended action	Responsible
An engineer cannot close a resolved ticket.	Deliberate. Closure follows the reporter's confirmation or a manager's decision.	Ask the reporter to confirm. Where they are unresponsive, ask a manager to close it.	Manager actor
A ticket cannot be cancelled.	It has moved past the early statuses.	Resolve or close it instead, so the trail shows what actually happened.	Manager actor
A status change will not save.	Five transitions require a reason — cancelled, escalated, resolved, reopened, awaiting your information.	Enter a reason and apply again.	Whoever is acting
A department manager cannot work the support queue.	The generic Manager role has no actor kind on the desk.	Give them the **Technical Manager** role if they need queue authority.	Super Admin / Admin
An engineer cannot see a colleague's ticket.	Engineers see their own assignments plus the unassigned pool.	Ask a manager to reassign it, or work from the unassigned pool.	Manager actor
A technical colleague cannot raise a demo request.	Technical Project Management roles can see the demo queue but are blocked from creating requests.	Ask the sales owner to raise it.	Sales
A partner says their ticket status looks wrong.	Partners see a deliberately collapsed set of statuses.	Explain the current position in the conversation thread. Internal queue states are not shown to them by design.	Support desk

12 Best Practices and Compliance

12.1 Mandatory MatrixIQ rules

Rule	Enforcement
Only an authorised Back Office actor may act on a Delivery Challan.	Actions are refused for anyone else, including most managers.
A challan moves prepared → dispatched → returned → closed, in that order.	Each action is offered only at the correct status.
Closing a challan is final.	No re-open exists. The dialog warns before confirming.
Virtual demos produce no challan.	They never enter the Back Office pipeline.
Technical Project Management roles cannot create a demo request.	Refused, although the queue is visible to them.
An engineer cannot close a support ticket.	The transition is not available to that actor kind.
A reporter cannot declare a ticket resolved.	Not available to the partner actor kind.
A ticket being worked cannot be cancelled.	Cancellation is manager-only and only from the early statuses.
Cancel, escalate, resolve, reopen and await-information all require a reason.	The action will not apply without one.
Service targets are stamped at triage, from the policy in force then.	Automatic. Re-stamped if the priority changes.
Service-level breach is computed live, never stored.	Automatic on every read.
Partners see their own company's tickets only, with collapsed statuses.	Scoped by the partner link, never by role.
Every demo and challan status change is written to the Audit Log.	Automatic, with user, time and IP.

12.2 Recommended practice

Back Office — accurate records

- **Record serial numbers before every dispatch.** MatrixIQ does not insist; the return verification depends on it entirely.
- Set a realistic expected return date on every challan. It is the only mechanism that surfaces an overdue return.
- Link a project on a manual challan wherever one exists — it is what attributes the challan in the summary.
- Record the demonstration cost at closure, entering an explicit zero rather than leaving it blank.

Back Office — the physical handover

- Check the goods against the item lines before dispatching, not after.
- Send the printed challan with the goods. It is what the receiving site signs against.

- Complete the return checklist **in front of the equipment**, not from memory later.
- Escalate damage or shortfall before closing. Closing is final.

Support — timeliness

- Start every shift on the **SLA breached** tile, then **Unassigned**.
- Post a substantive first reply within the response target. A holding message that says nothing is not a response.
- Move a genuinely blocked ticket to **Awaiting your information** rather than leaving it in progress — it is both more honest and stops the clock.
- Triage to the right priority. The priority is the promise.

Support — useful records

- Always complete the resolution summary, root cause and corrective action. The next engineer with the same fault depends on it.
- Keep the conversation in the ticket thread, not in e-mail or chat.
- Write reasons that will still make sense in six months.
- Link the related project so the ticket can be traced to the deal and the quotation.

Confidentiality and access control

- Challans carry client names, addresses and equipment values. Do not circulate them outside the people who need them.
- Tickets carry customer site details and contact names. Treat them as customer confidential.
- Never share an account. Every action is attributed to the signed-in user and the originating address.
- Remember that a partner reads the conversation thread on their own tickets. Keep internal speculation out of it.

Avoiding duplicates

- Check whether a challan already exists for a demo request before creating a manual one.
- Search the support queue before raising a ticket — the same fault may already be open.
- Reopen an existing ticket rather than raising a second one for a recurrence; the reopen rate is a real measure.

Keeping an auditable history

- Record events when they happen. A backdated entry with a note is better than a silent gap, but worse than a timely one.
- Use the status vocabulary honestly — a ticket parked in progress while nobody works it misreports the company's performance.
- Never work around a refusal. If MatrixIQ will not let you do something, the rule in §12.1 is the reason.

13 Quick Reference

13.1 Frequently performed tasks

Equipment is going out for a demo

Back Office → find the approved request → **Generate DC** → set the expected return date → create.

Equipment is going out with no demo request

Create Manual DC → link a project if there is one → client details → item lines → expected return date.

Send the goods

Record serials → **Save Serial Numbers** → **Download PDF** or **Print DC** → **Dispatch Material**.

Receive the goods back

Complete the checklist — condition, flags, accessories, serial verified, tags, remarks → **Verify & Receive Material**.

Finish with a challan

Close DC → answer the demonstration-cost question → confirm. **This cannot be undone.**

See the month's demo activity

Back Office → **Summary** → read the tiles, the by-sales-person table and the trend.

Take a new ticket on

Open it → confirm **Priority** → **Assign to** an engineer → **Apply**. The targets are stamped now.

Stop the clock honestly

Move to → *Awaiting your information* → reason → **Apply**.

Close out a fix

Move to *Resolved* → resolution summary, root cause, corrective action, reason → **Apply**. The reporter then closes it.

Find out what is late

Read the **SLA breached** tile. It is recomputed on every load.

13.2 Key status transitions

Chain	Transitions
Delivery Challan	Prepared → Dispatched → Returned → Closed (four statuses; "verified" is the action, not a status)
Demo — on-site	Pending Technical Approval → Pending Manager Approval → Pending Back Office → DC Generated → Material Dispatched → Demo Completed → Material Returned → DC Closed
Demo — virtual	Pending Technical Approval → Pending Manager Approval → Ready — Virtual Demo → Demo Completed
Support ticket	New → Under triage → Assigned → Acknowledged → In progress → Resolved → Closed With Awaiting your information, Awaiting internal team, Escalated, Reopened and Cancelled as branches.
BOM Request (TMS)	Submitted → Approved → Admin Approved → Finance Approved → Payment Done → Sent for Procurement → Received

Chain	Transitions
Project handover	Pending → Approved, or Rejected, or Cancelled

13.3 Who does what

Stage	Role
Raise a demo request	Sales
Technical approval of a demo	The nominated technical person
Manager approval of a demo	The approving department manager
Generate, dispatch, verify, close a challan	Back Office actor
Record the demo outcome report	Whoever gave the demonstration
Raise a support ticket	Anyone internal, or a channel partner
Triage, prioritise, assign, cancel, close	Manager actor — Super Admin, Admin, Technical Manager
Work and resolve a ticket	Engineer actor — Engineer, Technician, Team Lead
Confirm a fix	The reporter, including a channel partner
BOM, procurement, technical projects	Technical Project Management — a connected module

14 Glossary and Appendix

14.1 Glossary

Actor kind

How the support workflow classifies a viewer: Manager, Engineer or Partner. Several roles map onto one kind, and some roles map onto none.

Back Office actor

Someone authorised to act on a Delivery Challan: the Back Office role, Admin, Super Admin, or the Back Office department's configured manager.

Breach

A missed response or resolution target. Computed live from the stamped deadlines and the status history, never stored.

Delivery Challan (DC)

The document recording equipment leaving the premises and coming back. Four statuses: Prepared, Dispatched, Returned, Closed.

Demo mode

On-site or virtual. A virtual demo involves no equipment movement and never produces a challan.

Demo outcome

What the demonstration achieved — successful, needs follow-up, pending decision or cancelled. Recorded separately from the pipeline status.

Escalation

A support status indicating the ticket needs more authority or expertise. Requires a reason.

Manual challan

A challan created directly by Back Office with no demo request behind it.

Pause (SLA)

Time a ticket spends awaiting the reporter, deducted from the resolution clock.

Return verification

The checklist completed when equipment comes back: condition, flags, accessories, serial verification, remark tags and remarks. Completing it is what moves a challan to Returned.

Service-level target

The response and resolution time promised for a priority. Stamped onto the ticket at triage.

Triage

The act of confirming priority, setting department and assigning. It is also when the service targets are stamped.

TMS

Technical Project Management — technical projects, tasks, bill of materials and procurement. A **connected module**, not part of Operations.

Unassigned pool

Tickets nobody has picked up. Visible to engineers so incoming work can be claimed.

14.2 Appendix A — Dispatch checklist

☐	Check
☐	The challan exists and is at **Prepared**.
☐	Every item line matches the physical goods, by product and quantity.
☐	Serial numbers are recorded and saved.
☐	Accessories going out are noted — cables, remote, adapter, stand, packing.
☐	The expected return date is set and realistic.
☐	Client name, phone and address are complete.
☐	The challan has been printed or downloaded and goes with the goods.
☐	**Dispatch Material** has been recorded in MatrixIQ.

14.3 Appendix B — Return receipt checklist

☐	Check
☐	The equipment is physically present and being inspected now.
☐	Serial numbers match what went out.
☐	Condition recorded honestly — Good, Minor damage or Major damage.
☐	Missing and damaged flags set where applicable.
☐	Each accessory ticked only if it actually came back.
☐	Relevant remark tags chosen.
☐	Remarks written for anything a colleague would need to know later.
☐	Any damage or shortfall escalated **before** the challan is closed.

14.4 Appendix C — Cross-module handoffs

From	To	Handoff condition	What travels
Sales — Demo Schedule	Technical	Request submitted	Project, client, products, date, priority, mode, objective.
Technical	Approving manager	Technical approval	Availability, expected arrival time, remarks.
Approving manager	**Back Office**	Manager approval of an **on-site** demo	The approved request and its product list.

From	To	Handoff condition	What travels
Approving manager	Nobody — stays with Sales	Manager approval of a **virtual** demo	Ready for its date. No challan.
Back Office	Sales / Demo Schedule	Each challan action	DC Generated, Material Dispatched, Material Returned, DC Closed.
Sales — won project	Technical Project Management	Handover approved	The customer and project, without re-keying.
Project / Quotation	Technical Support	A ticket is raised against them	The originating deal and document.
Partner Portal	Technical Support	Partner raises a ticket	Product, serial, location, priority and the issue.
TMS BOM Request	Accounts	Finance approval	A payable item requiring payment proof.
Accounts	TMS Procurement	Payment recorded	Proof of payment; the technical team then receives the materials.

14.5 Appendix D — Items this document could not verify

Item	Status
Whether the expected return date and Requested By are mandatory on a challan	***To be verified in the live MatrixIQ application***
Where the service-level policy per priority is edited in the application	***To be verified in the live MatrixIQ application***
Whether any spreadsheet export of challans or tickets exists	***To be verified in the live MatrixIQ application***
Escalation route for a challan closed in error	***To be confirmed***
Who receives the monthly summary notification	***To be confirmed***
Whether the platform's e-mail service is provisioned in this deployment	***To be verified in the live MatrixIQ application***
Document owner, approver and review frequency	***To be confirmed***

END OF DOCUMENT — MATRIXIQ OPERATIONS MODULE SOP, VERSION 1.0