Installation Guide – CyberAware

1. Prerequisites

Before running the application, ensure you have:

- Node.js (v18 or higher recommended)
- npm (comes with Node.js)
- Git
- A Supabase account (https://supabase.com)

---

2. Clone the Repository

Open terminal and run:

```
git clone https://github.com/janvia18/W26_4495_S002-JanviA.git
cd W26_4495_S002-JanviA/Implementation/frontend_app
```

---

3. Install Dependencies

Run:

```
npm install
```

---

4. Setup Supabase Database

1. Go to your Supabase dashboard
2. Open your project
3. Navigate to **SQL Editor**
4. Copy and run the SQL file:

Implementation/frontend_app/supabase/schema.sql

This will create:

- profiles table
- user_progress table

- user_badges table
- RLS (Row-Level Security) policies

---

5. Configure Environment Variables

Create a .env file inside:

Implementation/frontend_app/

Add:

```
VITE_SUPABASE_URL=your_supabase_project_url
VITE_SUPABASE_ANON_KEY=your_supabase_anon_key
```

⚠️ Do NOT commit this file to GitHub.

---

6. Run the Application (Development)

Run:

```
npm run dev
```

Open browser:

http://localhost:5173

---

7. Production Build (Optional)

To test production version:

```
npm run build
npm run preview
```

---

8. Troubleshooting

- Blank screen → Check .env variables
- Login not working → Verify Supabase Auth settings
- Database errors → Ensure schema.sql is executed

- RLS errors → Confirm user is authenticated

---

9. Notes

- The app uses Supabase Auth (email/password)
- Progress is stored per user securely using RLS
- No backend server is required (SPA architecture)