Condominio Evolución

RUT: 65086164-7 TarapacÃ_i 876 - santiago

Santiago

Fono: +5629731620

Minuta Gastos Comunes Agosto 2016

Fecha Emisión: 14-10-2016

\$1.359.784 \$28.555.471

PERSONAL	
Sueldos liquidos	\$ 10.308.176
Prestamos comunidad	-
Anticipos	\$ 2.370.000
Leyes Sociales	\$2.459.410
	\$15.137.586
ADMINISTRACION Out it is a land a land in the state of Parameter NO. 400)	
Servicio de Administracion (Documento Nº: 163)	\$1.576.000
MANTENCION	\$1.576.000
Ascensores (Documento Nº: 71529, 71317)	\$1.185.176
Jardines y areas verdes (Documento Nº: 464, 465)	\$269.000
SERVICIOS	\$1.454.176
Electricidad (Documento Nº: 155617698, 15840857)	\$5,906,299
Agua (Documento Nº: 88612033, 88612275, 88612276, 88611882, 88612274, 2746057, 2746055, 2746199, 2746198, 2746196)	\$359.111
GASTOS E INSUMOS	\$6.265.410
Articulos de aseo (Documento Nº: 496982, 497522)	\$651.459
	\$651.459
SEGUROS	
Seguro espacios comunes (Documento Nº: 203766458)	\$2.111.056
	\$2.111.056
TOTAL GASTOS COMUNES	\$27.195.687

Observaciones:

<!--[if gte mso 9]><xml>

<o:OfficeDocumentSettings>

<o:AllowPNG/>

</o:OfficeDocumentSettings>

</xml><!fendifl-->

<span style="font-size: 14.0pt; line-height: 107%; font-family: 'Bookman Old
Style',serif; mso-fareast-font-family: 'Bookman Old Style'; mso-bidi-font-family: 'Bookman
Old Style';" lang="ES-CL">1)<span style="font: 7.0pt
'Times New Roman';"> - <span style="font-size: 14.0pt;
line-height: 107%; font-family: 'Bookman Old Style',serif;" lang="ES-CL">La lectura de
agua caliente se está tomando los días 12 de cada mes.
br

TOTAL

FONDO DE RESERVA

style="mso-special-character: line-break:">

2) - Las copias de las facturas incluidas en su gasto común pueden ser revisadas en la web: <strong style="mso-bidi-font-weight: normal;">evolucion.kol.cl con los datos que aparecen en la parte baja de su boleta de gasto común.

```
style="mso-special-character: line-break;"> </span>
lfo1;"><span style="font-size: 14.0pt; line-height: 107%; font-family: 'Bookman Old
Style', serif; mso-fareast-font-family: 'Bookman Old Style'; mso-bidi-font-family: 'Bookman
Old Style';" lang="ES-CL"><span style="mso-list: Ignore;">3)<span style="font: 7.0pt
'Times New Roman';"> - </span></span></span><span style="font-size: 14.0pt;
line-height: 107%; font-family: 'Bookman Old Style', serif;" lang="ES-CL">El gasto común
de septiembre será cobrado el 05 de noviembre de 2016.<br
style="mso-special-character: line-break;"> </span>
- <span style="font-size: 14.0pt; line-height: 107%; font-family: 'Bookman Old
Style', serif; mso-fareast-font-family: Calibri; mso-fareast-theme-font: minor-latin;
mso-bidi-font-family: 'Times New Roman'; mso-bidi-theme-font: minor-bidi;
mso-ansi-language: ES-CL; mso-fareast-language: EN-US; mso-bidi-language: AR-SA;"
lang="ES-CL">La oficina de administración atenderá sus consultas los días lunes de
15:00 a 21:00 horas, los días miércoles y jueves de 15:00 a 20:00 horas. <br
style="mso-special-character: line-break;"> <br style="mso-special-character:
line-break;"> </span><!--[if gte mso 9]><xml>
<w:WordDocument>
 <w:View>Normal</w:View>
 <w:Zoom>0</w:Zoom>
 <w:TrackMoves/>
 <w:TrackFormatting/>
 <w:DoNotShowComments/>
 <w:HyphenationZone>21</w:HyphenationZone>
 <w:PunctuationKening/>
 <w:ValidateAgainstSchemas/>
 <w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
 <w:lgnoreMixedContent>false</w:lgnoreMixedContent>
 <w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
 <w:DoNotPromoteQF/>
 <w:LidThemeOther>ES-CL</w:LidThemeOther>
 <w:LidThemeAsian>X-NONE</w:LidThemeAsian>
 <w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>
 <w:Compatibility>
 <w:BreakWrappedTables/>
 <w:SnapToGridInCell/>
 <w:WrapTextWithPunct/>
 <w:UseAsianBreakRules/>
 <w:DontGrowAutofit/>
 <w:SplitPgBreakAndParaMark/>
 <w:EnableOpenTypeKening/>
 <w:DontFlipMirrorIndents/>
 <w:OverrideTableStyleHps/>
 </w:Compatibility>
 <m:mathPr>
 <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>
 <m:brkBinSub m:val="--"/>
 <m:smallFrac m:val="off"/>
 <m:dispDef/>
 <m:IMargin m:val="0"/>
 <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>
 <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>
 <m:narvLim m:val="undOvr"/>
 </m:mathPr></w:WordDocument>
</ml><![endif]--><!--[if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="false"
 DefSemiHidden="false" DefQFormat="false" DefPriority="99"
 LatentStyleCount="373">
 <w:LsdException Locked="false" Priority="0" QFormat="true" Name="Normal"/>
```

```
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 1"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 2"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 3"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 4"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 5"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 6"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 7"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 8"/>
<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="heading 9"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 1"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 4"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 5"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 6"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 7"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 8"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="index 9"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 1"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 2"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 3"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 4"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 5"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 6"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 7"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 8"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="toc 9"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Normal Indent"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="footnote text"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="annotation text"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="header"/>
```

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>

```
Name="footer"/>
```

- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index heading"/>
- <w:LsdException Locked="false" Priority="35" SemiHidden="true"</p>
- UnhideWhenUsed="true" QFormat="true" Name="caption"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of figures"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="envelope address"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="envelope retun"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footnote reference"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation reference"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="line number"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="page number"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="endnote reference"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="endnote text"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of authorities"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="macro"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="toa heading"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 5"/>
- <w:LsdException Locked="false" Priority="10" QFormat="true" Name="Title"/><w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Closing"/>

```
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Signature"/>
<w:LsdException Locked="false" Priority="1" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="Default Paragraph Font"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text Indent"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="List Continue"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="List Continue 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="List Continue 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="List Continue 4"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="List Continue 5"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Message Header"/>
<w:LsdException Locked="false" Priority="11" QFormat="true" Name="Subtitle"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Salutation"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Date"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text First Indent"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text First Indent 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Note Heading"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text Indent 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Body Text Indent 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Block Text"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Hyperlink"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="FollowedHyperlink"/>
<w:LsdException Locked="false" Priority="22" QFormat="true" Name="Strong"/>
<w:LsdException Locked="false" Priority="20" QFormat="true" Name="Emphasis"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Document Map"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Plain Text"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="E-mail Signature"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="HTML Top of Form"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="HTML Bottom of Form"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Normal (Web)"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="HTML Acronym"/>
```

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>

```
Name="HTML Address"/>
```

- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Cite"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Code"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Definition"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Keyboard"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Preformatted"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Sample"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Typewriter"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Variable"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal Table"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation subject"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="No List"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Outline List 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Outline List 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Outline List 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Simple 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Simple 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Simple 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Colorful 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Colorful 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Colorful 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>

```
Name="Table Grid 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Grid 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Grid 4"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Grid 5"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Grid 6"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Grid 7"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Grid 8"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 1"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 4"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 5"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 6"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 7"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table List 8"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table 3D effects 1"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table 3D effects 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table 3D effects 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Contemporary"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Elegant"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Professional"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Subtle 1"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Subtle 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Web 1"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Web 2"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Web 3"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Balloon Text"/>
<w:LsdException Locked="false" Priority="39" Name="Table Grid"/>
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
Name="Table Theme"/>
<w:LsdException Locked="false" SemiHidden="true" Name="Placeholder Text"/>
<w:LsdException Locked="false" Priority="1" QFormat="true" Name="No Spacing"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading"/>
<w:LsdException Locked="false" Priority="61" Name="Light List"/>
```

<w:LsdException Locked="false" Priority="62" Name="Light Grid"/>

<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1"/>

```
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 1"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 1"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 1"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 1"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 1"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 1"/>
<w:LsdException Locked="false" SemiHidden="true" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" QFormat="true"</p>
Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" QFormat="true"</p>
Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 2"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 4"/>
```

```
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 5"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" QFormat="true"</p>
Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" QFormat="true"</p>
Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" QFormat="true"</p>
Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" QFormat="true"</p>
Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" SemiHidden="true"</p>
UnhideWhenUsed="true" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading"/>
<w:LsdException Locked="false" Priority="41" Name="Plain Table 1"/>
<w:LsdException Locked="false" Priority="42" Name="Plain Table 2"/>
<w:LsdException Locked="false" Priority="43" Name="Plain Table 3"/>
<w:LsdException Locked="false" Priority="44" Name="Plain Table 4"/>
<w:LsdException Locked="false" Priority="45" Name="Plain Table 5"/>
<w:LsdException Locked="false" Priority="40" Name="Grid Table Light"/>
<w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark"/>
```

```
<w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful"/>
<w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 1"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 1"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 1"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 1"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 1"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 2"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 2"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 2"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 2"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 2"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 2"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 2"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 3"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 3"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 3"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 3"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 3"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 4"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 4"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 4"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 4"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 4"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 5"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 5"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 5"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 5"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 5"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 6"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 6"/>
<w:LsdException Locked="false" Prioritv="48" Name="Grid Table 3 Accent 6"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 6"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 6"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 6"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 6"/>
```

```
<w:LsdException Locked="false" Priority="46" Name="List Table 1 Light"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark"/>
<w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful"/>
<w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 1"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 1"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 1"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 1"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 1"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="List Table 6 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="List Table 7 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 2"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 2"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 2"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 2"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 2"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="List Table 6 Colorful Accent 2"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="List Table 7 Colorful Accent 2"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 3"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 3"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 3"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 3"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 3"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="List Table 6 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="List Table 7 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 4"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 4"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 4"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 4"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 4"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="List Table 6 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="List Table 7 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 5"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 5"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 5"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 5"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 5"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="List Table 6 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="List Table 7 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 6"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 6"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 6"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 6"/>
```

```
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 6"/>
 <w:LsdException Locked="false" Priority="51"</p>
 Name="List Table 6 Colorful Accent 6"/>
 <w:LsdException Locked="false" Priority="52"
 Name="List Table 7 Colorful Accent 6"/>
 <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
 Name="Mention"/>
 <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>
 Name="Smart Hyperlink"/>
</w:LatentStyles>
</xml><![endif]--><!--[if gte mso 10]>
<style>
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Tabla normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes:
mso-style-priority:99:
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0cm;
line-height:107%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family: "Calibri", sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;
mso-ansi-language:ES-CL;
mso-fareast-language:EN-US;}
</style>
```

<![endif]-->