


## HOMEPAGE



### 1. HTML Metadata and Fonts:

```
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta content="portfolio,homepage,james,anthony,rosales" name="keywords">

<title>HomePage</title>

<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Raleway:ital,wght@0,100..900;1,100..900&display=swap" rel="stylesheet">
```

- This section defines the page's metadata, including the charset, viewport for responsive design, and SEO keywords.
- Google Fonts is preloaded for the custom font "Raleway" used in the design.

### 2. CSS and Icon Libraries:

```
<link href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" rel="stylesheet">
<link href="https://cdnjs.cloudflare.com/ajax/libs/icomoon/1.0.1/icomoon.min.css" rel="stylesheet">
<link href="https://cdnjs.cloudflare.com/ajax/libs/remixicon/2.5.0/remixicon.css" rel="stylesheet">
<link href="https://cdnjs.cloudflare.com/ajax/libs/boxicons/2.0.7/css/boxicons.min.css" rel="stylesheet">

<link href="{{ asset('asset/css/style.css') }}" rel="stylesheet">
```

- These are external CSS styles and icon libraries (Bootstrap, Icofont, Remixicon, and Boxicons) for the design and layout.
- A custom stylesheet is loaded (style.css) from the assets folder.

### 3. Header Section:

```
<header id="header" class="header-tops">
  <div class="container">
    <h1><a href="{{ route('homepage') }}">RoQ Collective Portfolio</a></h1>
    <h2 style="color: #fff">We <span class="typing" style="color: #a2d2ad"></span></h2>

    <nav class="nav-menu d-none d-lg-block">
      <ul>
        <li class="{{ request()->is('/') ? 'active' : '' }}"><a href="{{ route('homepage') }}"><span>Home</span></a></li>
        <li class="{{ request()->is('pages/education-experience') ? 'active' : '' }}"><a href="{{ route('education-experience') }}"><span>Education & Experience</span></a></li>
        <li class="{{ request()->is('pages/project-skills') ? 'active' : '' }}"><a href="{{ route('project-skills') }}"><span>Projects & Skills</span></a></li>
        <li class="{{ request()->is('pages/about') ? 'active' : '' }}"><a href="{{ route('about') }}"><span>About</span></a></li>
        <li class="{{ request()->is('pages/contact-us') ? 'active' : '' }}"><a href="{{ route('contact-us') }}"><span>Contact Us</span></a></li>
      </ul>
    </nav>

    <div class="social-links">
      <a href="https://www.linkedin.com/in/james-anthony-rosales-/" target="_blank" class="linkedin"><i class="bx bxl-linkedin"></i></a>
      <a href="https://github.com/jaor13" target="_blank" class="github"><i class="bx bxl-github"></i></a>
      <a href="mailto:jaor2022-6131-98317@bicol-u.edu.ph" target="_blank" class="google"><i class="bx bxl-google"></i></a>
    </div>
  </div>
</header>
```

- The header section contains the website's name, "RoQ Collective Portfolio", which is a clickable link that routes back to the homepage.
- Below the title, there's a dynamic message (We <span class="typing">) that will be filled with animated text using JavaScript.
- A navigation menu provides links to other sections of the portfolio (Education, Projects, About, Contact). The active link is dynamically highlighted using Laravel's request()-is() helper.
- The social links section provides quick access to LinkedIn, GitHub, and email.

### 4. Modal Popup (Welcome Message):

```
<div class="modal" id="myModal" tabindex="-1" role="dialog">
  <div class="modal-dialog modal-dialog-centered" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h4 class="modal-title">Welcome {{ $username ?? 'Guest' }} to RoQ Collective Portfolio! <span>✖</span></h4>
      </div>
      <div class="modal-body">
        <p>Explore our projects, skills, and experiences! Dive into our portfolio to see the innovative solutions we've crafted!</p>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-dismiss="modal">Start Exploring</button>
      </div>
    </div>
  </div>
</div>
```

- This is a modal that appears when the page loads, welcoming the user to the portfolio. It displays the username (if available) or defaults to "Guest".
- The modal invites the user to explore the portfolio and provides a "Start Exploring" button to close the modal.


### 5. JavaScript for Modal and Typing Effect:

```
<!-- Script to trigger the modal on page load -->
<script type="text/javascript">
  $(document).ready(function() {
    $('#myModal').modal('show');
  });

  var typed = new Typed('.typing', {
    strings: ["are a undergrad student in the IT Field. Check out our skills, experience, and projects!"],
    loop: true,
    typeSpeed: 40,
    backSpeed: 50
  });
</script>
```

- This script ensures the modal is automatically triggered when the page is loaded using jQuery.
- The Typed.js library is used to create a typing animation effect for the dynamic message in the header. It displays the text "are a undergrad student in the IT Field..." in a typing style and repeats it.

## ABOUT PAGE



### 1. HTML & Metadata

```
<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}" |
```

- DOCTYPE specifies that the document is in HTML5.
  - Language is set dynamically using Laravel's localization, adjusting based on the user's language settings.
- The <head> tag includes:
- Meta tags for character set, viewport, and keywords for search engines.
  - CSS imports for Bootstrap, RemixIcon (icons), Google Fonts, and custom stylesheets.

### 2. Header (Navigation Menu)

```
<header id="header" class="header-top">
  <div class="container">
    <nav class="nav-menu d-none d-lg-block" id="center">
      <ul>
        <li class="{{ request()->is('/') ? '' : '' }}"><a href="{{ route('homepage') }}"><span>Home</span></a></li>
        <li class="{{ request()->is('pages/education-experience') ? '' : '' }}"><a href="{{ route('education-experience') }}"><span>Education & Experience</span></a></li>
        <li class="{{ request()->is('pages/project-skills') ? '' : '' }}"><a href="{{ route('project-skills') }}"><span>Projects & Skills</span></a></li>
        <li class="{{ request()->is('pages/about') ? 'active' : '' }}"><a href="{{ route('about') }}"><span>About</span></a></li>
        <li class="{{ request()->is('pages/contact-us') ? '' : '' }}"><a href="{{ route('contact-us') }}"><span>Contact Us</span></a></li>
      </ul>
    </nav>
  </div>
</header>
```

- The navigation bar contains links to other sections of the website, including "Home," "Education & Experience," "Projects & Skills," "About," and "Contact Us."
- The class="{{ request()->is('pages/about') ? 'active' : '' }}" ensures that the "About" link is marked active when this page is visited.

### 3. Main Section

The main content is divided into multiple profiles for different students, each showcasing a photo, a brief description, and contact details.

#### Profile Section (Profile 2)

##### 3.1 Image Section

```
<div class="col-lg-4" data-aos="fade-right">  
  
```

- The image for Profile 2 is displayed using the `img-fluid` class from Bootstrap, ensuring it's responsive.
- The image is sourced using Laravel's `asset()` helper.

##### 3.2 Profile Description

```
<div class="col-lg-8 pt-4 pt-lg-0 content" data-aos="fade-left">  
  <p>I'm an undergraduate IT student passionate about creating digital art, especially graphic and web design.  
  I also enjoy exploring new things, whether they relate to my field or not, always searching for what excites  
  me the most and what I love doing.</p>  
  <div class="row">  
    <div class="col-lg-6">  
      <ul>  
        <li><i class="icofont-rounded-right"></i> <strong>Birthday:</strong> 8 September 2003</li>  
        <li><i class="icofont-rounded-right"></i> <strong>Phone:</strong> +63 970-610-4541</li>  
      </ul>  
    </div>  
    <div class="col-lg-6">  
      <ul>  
        <li><i class="icofont-rounded-right"></i> <strong>City:</strong> Sto. Domingo, Albay</li>  
        <li><i class="icofont-rounded-right"></i> <strong>Email:</strong> yandydiane08@gmail.com</li>  
      </ul>  
    </div>  
  </div>  
</div>  
</div>
```

- The description introduces the student's background in IT, with a focus on digital art, web design, and a love for exploring new things.
- Personal details such as birthday, phone, city, and email are displayed in two columns using Bootstrap's grid system.

### 4. AOS (Animation On Scroll)


```
<div data-aos="fade-right">...</div>
```

- The AOS (Animation On Scroll) library is used to animate elements as they come into view, adding a dynamic feel to the page.

### 5. CSS Styling

- The layout and appearance of this page are further refined using **custom CSS** loaded from the `style.css` file. This provides additional styling to elements like fonts, spacing, and the navigation bar.

## CONTACT US PAGE



The image shows a web page layout for a 'Contact Us' form. At the top is a dark blue navigation bar with links: 'Home', 'Education & Experience', 'Projects & Skills', 'About', and 'Contact Us' (highlighted in green). Below the navigation bar is a large dark blue section. On the left side of this section is a colorful illustration of people interacting with a large smartphone, with various icons like a mail icon, a speech bubble, and a person icon. On the right side is a white contact form titled 'Get in touch with us'. The form includes input fields for 'Name:', 'Email:', 'Subject:', and a larger text area for 'Message:'. A 'Submit' button is located at the bottom right of the form.

### 1. Page Setup (Head Section)

```
<!DOCTYPE html>
<html lang="{ str_replace('_', '-', app()->getLocale()) }">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta content="portfolio,education,experience,james anthony,rosales" name="keywords">

    <title>Contact-Us</title>

    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Raleway:ital,wght@0,100..900;1,100..900&display=swap" rel="stylesheet">

    <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" rel="stylesheet">

    <link href="{ asset('asset/css/style.css') }" rel="stylesheet">

  </head>
```

- DOCTYPE Declaration: Ensures the page is rendered in standards mode.
- Character Encoding: utf-8 for supporting a wide range of characters.
- Viewport Meta Tag: Helps make the page responsive to various screen sizes.
- Title: The title for this page is set to "Contact-Us".
- Styles & Fonts: Google Fonts (Raleway) is imported for typography, and Bootstrap is included for styling. A custom stylesheet (style.css) is used for further customization.

## 2. Header Section (Navigation Menu)

```
<body>

<header id="header" class="header-top">
  <div class="container">
    <nav class="nav-menu d-none d-lg-block" id="center">
      <ul>
        <li class="{{ request()->is('/') ? '' : '' }}"><a href="{{ route('homepage') }}"><span>Home</span></a></li>
        <li class="{{ request()->is('pages/education-experience') ? '' : '' }}"><a href="{{ route('education-experience') }}"><span>Education & Experience</span></a></li>
        <li class="{{ request()->is('pages/project-skills') ? '' : '' }}"><a href="{{ route('project-skills') }}"><span>Projects & Skills</span></a></li>
        <li class="{{ request()->is('pages/about') ? '' : '' }}"><a href="{{ route('about') }}"><span>About</span></a></li>
        <li class="{{ request()->is('pages/contact-us') ? 'active' : '' }}"><a href="{{ route('contact-us') }}"><span>Contact Us</span></a></li>
      </ul>
    </nav>
  </div>
</header>
```

- **Navigation Menu:** The navigation bar includes links to key sections like Home, Education & Experience, Projects & Skills, About, and Contact Us. The "Contact Us" page is marked as the active page using the class="active".
- **Responsive Design:** The navigation bar is hidden on smaller screens (d-none d-lg-block) and only visible on large screens.

## 3. Main Section (Contact Us Form)

```
<main>
  <section id="contact" class="contact">
    <div class="container">
      <div class="row cont justify-content-center">
        <div class="col-md-6">
          
        </div>
        <div class="col-md-6">
          <h1 style="margin-top: 20px;">Get in touch with us</h1>
          <form action="/submit-form" method="POST">
            <div class="form-group">
              <label for="name">Name:</label>
              <input type="text" id="name" name="name" class="form-control" required>
            </div>
            <div class="form-group">
              <label for="email">Email:</label>
              <input type="email" id="email" name="email" class="form-control" required>
            </div>
            <div class="form-group">
              <label for="subject">Subject:</label>
              <input type="text" id="subject" name="subject" class="form-control" required>
            </div>
            <div class="form-group">
              <label for="message">Message:</label>
              <textarea id="message" name="message" class="form-control" rows="5" required></textarea>
            </div>
            <button type="submit" id="btn-sub" class="btn btn-primary">Submit</button>
          </form>
        </div>
      </div>
    </div>
  </section>
</main>
```

- **Two-Column Layout:**
  - **Left Column:** Contains an image that represents communication, making the page visually appealing. The image is responsive (img-fluid) and adapts to the screen size.
  - **Right Column:** Contains the actual **Contact Form** where users can submit their inquiries.
- **Contact Form Structure:**

- The form collects four essential pieces of information from the user:
  - **Name** (Text Input)
  - **Email** (Email Input)
  - **Subject** (Text Input)
  - **Message** (Textarea for detailed messages)
- The method="POST" attribute specifies that form data will be sent using the POST method upon submission.
- The form fields are wrapped in div containers with the form-group class for better styling and spacing.
- The **Submit** button at the end sends the form data.