

Display SR Records address ar list Google sr sr_type ar priority popup sr group sr stat print ars() PrintsTable Header displayTableRow() getName() By Expert Returns Status String getName() By Expert Returns SR Type String getName() By Expert Returns Priority String getNhood() By Expert Returns Neighborhood String getAddress() By Expert Returns Address String Formats SR info into Table Row Prints SR Info into Table Closes Table [Map Addresses] opt openMap() [Map Addresses] loop map(address string Maps Address ar list sr_stat address Google SF sr_type ar priority ar group popup

www.websequencediagrams.com


Map VP Records




Display Neighborhood statistics




Search Records vp_stat sr_group sr_stat sr_type sr_priority address vp_type search. vp_group opt [Display SRs] print_srs() Prints Table Header displayTableRow() getName() By Expert Returns Status String getName() By Expert Returns SR Type String getName() By Expert Returns Priority String getNhood() By Expert Returns Neighborhood String getAddress() By Expert Returns Address String Formats SR info into Table Row Prints SR Info into Table Closes Table opt [Display VPs] print_vps() Prints Table Header displayTableRow() getAddress() By Expert Returns Address String getName() By Expert Returns VP Type String getName() By Expert Returns Status String Formats VP info into Table Row Prints VP Info Into Table Closes Table × s stat sr_pdodty address vp_group MR. search. ar_group sr_lst sr_type vp_lst. vp_stat vp_type www.websequencedlagrams.com




Create Admin






Download Files



Import SRs sr stat address import-sr **PHPExcel** sr priority user sr type sr check_login [User is Logged-in] opt Opens Excel File [For Each Line in File] loop Checks if Exists By Expert [If Status does not Exist] opt Add Status Returns Status ID Checks if Exists By Expert [If Priorty does not Exist] opt Add Priority Returns Priority ID Checks if Exists By Expert [If Type does not Exist] opt Add Type Returns Type ID Checks if Exists By Expert opt [If Address does not Exist] Add Address Returns Parcel Number Checks if Exists By Expert opt [If SR does not Exist] Add SR sr_priority address import-sr PHPExcel sr_stat user sr_type <u>sr</u> www.websequencediagrams.com

Import VPs



www.websequencediagrams.com