

Notes 3

What is a graphical user interface (GUI)?

To interact with a computer using a visual elements like windows, icons, buttons, and menus instead of typing commands

What is a desktop environment?

The full visual system that controls how your Linux desktop looks and works. It includes the taskbar, windows, icons, themes, and settings.

What is the command line interface (CLI)?

To control the computer by typing text commands instead of clicking with a mouse. You type commands into a terminal, and the system executes them.

How do I access the command line interface (CLI)?

By opening a terminal application in the desktop environment. In Linux, you can usually press Ctrl + Alt + T to open it.

What is a virtual console?

A text-based login screen that runs outside of the graphical desktop. It lets you log into the system and use the command line directly without the GUI.

What is a terminal emulator?

A program inside the GUI that allows you to use the command line.

What is bash?

A shell program that interprets and runs the commands you type in the terminal. It acts as the middleman between you and the operating system.

What is the shell prompt?

The line where you type commands in the terminal. It usually show your username, computer name and current directory.

Commands Definitions

clear

- **Defintion:**
 - clears the screen
- **Usage:**

- `Clear`
- **Examples:**
 - How to clear the screen:
 - `clear`

echo

- **Defintion:**
 - Displays text on the screen
- **Usage:**
 - `echo + option + string the display`
- **Examples:**
 - How to display a line of text:
 - `echo "hello"`
 - How to display 2 lines of text:
 - `echo -e "hello\nworld"`

date

- **Defintion:**
 - Displays the current date and time
- **Usage:**
 - `date`
- **Examples:**
 - How to display current date and time:
 - `date`
 - How to display only the year:
 - `date + "%Y"`

free

- **Defintion:**
 - Displays memory usage
- **Usage:**
 - `free`
- **Examples:**
 - How to check memory usage:
 - `free`
 - How to display in human readable format:
 - `free -h`

uname

- **Defintion:**
 - Displays system information
- **Usage:**
 - `Uname`
- **Examples:**

- How to display kernel name:
 - `uname`
- How to display all system information:
 - `uname -a`

history

- **Defintion:**
 - Displays previously used commands
- **Usage:**
 - `history`
- **Examples:**
 - How to view command history:
 - `history`
 - How to clear history:
 - `history -c`

man

- **Defintion:**
 - Displays the manual page of a command
- **Usage:**
 - `man`
- **Examples:**
 - How to view manual for ls:
 - `Man ls`
 - How to view manual for echo:
 - `man echo`

tldr

- **Defintion:**
 - Display simplified help for commands
- **Usage:**
 - `tldr`
- **Examples:**
 - How to view simple help for tar:
 - `tldr tar`
 - How to view simple help for git:
 - `tldr git`

cheat

- **Defintion:**
 - Displays cheat sheets for commands
- **Usage:**
 - `cheat`
- **Examples:**

- How to view cheat sheet for tar:
- `cheat tar`
- How to view cheat sheet for git:
- `cheat git`

hostname

- **Defintion:**
 - Displays or sets the system hostname
- **Usage:**
 - `hostname`
- **Examples:**
 - How to display hostname:
 - `hostname`

df

- **Defintion:**
 - Displays disk space usage
- **Usage:**
 - `df`
- **Examples:**
 - How to check disk usage:
 - `df`
 - How to display in human readable format:
 - `df -h`

du

- **Defintion:**
 - Displays disk usage of files and directories
- **Usage:**
 - `du`
- **Examples:**
 - How to check size of a folder:
 - `du folder_name`

figlet

- **Defintion:**
 - Displays text large ASCII letters
- **Usage:**
 - `figlet + text`
- **Examples:**
 - How to display large text:
 - `figlet Hello`