


Lab 9

Question 1

```

1/1 v + [ ] [ ] Tilix: japariona@cis106: ~
1: japariona@cis106: ~ v
japariona@cis106:~$ echo "All files in my home directory"
All files in my home directory
japariona@cis106:~$ echo "All files in my home directory" > file_report.txt
japariona@cis106:~$ ls
access.log          lab5files.zip      q3.png
cis106              lab6-challenge1    qc3.png
components          lab6-challenge2    scripts
config              man-page-activity.pdf  script.sh.save
data                man-page-activity.pdf.1  script.sh.save.1
deploy              marstenHouse        snap
Desktop             marstenhouse.sh      sorted_access_log_by_endpoint.log
Do                  marstenhouse.sh.1    sorted_access_log_by_uname.log
Documents           music                Templates
Downloads           Music                Videos
essentials.sh       pexels-goldcircuits-4147343.jpg  vscode.sh
file_report.txt     Pictures            wallpapers
hello.sh            posts               wallpaperssss
hmw                 practicels          website
inClassActivity     practicels.tar.xz   website_ch1_lab7
lab4-script2.sh     Public              wildcardpractice
lab5files           q2.png
japariona@cis106:~$ ls -A ~ | tr '\n' ',' >> file_report.txt
japariona@cis106:~$ cat file_report.txt
All files in my home directory
japariona@cis106:~$ cat file_report.txt
All files in my home directory

```




```
1/1  +  [icon]  [icon]  Tilix: japariona@cis106: ~  [search]  [menu]  -  [maximize]  [close]

1: japariona@cis106: ~  [icon]  [close]

e-activity.pdf,man-page-activity.pdf.1,marstenHouse,marstenhouse.sh,marstenhouse.sh.1,.
mozilla,music,Music,pexels-goldcircuits-4147343.jpg,Pictures,.pki,posts,practicels,prac
ticels.tar.xz,.profile,Public,q2.png,q3.png,qc3.png,scripts,script.sh.save,script.sh.sa
ve.1,snap,sorted_access_log_by_endpoint.log,sorted_access_log_by_uname.log,.ssh,.sudo_a
s_admin_successful,Templates,.vboxclient-clipboard-tty2-control.pid,.vboxclient-clipboa
rd-tty2-service.pid,.vboxclient-draganddrop-tty2-control.pid,.vboxclient-hostversion-tt
y2-control.pid,.vboxclient-seamless-tty2-control.pid,.vboxclient-vmsvg-session-tty2-co
ntrol.pid,.vboxclient-vmsvg-session-tty2-service.pid,Videos,.vscode,vscode.sh,wallpape
rs,wallpaperssss,website,website_ch1_lab7,.wget-hsts,wildcardpractice,japariona@cis106:~
$ echo "" >> file_report.txt
japariona@cis106:~$ cat file_report.txt
All files in my home directory
access.log,.bash_aliases,.bash_history,.bash_logout,.bashrc,.bastetrc,.cache,cis106,com
ponents,.config,config,data,deploy,Desktop,Do,Documents,.dotnet,Downloads,essentials.sh
,.face,.face.icon,file_report.txt,.fonts,.gitconfig,.gnupg,hello.sh,hmw,inClassActivity
,lab4-script2.sh,lab5files,lab5files.zip,lab6-challenge1,lab6-challenge2,.local,man-pag
e-activity.pdf,man-page-activity.pdf.1,marstenHouse,marstenhouse.sh,marstenhouse.sh.1,.
mozilla,music,Music,pexels-goldcircuits-4147343.jpg,Pictures,.pki,posts,practicels,prac
ticels.tar.xz,.profile,Public,q2.png,q3.png,qc3.png,scripts,script.sh.save,script.sh.sa
ve.1,snap,sorted_access_log_by_endpoint.log,sorted_access_log_by_uname.log,.ssh,.sudo_a
s_admin_successful,Templates,.vboxclient-clipboard-tty2-control.pid,.vboxclient-clipboa
rd-tty2-service.pid,.vboxclient-draganddrop-tty2-control.pid,.vboxclient-hostversion-tt
y2-control.pid,.vboxclient-seamless-tty2-control.pid,.vboxclient-vmsvg-session-tty2-co
ntrol.pid,.vboxclient-vmsvg-session-tty2-service.pid,Videos,.vscode,vscode.sh,wallpape
rs,wallpaperssss,website,website_ch1_lab7,.wget-hsts,wildcardpractice,
japariona@cis106:~$
```

Question 2



```
Tilix: japariona@cis106: ~
1: japariona@cis106: ~
japariona@cis106:~$ echo "Total number of files in my home directory" >> file_report.txt
japariona@cis106:~$ ls -Al ~ | grep -v '^d' | wc -l >> file_report.txt
japariona@cis106:~$ echo "Total number of directories in my home directory" >> file_report.txt
japariona@cis106:~$ ls -Al ~ | grep '^d' | wc -l >> file_report.txt
japariona@cis106:~$ tail -10 file_report.txt
Total number of files in my home directory
40
Total number of directories in my home directory
39
japariona@cis106:~$
```

Question 3

```
1: japariona@cis106: ~  
The user: geoclue logs in with: /usr/sbin/nologin and is home dir is: /var/lib/geoclue  
The user: gnome-remote-desktop logs in with: /usr/sbin/nologin and is home dir is: /var/lib/gnome-remote-desktop  
The user: saned logs in with: /usr/sbin/nologin and is home dir is: /var/lib/saned  
The user: polkitd logs in with: /usr/sbin/nologin and is home dir is: /  
The user: rtkit logs in with: /usr/sbin/nologin and is home dir is: /proc  
The user: colord logs in with: /usr/sbin/nologin and is home dir is: /var/lib/colord  
The user: debian-gdm logs in with: /bin/false and is home dir is: /var/lib/gdm3  
The user: japariona logs in with: /bin/bash and is home dir is: /home/japariona  
The user: flatpak logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: vboxadd logs in with: /bin/false and is home dir is: /var/run/vboxadd  
japariona@cis106:~$ awk -F: '{print "The user:", $1, "logs in with:", $7, "and is home dir is:", $6}' /etc/passwd > report_users.txt  
japariona@cis106:~$ grep '/bin/bash' /etc/passwd  
root:x:0:0:root:/root:/bin/bash  
japariona@cis106:~$ grep '/bin/bash' /etc/passwd | awk -F: '{print $1 " = " $7}'  
root = /bin/bash  
japariona@cis106:~$ grep '/bin/bash' /etc/passwd | awk -F: '{print $1 " = " $7}' >> report_users.txt  
japariona@cis106:~$ cat report_users.txt  
The user: root logs in with: /bin/bash and is home dir is: /root  
The user: daemon logs in with: /usr/sbin/nologin and is home dir is: /usr/sbin  
The user: bin logs in with: /usr/sbin/nologin and is home dir is: /bin  
The user: sys logs in with: /usr/sbin/nologin and is home dir is: /dev  
The user: sync logs in with: /bin/sync and is home dir is: /bin  
The user: games logs in with: /usr/sbin/nologin and is home dir is: /usr/games  
The user: man logs in with: /usr/sbin/nologin and is home dir is: /var/cache/man  
The user: lp logs in with: /usr/sbin/nologin and is home dir is: /var/spool/lpd  
The user: mail logs in with: /usr/sbin/nologin and is home dir is: /var/mail  
The user: news logs in with: /usr/sbin/nologin and is home dir is: /var/spool/news  
The user: uucp logs in with: /usr/sbin/nologin and is home dir is: /var/spool/uucp  
The user: proxy logs in with: /usr/sbin/nologin and is home dir is: /bin  
The user: www-data logs in with: /usr/sbin/nologin and is home dir is: /var/www  
The user: backup logs in with: /usr/sbin/nologin and is home dir is: /var/backups  
The user: list logs in with: /usr/sbin/nologin and is home dir is: /var/list  
The user: irc logs in with: /usr/sbin/nologin and is home dir is: /run/ircd  
The user: apt logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: nobody logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: systemd-network logs in with: /usr/sbin/nologin and is home dir is: /  
The user: dhcpcd logs in with: /bin/false and is home dir is: /usr/lib/dhcpcd  
The user: tss logs in with: /bin/false and is home dir is: /var/lib/tpm  
The user: systemd-timesync logs in with: /usr/sbin/nologin and is home dir is: /  
The user: messagebus logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: dnsmasq logs in with: /usr/sbin/nologin and is home dir is: /var/lib/misc  
The user: avahi logs in with: /usr/sbin/nologin and is home dir is: /run/avahi-daemon  
The user: speech-dispatcher logs in with: /bin/false and is home dir is: /run/speech-dispatcher  
The user: daemon logs in with: /usr/sbin/nologin and is home dir is: /usr/sbin  
The user: bin logs in with: /usr/sbin/nologin and is home dir is: /bin  
The user: sys logs in with: /usr/sbin/nologin and is home dir is: /dev  
The user: sync logs in with: /bin/sync and is home dir is: /bin  
The user: games logs in with: /usr/sbin/nologin and is home dir is: /usr/games  
The user: man logs in with: /usr/sbin/nologin and is home dir is: /var/cache/man  
The user: lp logs in with: /usr/sbin/nologin and is home dir is: /var/spool/lpd  
The user: mail logs in with: /usr/sbin/nologin and is home dir is: /var/mail  
The user: news logs in with: /usr/sbin/nologin and is home dir is: /var/spool/news  
The user: uucp logs in with: /usr/sbin/nologin and is home dir is: /var/spool/uucp  
The user: proxy logs in with: /usr/sbin/nologin and is home dir is: /bin  
The user: www-data logs in with: /usr/sbin/nologin and is home dir is: /var/www  
The user: backup logs in with: /usr/sbin/nologin and is home dir is: /var/backups  
The user: list logs in with: /usr/sbin/nologin and is home dir is: /var/list  
The user: irc logs in with: /usr/sbin/nologin and is home dir is: /run/ircd  
The user: apt logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: nobody logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: systemd-network logs in with: /usr/sbin/nologin and is home dir is: /  
The user: dhcpcd logs in with: /bin/false and is home dir is: /usr/lib/dhcpcd  
The user: tss logs in with: /bin/false and is home dir is: /var/lib/tpm  
The user: systemd-timesync logs in with: /usr/sbin/nologin and is home dir is: /  
The user: messagebus logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: dnsmasq logs in with: /usr/sbin/nologin and is home dir is: /var/lib/misc  
The user: avahi logs in with: /usr/sbin/nologin and is home dir is: /run/avahi-daemon  
The user: speech-dispatcher logs in with: /bin/false and is home dir is: /run/speech-dispatcher  
The user: usbmux logs in with: /usr/sbin/nologin and is home dir is: /var/lib/usbmux  
The user: cups-pk-helper logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: fwupd-refresh logs in with: /usr/sbin/nologin and is home dir is: /var/lib/fwupd  
The user: geoclue logs in with: /usr/sbin/nologin and is home dir is: /var/lib/geoclue  
The user: gnome-remote-desktop logs in with: /usr/sbin/nologin and is home dir is: /var/lib/gnome-remote-desktop  
The user: saned logs in with: /usr/sbin/nologin and is home dir is: /var/lib/saned  
The user: polkitd logs in with: /usr/sbin/nologin and is home dir is: /  
The user: rtkit logs in with: /usr/sbin/nologin and is home dir is: /proc  
The user: colord logs in with: /usr/sbin/nologin and is home dir is: /var/lib/colord  
The user: debian-gdm logs in with: /bin/false and is home dir is: /var/lib/gdm3  
The user: japariona logs in with: /bin/bash and is home dir is: /home/japariona  
The user: flatpak logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: vboxadd logs in with: /bin/false and is home dir is: /var/run/vboxadd  
root = /bin/bash  
japariona = /bin/bash  
root = /bin/bash  
japariona = /bin/bash  
japariona@cis106:~$
```

Question 4

```

1/1  +  [ ]  [ ]  Tilix: japariona@cis106: ~/Documents/sample_files/Csv

1: japariona@cis106: ~/Documents/sample_files/Csv
japariona@cis106:~/Documents/sample_files/Csv$ head -n 1 cars.csv > honda1.csv
japariona@cis106:~/Documents/sample_files/Csv$ cat honda1.csv
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
japariona@cis106:~/Documents/sample_files/Csv$ grep "Honda" cars.csv >> honda1.csv
japariona@cis106:~/Documents/sample_files/Csv$ cat honda1.csv
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
Honda Civic;24.0;4;120.0;97.00;2489.0;15.0;74;Japan
Honda Civic CVCC;33.0;4;91.00;53.00;1795.0;17.5;75;Japan
Honda Civic;33.0;4;91.00;53.00;1795.0;17.4;76;Japan
Honda Accord CVCC;31.5;4;98.00;68.00;2045.0;18.5;77;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800.0;16.4;78;Japan
Honda Accord LX;29.5;4;98.00;68.00;2135.0;16.6;78;Japan
Honda Civic 1500 gl;44.6;4;91.00;67.00;1850.0;13.8;80;Japan
Honda Accord;32.4;4;107.0;72.00;2290.0;17.0;80;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760.0;16.1;81;Japan
Honda Prelude;33.7;4;107.0;75.00;2210.0;14.4;81;Japan
Honda Accord;36.0;4;107.0;75.00;2205.0;14.5;82;Japan
Honda Civic;38.0;4;91.00;67.00;1965.0;15.0;82;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965.0;15.7;82;Japan
japariona@cis106:~/Documents/sample_files/Csv$ sed 's/;/,/g' honda1.csv > honda2.csv
japariona@cis106:~/Documents/sample_files/Csv$ cat honda2.csv
Car,MPG,Cylinders,Displacement,Horsepower,Weight,Acceleration,Model,Origin
Honda Civic,24.0,4,120.0,97.00,2489.0,15.0,74,Japan
Honda Civic CVCC,33.0,4,91.00,53.00,1795.0,17.5,75,Japan
Honda Civic,33.0,4,91.00,53.00,1795.0,17.4,76,Japan
Honda Accord CVCC,31.5,4,98.00,68.00,2045.0,18.5,77,Japan
Honda Civic CVCC,36.1,4,91.00,60.00,1800.0,16.4,78,Japan
Honda Accord LX,29.5,4,98.00,68.00,2135.0,16.6,78,Japan
Honda Civic 1500 gl,44.6,4,91.00,67.00,1850.0,13.8,80,Japan
Honda Accord,32.4,4,107.0,72.00,2290.0,17.0,80,Japan
Honda Civic 1300,35.1,4,81.00,60.00,1760.0,16.1,81,Japan
Honda Prelude,33.7,4,107.0,75.00,2210.0,14.4,81,Japan

```

```

1/1  +  [ ]  [ ]  Tilix: japariona@cis106: ~/Documents/sample_files/Csv

1: japariona@cis106: ~/Documents/sample_files/Csv
Honda Civic (auto),32.0,4,91.00,67.00,1965.0,15.7,82,Japan
japariona@cis106:~/Documents/sample_files/Csv$ echo "model,cylinders,hp" > honda3.csv
japariona@cis106:~/Documents/sample_files/Csv$ awk -F, 'NR>1 {print $8 "," $3 "," $5}' honda2.csv >> honda3.csv

japariona@cis106:~/Documents/sample_files/Csv$ cat honda3.csv
model,cylinders,hp
74,4,97.00
75,4,53.00
76,4,53.00
77,4,68.00
78,4,60.00
78,4,68.00
80,4,67.00
80,4,72.00
81,4,60.00
81,4,75.00
82,4,75.00
82,4,67.00
82,4,67.00
japariona@cis106:~/Documents/sample_files/Csv$ rm honda3.csv
japariona@cis106:~/Documents/sample_files/Csv$ echo "model,cylinders,hp" > honda3.csv

japariona@cis106:~/Documents/sample_files/Csv$ awk -F, 'NR>1 {print $1 "," $3 "," $5}' honda2.csv >> honda3.csv

japariona@cis106:~/Documents/sample_files/Csv$ cat honda3.csv
model,cylinders,hp
Honda Civic,4,97.00
Honda Civic CVCC,4,53.00
Honda Civic,4,53.00
Honda Accord CVCC,4,68.00
Honda Civic CVCC,4,60.00

```

```
Tilix: japariona@cis106: ~/Documents/sample_files/Csv
1: japariona@cis106: ~/Documents/sample_files/Csv
Honda Accord LX,4,68.00
Honda Civic 1500 gl,4,67.00
Honda Accord,4,72.00
Honda Civic 1300,4,60.00
Honda Prelude,4,75.00
Honda Accord,4,75.00
Honda Civic,4,67.00
Honda Civic (auto),4,67.00
japariona@cis106:~/Documents/sample_files/Csv$ batcat honda3.csv
File: honda3.csv
1 model,cylinders,hp
2 Honda Civic,4,97.00
3 Honda Civic CVCC,4,53.00
4 Honda Civic,4,53.00
5 Honda Accord CVCC,4,68.00
6 Honda Civic CVCC,4,60.00
7 Honda Accord LX,4,68.00
8 Honda Civic 1500 gl,4,67.00
9 Honda Accord,4,72.00
10 Honda Civic 1300,4,60.00
11 Honda Prelude,4,75.00
12 Honda Accord,4,75.00
13 Honda Civic,4,67.00
14 Honda Civic (auto),4,67.00
japariona@cis106:~/Documents/sample_files/Csv$
```

Challenge Question

Commands Used

```
Tilix: japariona@cis106: ~/Downloads/broken
1: japariona@cis106: ~/Downloads/broken
777 clear
778 head -n 1 cars.csv > honda1.csv
779 cat honda1.csv
780 grep "Honda" cars.csv >> honda1.csv
781 cat honda1.csv
782 sed 's/;/,/g' honda1.csv > honda2.csv
783 cat honda2.csv
784 echo "model,cylinders,hp" > honda3.csv
785 awk -F, 'NR>1 {print $8 " ", $3 " ", $5}' honda2.csv >> honda3.csv
786 cat honda3.csv
787 rm honda3.csv
788 echo "model,cylinders,hp" > honda3.csv
789 awk -F, 'NR>1 {print $1 " ", $3 " ", $5}' honda2.csv >> honda3.csv
790 cat honda3.csv
791 batcat honda3.csv
792 clear
793 cd ~/Downloads
794 ls
795 unzip broken.zip
796 ls
797 cd broken
798 ls
799 unzip broken.zip
800 mkdir images js css
801 mv profile.png images/
802 mv *.js js/
803 mv *.css css/
804 ls
805 firefox index.html
806 history
japariona@cis106:~/Downloads/broken$
```

Working Website

