

Homework 1 cahpter2

Guibril Ramde

2.10 Exercises

2.1

```
library(fpp3)
```

Warning: package 'fpp3' was built under R version 4.5.2

-- Attaching packages ----- fpp3 1.0.3 --

v tibble	3.3.1	v tsibble	1.2.0
v dplyr	1.2.0	v tsibbledata	0.4.1
v tidyr	1.3.2	v ggtime	1.0.0
v lubridate	1.9.4	v feasts	0.5.0
v ggplot2	4.0.2	v fable	0.5.0

Warning: package 'tibble' was built under R version 4.5.2

Warning: package 'dplyr' was built under R version 4.5.2

Warning: package 'tidyr' was built under R version 4.5.2

Warning: package 'ggplot2' was built under R version 4.5.2

Warning: package 'tsibble' was built under R version 4.5.2

Warning: package 'ggtime' was built under R version 4.5.2

Warning: package 'feasts' was built under R version 4.5.2

Warning: package 'fabletools' was built under R version 4.5.2

Warning: package 'fable' was built under R version 4.5.2

-- Conflicts ----- fpp3_conflicts --

```
x lubridate::date()      masks base::date()
x dplyr::filter()       masks stats::filter()
x tsibble::intersect()  masks base::intersect()
x tsibble::interval()   masks lubridate::interval()
x dplyr::lag()          masks stats::lag()
x tsibble::setdiff()    masks base::setdiff()
x tsibble::union()      masks base::union()
```

```
library(tsibble)
```

```
help(aus_production)
```

```
# A tsibble: 218 x 7 [1Q]
```

#	Quarter	Beer	Tobacco	Bricks	Cement	Electricity	Gas
#	<qtr>	<dbl>	<dbl>	<dbl>	<dbl>	<dbl>	<dbl>
#1	1956 Q1	284	5225	189	465	3923	5
# 2	1956 Q2	213	5178	204	532	4436	6
# 3	1956 Q3	227	5297	208	561	4806	7
# 4	1956 Q4	308	5681	197	570	4418	6

```
help(vic_elec)
```

```
# A tsibble: 52,608 x 5 [30m] <Australia/Melbourne>
```

#	Time	Demand	Temperature	Date	Holiday
#	<dtm>	<dbl>	<dbl>	<date>	<lgl>
# 1	2012-01-01 00:00:00	4383.	21.4	2012-01-01	TRUE
# 2	2012-01-01 00:30:00	4263.	21.0	2012-01-01	TRUE
# 3	2012-01-01 01:00:00	4049.	20.7	2012-01-01	TRUE

```
help(pelt)
```

```
# A tsibble: 91 x 3 [1Y]
```

#	Year	Hare	Lynx
#	<dbl>	<dbl>	<dbl>
# 1	1845	19580	30090
# 2	1846	19600	45150
# 3	1847	19610	49150

```
# 81 more rows

help(gafa_stock)
# A tsibble: 5,032 x 8 [!]
# Key:       Symbol [4]
# Symbol Date      Open  High   Low Close Adj_Close Volume
# <chr>  <date>      <dbl> <dbl> <dbl> <dbl>   <dbl>   <dbl>
# 1 AAPL  2014-01-02    79.4  79.6  78.9  79.0    67.0  58671200
# 2 AAPL  2014-01-03    79.0  79.1  77.2  77.3    65.5  98116900
# 5,022 more rows
```


Bricks in aus_production is a quarterly data

Demand from vic_elec is half hourly data


Lynx from pelt is a yearly data

Close from gafa_stock is daily data


```
aus_production |>
  autoplot(Bricks, na.rm =TRUE)
```




```
vic_elec |>  
  autoplot(Demand)
```



```
gafa_stock |>  
  autoplot(Close)
```




```
pelt |>
  autoplot(Lynx)
```



Modify the last plot axis label and title

```
vic_elec |>
  autoplot(Demand) +
  labs(
    title = "Electricity Demand in Victoria",
    x = "Date and Time",
    y = "Electricity Demand"
  )
```



2.2

```
gafa_stock |>
  group_by(Symbol) |>
  filter(Close == max(Close)) |>
  select(Symbol, Date, Close)
```

```
# A tsibble: 4 x 3 [!]  
# Key:      Symbol [4]  
# Groups:   Symbol [4]  
  Symbol Date      Close  
  <chr>  <date>      <dbl>  
1 AAPL   2018-10-03  232.  
2 AMZN   2018-09-04  2040.
```

3 FB 2018-07-25 218.
4 GOOG 2018-07-26 1268.

2.3

```
load_data <- read.csv("tute1.csv")  
load_data
```

	Quarter	Sales	AdBudget	GDP
1	1981-03-01	1020.2	659.2	251.8
2	1981-06-01	889.2	589.0	290.9
3	1981-09-01	795.0	512.5	290.8
4	1981-12-01	1003.9	614.1	292.4
5	1982-03-01	1057.7	647.2	279.1
6	1982-06-01	944.4	602.0	254.0
7	1982-09-01	778.5	530.7	295.6
8	1982-12-01	932.5	608.4	271.7
9	1983-03-01	996.5	637.9	259.6
10	1983-06-01	907.7	582.4	280.5
11	1983-09-01	735.1	506.8	287.2
12	1983-12-01	958.1	606.7	278.0
13	1984-03-01	1034.1	658.7	256.8
14	1984-06-01	992.8	614.9	271.0
15	1984-09-01	791.7	489.9	300.9
16	1984-12-01	914.2	586.5	289.8
17	1985-03-01	1106.5	663.0	266.8
18	1985-06-01	985.1	591.7	273.7
19	1985-09-01	823.9	502.2	301.3
20	1985-12-01	1025.1	616.4	285.6
21	1986-03-01	1064.7	647.1	270.6
22	1986-06-01	981.9	615.5	274.6
23	1986-09-01	828.3	514.8	299.7
24	1986-12-01	940.7	609.1	275.9
25	1987-03-01	991.1	641.3	279.3
26	1987-06-01	1021.2	620.2	290.8
27	1987-09-01	796.7	511.2	295.6
28	1987-12-01	986.6	621.3	271.9
29	1988-03-01	1054.2	645.3	267.4
30	1988-06-01	1018.7	616.0	281.0
31	1988-09-01	815.6	503.2	309.0
32	1988-12-01	1010.6	617.5	266.7
33	1989-03-01	1071.5	642.8	283.5

34	1989-06-01	954.0	585.6	282.3
35	1989-09-01	822.9	520.6	289.2
36	1989-12-01	867.5	608.6	270.7
37	1990-03-01	1002.3	645.7	266.5
38	1990-06-01	972.0	597.4	287.9
39	1990-09-01	782.9	499.8	287.6
40	1990-12-01	972.8	601.8	283.4
41	1991-03-01	1108.0	650.8	266.4
42	1991-06-01	943.7	588.3	292.3
43	1991-09-01	806.1	491.6	330.6
44	1991-12-01	954.2	603.3	286.2
45	1992-03-01	1115.5	663.2	259.2
46	1992-06-01	927.1	614.0	263.7
47	1992-09-01	800.7	506.3	288.2
48	1992-12-01	955.7	606.2	274.1
49	1993-03-01	1049.8	639.5	287.1
50	1993-06-01	886.0	585.9	285.5
51	1993-09-01	786.4	492.2	303.7
52	1993-12-01	991.3	610.4	275.6
53	1994-03-01	1113.9	660.8	249.3
54	1994-06-01	924.5	612.2	272.9
55	1994-09-01	771.4	509.2	289.8
56	1994-12-01	949.8	612.1	269.2
57	1995-03-01	990.5	653.2	261.3
58	1995-06-01	1071.4	605.3	292.9
59	1995-09-01	854.1	506.6	304.6
60	1995-12-01	929.8	597.4	276.3
61	1996-03-01	959.6	635.2	268.2
62	1996-06-01	991.1	611.6	293.5
63	1996-09-01	832.9	503.8	311.1
64	1996-12-01	1006.1	609.9	273.7
65	1997-03-01	1040.7	645.2	267.5
66	1997-06-01	1026.3	609.8	271.9
67	1997-09-01	785.9	512.1	308.8
68	1997-12-01	997.6	603.7	282.9
69	1998-03-01	1055.0	639.4	268.4
70	1998-06-01	925.6	601.6	271.4
71	1998-09-01	805.6	497.0	292.1
72	1998-12-01	934.1	602.8	287.6
73	1999-03-01	1081.7	647.3	258.0
74	1999-06-01	1062.3	612.5	282.9
75	1999-09-01	798.8	492.2	295.0
76	1999-12-01	1014.3	610.8	271.2

77	2000-03-01	1049.5	646.5	275.4
78	2000-06-01	961.7	603.3	284.0
79	2000-09-01	793.4	503.8	300.9
80	2000-12-01	872.3	598.3	277.4
81	2001-03-01	1014.2	649.4	273.8
82	2001-06-01	952.6	620.2	288.4
83	2001-09-01	792.4	497.9	283.4
84	2001-12-01	922.3	609.2	273.4
85	2002-03-01	1055.9	665.9	271.5
86	2002-06-01	906.2	600.4	283.6
87	2002-09-01	811.2	502.3	290.6
88	2002-12-01	1005.8	605.6	289.1
89	2003-03-01	1013.8	647.6	282.2
90	2003-06-01	905.6	583.5	285.6
91	2003-09-01	957.3	502.5	304.0
92	2003-12-01	1059.5	625.9	271.5
93	2004-03-01	1090.6	648.7	263.9
94	2004-06-01	998.9	610.7	288.3
95	2004-09-01	866.6	519.1	290.2
96	2004-12-01	1018.7	634.9	284.0
97	2005-03-01	1112.5	663.1	270.9
98	2005-06-01	997.4	583.3	294.7
99	2005-09-01	826.8	508.6	292.2
100	2005-12-01	992.6	634.2	255.1

a. read the data into R

```
tute1 <- readr::read_csv("tute1.csv")
```

```
Rows: 100 Columns: 4
```

```
-- Column specification -----
```

```
Delimiter: ","
```

```
dbl (3): Sales, AdBudget, GDP
```

```
date (1): Quarter
```

```
i Use `spec()` to retrieve the full column specification for this data.
```

```
i Specify the column types or set `show_col_types = FALSE` to quiet this message.
```


```
view(tute1)
```

b. convert the data to time series

```
mytimeseries <- tute1 |>
  mutate(Quarter = yearquarter(Quarter)) |>
  as_tsibble(index = Quarter)
```

c. construct time series plots of each of the three series

```
mytimeseries |>
  pivot_longer(-Quarter) |>
  ggplot(aes(x = Quarter, y = value, colour = name)) +
  geom_line() +
  facet_grid(name ~ ., scales = "free_y")
```



not including `facet_grid` the 03 name get store in the same value making it one plot, which might be confusing during interpretation.

2.4

```
library(USgas)
names(us_total)
```

```
[1] "year" "state" "y"
```

```
#install.packages("USgas")

us_total <- us_total |>
  as_tsibble(key = state, index = year)
us_total
```

```
# A tsibble: 1,266 x 3 [1Y]
# Key:      state [53]
   year state      y
   <int> <chr>  <int>
1  1997 Alabama 324158
2  1998 Alabama 329134
3  1999 Alabama 337270
4  2000 Alabama 353614
5  2001 Alabama 332693
6  2002 Alabama 379343
7  2003 Alabama 350345
8  2004 Alabama 382367
9  2005 Alabama 353156
10 2006 Alabama 391093
# i 1,256 more rows
```


```
is_tsibble(us_total)
```

```
[1] TRUE
```

c. Plot the annual natural gas

```
new_england <- c(
  "Maine",
  "Vermont",
  "New Hampshire",
  "Massachusetts",
  "Connecticut",
  "Rhode Island"
)

us_total |>
  filter(state %in% new_england) |>
  autoplot(y)
```



2.5 a. read tourism.xlsx

```
load_data_t <- readxl::read_excel("tourism.xlsx")
load_data_t
```

A tibble: 24,320 x 5

	Quarter	Region	State	Purpose	Trips
	<chr>	<chr>	<chr>	<chr>	<dbl>
1	1998-01-01	Adelaide	South Australia	Business	135.
2	1998-04-01	Adelaide	South Australia	Business	110.
3	1998-07-01	Adelaide	South Australia	Business	166.
4	1998-10-01	Adelaide	South Australia	Business	127.
5	1999-01-01	Adelaide	South Australia	Business	137.
6	1999-04-01	Adelaide	South Australia	Business	200.
7	1999-07-01	Adelaide	South Australia	Business	169.
8	1999-10-01	Adelaide	South Australia	Business	134.
9	2000-01-01	Adelaide	South Australia	Business	154.
10	2000-04-01	Adelaide	South Australia	Business	169.

i 24,310 more rows

b.create tsibble

```

tourism_data <- load_data_t |>
  mutate(Quarter = yearquarter(Quarter)) |>
  as_tsibble(key = c(Region, State, Purpose), index = Quarter)
tourism_data

```

```

# A tsibble: 24,320 x 5 [1Q]
# Key:           Region, State, Purpose [304]
  Quarter Region   State           Purpose   Trips
   <qtr> <chr>      <chr>           <chr>   <dbl>
1 1998 Q1 Adelaide South Australia Business 135.
2 1998 Q2 Adelaide South Australia Business 110.
3 1998 Q3 Adelaide South Australia Business 166.
4 1998 Q4 Adelaide South Australia Business 127.
5 1999 Q1 Adelaide South Australia Business 137.
6 1999 Q2 Adelaide South Australia Business 200.
7 1999 Q3 Adelaide South Australia Business 169.
8 1999 Q4 Adelaide South Australia Business 134.
9 2000 Q1 Adelaide South Australia Business 154.
10 2000 Q2 Adelaide South Australia Business 169.
# i 24,310 more rows

```

```

#checking if it is identical
tourism

```

```

# A tsibble: 24,320 x 5 [1Q]
# Key:           Region, State, Purpose [304]
  Quarter Region   State           Purpose   Trips
   <qtr> <chr>      <chr>           <chr>   <dbl>
1 1998 Q1 Adelaide South Australia Business 135.
2 1998 Q2 Adelaide South Australia Business 110.
3 1998 Q3 Adelaide South Australia Business 166.
4 1998 Q4 Adelaide South Australia Business 127.
5 1999 Q1 Adelaide South Australia Business 137.
6 1999 Q2 Adelaide South Australia Business 200.
7 1999 Q3 Adelaide South Australia Business 169.
8 1999 Q4 Adelaide South Australia Business 134.
9 2000 Q1 Adelaide South Australia Business 154.
10 2000 Q2 Adelaide South Australia Business 169.
# i 24,310 more rows

```

```
key_vars(tourism)
```

```
[1] "Region" "State" "Purpose"
```

```
index_var(tourism)
```

```
[1] "Quarter"
```

c. Max overnight trip

```
max_trip <- tourism_data |>
  group_by(Region, Purpose) |>
  summarise(avg_trips = mean(Trips), .groups = "drop") |>
  filter(avg_trips == max(avg_trips))
```

```
max_trip
```

```
# A tsibble: 1 x 4 [1Q]
# Key:           Region, Purpose [1]
  Region    Purpose Quarter avg_trips
  <chr>      <chr>      <qtr>    <dbl>
1 Melbourne Visiting 2017 Q4      985.
```

d. Create a new tsibble which combine region and purpose

```
tourism_new <- tourism_data |>
  group_by(State) |>
  index_by(Quarter) |>
  summarise(Trips = sum(Trips))
```

```
tourism_new
```

```
# A tsibble: 640 x 3 [1Q]
# Key:           State [8]
  State Quarter Trips
  <chr>    <qtr> <dbl>
1 ACT     1998 Q1  551.
2 ACT     1998 Q2  416.
```

```

3 ACT    1998 Q3  436.
4 ACT    1998 Q4  450.
5 ACT    1999 Q1  379.
6 ACT    1999 Q2  558.
7 ACT    1999 Q3  449.
8 ACT    1999 Q4  595.
9 ACT    2000 Q1  600.
10 ACT   2000 Q2  557.
# i 630 more rows

```


2.8 Use the following graphics functions

```

total_private <- us_employment |>
  filter(Title == "Total Private")

total_private |> autoplot(Employed)


```




```

total_private |> gg_season(Employed)


```




```
total_private |> gg_subseries(Employed)
```




```
total_private |> gg_lag(Employed)
```



```
total_private |> ACF(Employed) |> autoplot()
```




- Observation: **Trend:** There is a strong increasing trend in private employment over time. More recent years have much higher employment levels than earlier years. Cause could be internet, technologies, immigration. **Cyclicity:** There are periods where employment decreases for some time before recovering and continuing its long-term growth, suggesting cyclical movements, the autoplot is better to visualize that cyclicity pattern.
- Private employment has a strong upward trend over time, although there are some periods of decline and recovery. This due to school ending, summer jobs, entry - level jobs and also holidays part time jobs.
- Employment generally increases from January to June, remains relatively stable during the summer, decreases slightly around September, and then slightly increases or remains stable toward the end of the year. This pattern repeats across many years.
- Some years show larger decreases than the usual seasonal pattern. The time-series plot shows particularly noticeable downturns around 2008–2009 and 2020.


```
aus_production |>
  ACF(Bricks, na.rm = TRUE) |> autoplot()
```

Warning: The `...` argument of `PACF()` is deprecated as of feasts 0.2.2.
 i ACF variables should be passed to the `y` argument. If multiple variables are
 to be used, specify them using `vars(...)`.


Warning: ACF currently only supports one column, `Bricks` will be used.




```
aus_production |>
  autoplot(Bricks, na.rm = TRUE)
```



```
aus_production |>  
  gg_subseries(Bricks, na.rm = TRUE)
```




```
aus_production |>  
  gg_season(Bricks, na.rm = TRUE)
```



```
aus_production |>  
  gg_lag(Bricks, geom = "point")
```


Warning: Removed 20 rows containing missing values (gg_lag).




Observation:

- Observation: **Trend:** There is a strong increasing trend on aus_productions 'Bricks' over time. More recent years have much higher Bricks production than earlier years. Cause could be population growth, immigration, housing, tourism. **Cyclicality:** There are periods where Bricks production decreases for some time before recovering and continuing its long-term growth, suggesting cyclical movements, the autoplot is better to visualize that cyclicality pattern.
- Bricks production has a strong upward trend over time, although there are some periods of decline and recovery like around years 1980-1984 which we can observe a peak. the same pattern repeat over the time.
- Bricks production generally increases from Q1 to Q2, remains relatively stable from Q2 to Q3 then decreases slightly from Q3 to Q4.
- 1975 to 1985 are the years we see increase on Bricks production in Australia, then down during early 2000's to 2005.

```
pelt |>
  autoplot(Hare, na.rm = TRUE)
```



```
pelt |>
  gg_lag(Hare, geom = "point")
```




```
#pelt |>
  #gg_season(Hare, na.rm = TRUE)

# pelt |>
  # gg_subseries(Hare, na.rm = TRUE)

pelt |>
  ACF(Hare, na.rm = TRUE) |> autoplot()
```


Warning: ACF currently only supports one column, `Hare` will be used.




- Observation: **Trend:** There is a strong increasing and decrease trend in Hares population over time. **Cyclicity:** The pattern tend to repeat throughout the years, increase - decrease and not stable.
- The series show how the Hares population are affected from 1800 to 1920 with a pick in 1865 right followed with a strong decrease and pattern is repeated.
- For this Hare data we could not use a seasonal plot because it is reported yearly.
- Some cycles have much larger peaks than others, particularly around the 1860s and 1880s. noticeable downturns around 1863, 1868– 1900 and 1920 also a upturn increase in years 1865 and 1885 .


```
h02 <- PBS |>
  filter(ATC2 == "H02") |>
  group_by(ATC2) |>
  index_by(Month) |>
  summarise(Cost = sum(Cost))


h02 |>
  gg_lag(Cost, geom = "point")
```




```
h02 |>
  gg_season(Cost)
```




```
h02 |>
  gg_subseries(Cost)
```



```
h02 |>  
  autoplot(Cost)
```




```
h02 |>  
  ACF(Cost) |> autoplot()
```




- Observation: **Trend:** There is a strong decrease from January to February, then slightly upward increase from February through December trend in Cost from PBS over time. The same pattern repeat throughout the years 1995 to 2005. **Seasonality:** There are periods where Cost decreases for some time before recovering and continuing its long-term growth, suggesting cyclical movements, the seasonal plot is better to visualize that cyclicity pattern.
- Cost has a strong upward trend over time, although there are some periods of decline and recovery. This due to new year and holidays.
- Cost generally increases relatively from February through December. This pattern repeats across many years.
- unusual years I can identify is year 2005 where we can observe a decrease from February through March


```
us_gasoline |>
  gg_season(Barrels)
```




```
us_gasoline |>
  gg_subseries(Barrels)
```




```
us_gasoline |>
  gg_lag(Barrels, geom = "point")
```



```
us_gasoline |>
  autoplot(Barrels)
```



```
us_gasoline |>  
  ACF(Barrels) |> autoplot()
```



- Observation: **Trend:** There is a strong increasing trend in USA Barrels over time. More recent years have much higher number of Barrels than earlier years. **Cyclicity:** There are periods where the number decreases for some time before recovering vice versa, suggesting cyclical movements, the autoplot is better to visualize that cyclicity pattern.
- Barrels number has a strong upward trend over time, although there are some periods of decline and recovery. This due to the USA importing Barrels and competition.
- The number of Barrels has increase over time, observing the seasonal pattern we see an up and down.
- The trends are almost the same through years 1995 to 2015 almost the same pattern occur every year.