

Japneet Kaur

Q1. What is bug In Software Testing?

Ans. A bug is a fault in a program which causes it to behave abruptly.

- A software bug is :
An error, flaw, failure or fault in a computer program or system that causes it to produce an incorrect or unexpected result.
- It is caused by a coding fault.
- Once the defect is accepted by the development team then it becomes a bug.

Q2. Differentiate Error, Defect, And Failure?

Ans. The definitions of error, defect and failure are :

- An error is the incorrect human action that produces incorrect result is called an error or mistake.
- Deviation between the expected behavior to actual behavior identified while testing is called defect.
- Deviation from expected behavior to actual behavior found by end user in operations is failure.

Q3. What Are The Different Types Of Status Of Defects?

Ans. The different status that a defect can have are as follows:


- **New:** When a new defect is logged and posted for the first time. It is assigned a status as NEW.
- **Assigned:** Once the bug is found by the tester, the test lead approves the bug and assigns the bug to the developer team
- **Open:** The developer starts analyzing and works on the defect to fix it.

- **Fixed:** When a developer makes a necessary code change and verifies the change, he or she can make bug status as "Fixed."
- **Pending retest:** Once the defect is fixed the developer gives a particular code for retesting to the tester. Since the software testing remains pending from the testers end, the status assigned is "pending request."
- **Retest:** Tester does the retesting of the code at this stage to check whether the defect is fixed by the developer or not and changes the status to "Re-test."
- **Verified:** The tester re-tests the bug after it got fixed by the developer. If there is no bug detected in the software, then the bug is fixed and the status assigned is "verified."
- **Reopen:** If the bug persists even after the developer has fixed the bug, the tester changes the status to "reopened". Once again the bug goes through the life cycle.
- **Closed:** If the bug is no longer exists then tester assigns the status "Closed."
- **Duplicate:** If the defect is repeated twice or the defect corresponds to the same concept of the bug, the status is changed to "duplicate."
- **Rejected:** If the developer feels the defect is not a genuine defect then it changes the defect to "rejected."
- **Deferred:** If the present bug is not of a prime priority and if it is expected to get fixed in the next release, then status "Deferred" is assigned to such bugs
- **Not a bug:** If it does not affect the functionality of the application then the status assigned to a bug is "Not a bug".

Q4. Explain About Defect/Bug Life Cycle?

Ans.

Bug/Defect LifeCycle



- **New:** When a new defect is logged and posted for the first time. It is assigned a status as **NEW**.
- **Assigned:** Once the bug is found by the tester, the test lead approves the bug and assigns the bug to the developer team
- **Open:** The developer starts analyzing and works on the defect to fix it.
- **Fixed:** When a developer makes a necessary code change and verifies the change, he or she can make bug status as "Fixed."
- **Pending retest:** Once the defect is fixed the developer gives a particular code for retesting to the tester. Since the software testing remains pending from the testers end, the status assigned is "pending request."
- **Retest:** Tester does the retesting of the code at this stage to check whether the defect is fixed by the developer or not and changes the status to "Re-test."
- **Verified:** The tester re-tests the bug after it got fixed by the developer. If there is no bug detected in the software, then the bug is fixed and the status assigned is "verified."
- **Reopen:** If the bug persists even after the developer has fixed the bug, the tester changes the status to "reopened". Once again the bug goes through the life cycle.
- **Closed:** If the bug is no longer exists then tester assigns the status "Closed."
- **Duplicate:** If the defect is repeated twice or the defect corresponds to the same concept of the bug, the status is changed to "duplicate."
- **Rejected:** If the developer feels the defect is not a genuine defect then it changes the defect to "rejected."
- **Deferred:** If the present bug is not of a prime priority and if it is expected to get fixed in the next release, then status "Deferred" is assigned to such bugs

- **Not a bug:** If it does not affect the functionality of the application then the status assigned to a bug is "Not a bug".

Q5. A bug is identified by the tester it is assigned to whom?

Ans. After the tester has posted the bug, the lead of the tester approves that the bug is genuine and he assigns the bug to corresponding developer and the developer team. It's state given as assigned.

Q6. Why is JIRA used? Explain step by step how an issue is created in JIRA.

Ans. JIRA is a tool developed by Australian Company Atlassian. It is used for bug tracking, issue tracking, and project management.

- The basic use of this tool is to track issue and bugs related to your software and Mobile apps.
- It is also used for project management. The JIRA dashboard consists of many useful functions and features which make handling of issues easy.

Q7. What is Defect Density?

Ans. Defect Density is the number of defects confirmed in software/module during a specific period of operation or development divided by the size of the software/module.(Defect Density = Defect count/ size of the release). It enables one to decide if a piece of software is ready to be released.

Q8. What is the difference between defect density and defect triage?

Ans. Defect Density is the number of defects confirmed in software/module during a specific period of operation or development divided by the size of the software/module.(Defect Density = Defect

count/ size of the release)It enables one to decide if a piece of software is ready to be released.

Defect triage is a process where each bug is prioritized based on its severity, frequency, risk, etc. Triage term is used in the Software testing / QA to define the severity and priority of new defects. The goal of Bug Triage is to evaluate, prioritize and assign the resolution of defects. The team needs to validate severities of the defect, make changes as per need, finalize resolution of the defects, and assign resources. Mainly used in agile project management.

Q9. Explain Bug reporting and parameters of bug?

Ans. A bugs report or defect report is a list of bugs that are found by a tester while testing a software product in the testing phase in a specified testing environment. The test environment is created at the development site and is similar to the actual environment in which the software is supposed to run at the customer's site.

Parameters of bug are :

- 1. Bug Id**
- 2. Priority – business or development team can decide**
- 3. Severity – Testing team can decide**
- 4. Created by – Tester Name**
- 5. Created Date – Date of created defect**
- 6. Assigned to – Developer Name**
- 7. Resolved Date – This Date decided by developer**
- 8. Resolved By – Developer Name**
- 9. Status – New, IT Committed, Development, Ready for QA, In-Testing, Testing Successfully Completed.**
- 10. Project name – Current module or project Name**
- 11. Product name – Main Product Name**

- 12. Release Version (e.g. 1.2.3)**
- 13. Module – Module Name**
- 14. Detected Build Version – 1.1.1, 1.1.2**

Q10. What is defect management? Explain the defect management process.

Ans. Defect management can be defined as a process of detecting bugs and fixing them. Bugs occur constantly in the process of software development. Hence, every software development project requires a process that helps them to detect defects and fix them.

The process of defect management usually includes four steps:


- 1. The first step is the stage of defect detecting. We have already mentioned that it can be conducted either by the team of developers or by the users. Regardless of the type of testing, its main goal is to detect all bugs in the final product or its part.**
- 2. The second step of the bug management process is dedicated to the formulation of bug reports. These are the documents that include all necessary information about certain bugs. Usually, they contain data on the type of bug, and the possible ways of its correction.**
- 3. The third step is the stage of bug fixing. After the bugs are fixed, they should be tested once more to make sure that the software works properly.**
- 4. During the final step the bug list is created. This is the document that contains information about all bugs that occurred during the project's performance. The team often uses the bug list because similar bugs' occurrence is not rare.**

Q11. What is Test estimation? Explain Work Breakdown Structure test estimation technique with an example?

Ans. Test Estimation is a management activity which approximates how long a Task would take to complete. Estimating effort for the test is one of the major and important tasks in Test Management.

Work Breakdown Structure:

- Divide the whole project task into subtasks
- Use the Work BreakDown structure to break out the project into 5 smaller tasks
- After that, you can break out each task to the subtask. The purpose of this activity is create task as detailed as possible.



Q12. What is test reports? What parameters are used in test reports?

Ans. Test summary report /Quality Reports is a document which contains the summary of all test activities and final test results.

Test Report is a document which contains:

- A summary of test activities and final test results.
- An assessment of how well the Testing is performed.

- Based on the test report, the stakeholders can Evaluate the quality of the tested product.
- For example, if the test report informs that there are many defects remaining in the product, the stakeholder can delay the release until all the defects are fixed.

Q13. What are the test management tools?

Ans. TestLink:

- Test-link is most widely used web based open source test management tool.
- It synchronizes both requirements specification and test specification together.
- User can create test project and document test cases using this tool.
- With Test-Link you can create an account for multiple users and assign different user roles.

JIRA

- Jira is a proprietary issue tracking product developed by Atlassian which allows bug tracking and agile project management.
- It is used for bug tracking, issue tracking, and project management.

Q14. What is a test link? How do you write test cases in TestLink?

Ans. Test-link is most widely used web based open source test management tool. It synchronizes both requirements specification and test specification together. User can create test project and document

test cases using this tool. With Test-Link you can create an account for multiple users and assign different user roles.

To write test cases in TestLink :

- 1. Creating a Test Project**
- 2. Click on the tab "create" to create a new project.**
- 3. Enter all the required fields in the window like a category for a test project, name of the project, prefix, description, etc. After filling all necessary details, click on tab "Create" at the end of the window.**
- 4. Creating a Test Plan**
- 5. From the home-page, click on Test Plan Management from home-page**
- 6. It will open another page, at the bottom of the page click on a tab "Create".**
- 7. Fill out all the necessary information like name, description, create from existing test plan, etc. in the open window, and click on "create tab"**
- 8. Build Creation**
- 9. Click on Builds/Releases under Test Plan from the home page**
- 10. Creating Testsuite**
- 11. Click on test specification option from the home page.**
- 12. On the right-hand side of the panel, click on the setting. It will display a series of test operation.**
- 13. Click on the "create" tab for the test suite**
- 14. Fill-up all the details for test-suite and click on save it tab.**
- 15. Enter the test suite name**
- 16. Enter the details about your test suite**
- 17. Click on save button to save the details of test-suite**
- 18. Creating a TestCase**
- 19. Click on the test suite folder on the left side of the panel under a folder tree structure.**

- 20. Click on the setting icon in the right side panel. List of test case operations will be displayed on the right side panel.**
- 21. New window will open, to create test cases click on create a button in test-case operations.**


The screenshot shows the TestLink application interface. On the left, there's a sidebar titled 'Navigator - Test Specification' with a tree view of test specifications and suites. The main area is titled 'Test Case' and shows a specific test case named 'QEFEB_19-13:TestCase_2'. The interface includes fields for 'Summary', 'Preconditions', 'Create step', and various configuration options like 'Status', 'Importance', and 'Execution type'. A 'Keywords' section indicates 'None'. The 'Relations' section has a placeholder 'New relation: This test case related to PREFIX-ID'. At the bottom, there are tabs for 'testcases.xml' and other files.

This screenshot shows the 'Test Suite' creation interface in TestLink. The left sidebar shows the same tree view of test specifications and suites. The main panel is titled 'Test Suite : TestSuite_2' and contains a 'Details' section with a 'Practise Test Suite' field. It also includes a 'Keywords' section with 'None' selected. A note at the bottom states 'attachment disabled' and 'directory for attachments: /var/testlink/upload_area/ does not exist'. The interface is consistent with the previous 'Test Case' creation screen, with tabs for 'testcases.xml' and other files at the bottom.

Q15. Explain steps how to upload Test case sheet on TestLink?

Ans. Steps:

- 1. Login in to TestLink > Select your project in dropdown list.**
- 2. Click on Specification > Create New Suite > Select Suite > Click on Import Test Cases**
- 3. Browse for the XML file, submit it and the file will be imported.**



Q16. What is severity and priority in bug/defect?

Ans. Severity is defined as the degree of impact a Defect has on the development or operation of a component application being tested.

- Higher effect on the system functionality will lead to the assignment of higher severity to the bug**
- Defect severity can be categorized into four class (Blocker,Critical, Major, Minor, Trivial)**

- Severity status is based on the technical aspect of the product
- Severity indicates the seriousness of the defect on the product functionality

Priority is defined as the order in which a defect should be fixed. Higher the priority the sooner the defect should be resolved.

- Defects that leave the software system unusable are given higher priority over defects that cause a small functionality of the software to fail.
- Defect priority can be categorized as (Low, Medium, High) or P0, P1 and P2.
- Priority status is based on the customer requirements

Q17. While placing an order for clothing website, in order confirmation page there is a logo error. It is a?

1. High priority, high severity
2. Low severity low priority
3. Low severity, high priority (of low severity as it not going to affect the functionality of the website but can be of high priority as you don't want any further shipment to proceed with the wrong logo.)
4. High severity low priority

Ans. Low severity, high priority

Q18. Website home page failed to load.

1. High priority, high severity (Major functionality failure like log in is not working, crashes in the basic workflow of the software are the best example of High Priority and High Severity)
2. Low severity low priority

- 3.Low severity, high priority**
- 4. High severity low priority**

Ans. 1-High priority, high severity.

Q19. The application works perfectly for 50k sessions but begins to crash after a higher number of sessions.

- 1.Low severity low priority**
- 2.High priority, high severity**
- 3.Low severity, high priority**
- 4.High severity low priority (This problem needs to be fixed but not immediately.)**

Ans. 4-High severity low priority

Q20. An application (web) is made up of 20 pages. On one of the pages, there is a sentence with a grammatical error.

- 1.Low severity low priority - This bug may go unnoticed to the eyes of many and won't affect any functionality or the credibility of the company.**
- 2.High priority, high severity**
- 3.Low severity, high priority**
- 4.High severity low priority**

Ans. 1 -Low severity low priority

Q21. Find bugs and report the same on JIRA for below-mentioned modules in the website:

<http://www.rushplace.com/Testwebsite1>

- 1.My Account**
- 2.Add to basket**

3. Search

4. Homepage

The screenshot shows two views of a Jira application interface.

Top View (Homepage):

- The title bar shows "Activities Google Chrome" and the date "Fri 5:01 PM".
- The address bar shows the URL "jira.tothenew.com/browse/QB-6?jql=project%20%3D%20QB%20AND%20resolution%20%3D%20Unresolved%20AND%20assignee%20%3D%20japne...".
- The main navigation menu includes "Dashboards", "Projects", "Issues", "Agile", and "Create".
- A "FILTERS" sidebar on the left lists "My Open Issues", "Reported by Me", "Recently Viewed", and "All Issues".
- The search bar at the top right contains fields for "Search", "Save as", "Contains text", "More", "Advanced", "Share", "Export", and "Tools".
- The main content area displays a list of "Sub-Tasks" under "QE Bootcamp / QB-6 Practise_issue_Japneet_2".
- The tasks listed are:

 1. Register option not available. (Status: TO DO, Assignee: Japneet Kaur)
 2. No Help Section available. (Status: TO DO, Assignee: Japneet Kaur)
 3. Rating of items not displayed. (Status: TO DO, Assignee: Japneet Kaur)
 4. Unable to show shipping methods for valid address. (Status: TO DO, Assignee: Japneet Kaur)
 5. Unable to sort the products "High to Low". (Status: TO DO, Assignee: Japneet Kaur)
 6. Search bar not located at top of page. (Status: TO DO, Assignee: Japneet Kaur)
 7. Total number of items not updated in cart. (Status: TO DO, Assignee: Japneet Kaur)
 8. Remove item from cart functionality not working. (Status: TO DO, Assignee: Japneet Kaur)

- Sections on the right include "Agile" (Active Sprint: Dummy ends 26/Jan/18, View on Board) and "HipChat discussions" (Confirm access to your HipChat account for more information).

Bottom View (Issue Detail):

- The title bar shows "Activities Google Chrome" and the date "Fri 5:01 PM".
- The address bar shows the URL "jira.tothenew.com/browse/QB-30".
- The main navigation menu includes "Dashboards", "Projects", "Issues", "Agile", and "Create".
- The issue details for "QE Bootcamp / QB-6 Practise_issue_Japneet / QB-30" are shown, titled "Register option not available.".
- The "Details" section includes:
 - Type: Sub-task
 - Priority: Major
 - Labels: None
 - Environment: Operating System : Ubuntu
 - Project Priority: P4
 - Sprint: Dummy
 - Status: TO DO (View Workflow)
 - Resolution: Unresolved
- The "Description" section includes:
 - Steps:
 - Open URL
 - Search for Register option for new user
 - Expected: New user should be able to register on the website.
 - Actual: No Register option is available.
- The "People" section lists:
 - Assignee: Japneet Kaur
 - Reporter: Japneet Kaur
 - Votes: 0
 - Watchers: 1 (Stop watching this issue)
- The "Dates" section lists:
 - Created: Yesterday
 - Updated: 2 hours ago
- The "Agile" section lists:
 - Active Sprint: Dummy ends 26/Jan/18
 - View on Board
- The "HipChat discussions" section lists: "Confirm access to your HipChat account for more information."

Activities Google Chrome Fri 5:01 PM

Inbox | Testin | QB-4 | QB-4 | TestL | Learn | My Dr | Bug R | Under | Bask | japne | +

Not secure | jira.tothenew.com/browse/QB-41

QE Bootcamp / QB-6 Practise_issue_Japneet / QB-41

No Help Section available.

Edit Comment Assign More Start Progress Done Export

Details

Type:	Sub-task	Status:	TO DO (View Workflow)
Priority:	Major	Resolution:	Unresolved
Labels:	None		
Environment:	Operating System : Ubuntu Browser : Google Chrome		
Project Priority:	P4		
Sprint:	Dummy		

Description

Steps:
Open URL
Search for Help section and FAQs
Expected: FAQs and other Support is provided to the users.
Actual: No Help option is available.

Activity

All Comments Work Log History Activity Transitions

HipChat discussions

There are no comments yet on this issue.

People

Assignee: Japneet Kaur
Reporter: Japneet Kaur
Votes: 0
Watchers: 1 Stop watching this issue

Dates

Created: Yesterday
Updated: 2 hours ago

Agile

Active Sprint: Dummy ends 26/Jan/18
View on Board

Activities Google Chrome Fri 5:01 PM

Inbox | Testin | QB-4 | QB-4 | TestL | Learn | My Dr | Bug R | Under | Bask | japne | +

Not secure | jira.tothenew.com/browse/QB-42

QE Bootcamp / QB-6 Practise_issue_Japneet / QB-42

Rating of items not displayed.

Edit Comment Assign More Start Progress Done Export

Details

Type:	Sub-task	Status:	TO DO (View Workflow)
Priority:	Major	Resolution:	Unresolved
Labels:	None		
Environment:	Operating System : Ubuntu Browser : Google Chrome		
Project Priority:	P4		
Sprint:	Dummy		

Description

Steps:
Open URL
Search for items on Homepage or through search results.
Read item reviews.
Expected: Customer reviews should be displayed.
Actual: No Customer reviews are available.

Activity

All Comments Work Log History Activity Transitions

HipChat discussions

People

Assignee: Japneet Kaur
Reporter: Japneet Kaur
Votes: 0
Watchers: 1 Stop watching this issue

Dates

Created: Yesterday
Updated: 2 hours ago

Agile

Active Sprint: Dummy ends 26/Jan/18
View on Board

Fri 5:01 PM

Inbox | Testin | [QB-4] | [QB-4] | TestL | Learn | My Dr | Bug R | Under | Unde | Bask | japne | +

Not secure | jira.tothenew.com/browse/QB-43

Dashboards | Projects | Issues | Agile | Create

QE Bootcamp / QB-6 Practise_issue_Japneet / QB-43

Unable to show shipping methods for valid address.

Edit | Comment | Assign | More | Start Progress | Done | Export

Details

Type:	Sub-task	Status:	TO DO (View Workflow)
Priority:	Major	Resolution:	Unresolved
Labels:	None		
Environment:	Operating System : Ubuntu Browser : Google Chrome		
Project Priority:	P4		
Sprint:	Dummy		

Description

Steps:
Open URL
Search for items on homepage or through search results
Add items to cart.
Proceed to entering address details.

Expected: Shipping methods should be displayed for each specific Zip Code
Actual: No Shipping methods are available for a valid address.

Attachments

Japneet Kaur
Japneet Kaur
0
Stop watching this issue

People

Created: Yesterday
Updated: 2 hours ago

Dates

Active Sprint: Dummy ends 26/Jan/18
View on Board

Agile

HipChat discussions

Fri 5:02 PM

Inbox | Testin | [QB-4] | [QB-4] | TestL | Learn | My Dr | Bug R | Under | Unde | Bask | japne | +

Not secure | jira.tothenew.com/browse/QB-44

Dashboards | Projects | Issues | Agile | Create

QE Bootcamp / QB-6 Practise_issue_Japneet / QB-44

Unable to sort the products "High to Low"

Edit | Comment | Assign | More | Start Progress | Done | Export

Details

Type:	Sub-task	Status:	TO DO (View Workflow)
Priority:	Major	Resolution:	Unresolved
Labels:	None		
Environment:	Operating System : Ubuntu Browser : Google Chrome		
Project Priority:	P4		
Sprint:	Dummy		

Description

Steps:
Open URL
Search for items on Homepage or through search queries.
Sort the items "High To Low"

Expected: Items should be displayed after getting sorted "High To low" on the basis of their price.
Actual: No items are displayed when sorting is set to "High to Low"

Attachments

Japneet Kaur
Japneet Kaur
0
Stop watching this issue

People

Created: Yesterday
Updated: 2 hours ago

Dates

Active Sprint: Dummy ends 26/Jan/18
View on Board

Agile

HipChat discussions

Activities Google Chrome Fri 5:02 PM

Inbox | Testin | QB-4 | QB-4 | TestL | Learn | My Dr | Bug F | Under | Bask | japne | +

Not secure | jira.tothenew.com/browse/QB-47

Dashboards Projects Issues Agile Create

QE Bootcamp / QB-6 Practise_issue_Japneet / QB-47

Search bar not located at top of page

Edit Comment Assign More Start Progress Done Export

Details

Type:	Sub-task	Status:	TO DO (View Workflow)
Priority:	Major	Resolution:	Unresolved
Labels:	None		
Environment:	Operating System : Ubuntu Browser : Google Chrome		
Project Priority:	P4		
Sprint:	Dummy		

Description

Steps:
Open URL
Enter search query in Search field

Expected: Search field should be present at the top right corner of the page and should be easily found.

Actual: Search field is present at the bottom right corner and is difficult to find.

People

Assignee: Japneet Kaur
Reporter: Japneet Kaur
Votes: 0
Watchers: 1 Stop watching this issue


Dates

Created: Yesterday
Updated: 2 hours ago

Agile

Active Sprint: Dummy ends 26/Jan/18
View on Board

HipChat discussions



QE Bootcamp / QB-6 Practise_issue_Japneet / QB-48

Total number of items not updated in cart.

Details

Type:	Sub-task	Status:	TO DO (View Workflow)
Priority:	Major	Resolution:	Unresolved
Labels:	None		
Project Priority:	P4		
Sprint:	Dummy		

Description

Steps:
Open URL
Search for items on homepage or through Search queries.
Go to cart.
Change quantity of any item.
Expected: Change in quantity of items should be reflected in the total items and the total amount should be modified according to that.
Actual: No change in quantity of items or the total amount is reflected when quantity of item is changed in the cart.

Attachments

People

- Assignee: Japneet Kaur
- Reporter: Japneet Kaur
- Votes: 0
- Watchers: 1 Stop watching this issue

Dates

- Created: Yesterday
- Updated: 2 hours ago

Agile

- Active Sprint: Dummy ends 26/Jan/18
- View on Board

HipChat discussions

QE Bootcamp / QB-6 Practise_issue_Japneet / QB-94

Remove item from cart functionality not working

Details

Type:	Sub-task	Status:	TO DO (View Workflow)
Priority:	Major	Resolution:	Unresolved
Labels:	None		
Project Priority:	P4		
Sprint:	Dummy		

Description

Steps:
Enter URL
Select items and Add them to cart
Go to Cart
Remove item from cart
Expected: Item gets removed on same page
Actual: Page gets refreshed and user is redirected to 'Checkout For Payment' page.

Activity

All Comments Work Log History Activity Transitions Stateoscope

There are no comments yet on this issue.

Q22. Find bugs and report the same on JIRA for below-mentioned modules in the website:

**<http://newtours.demoaut.com/mercurywelcome.php> :
Testwebsite2**

- 1.Register Here**
- 2.Top header navigation options**
- 3.UI bugs for the complete website.**

Q23. Write Test Cases for Amazon login, Sign up and Forgot password on TestLink.

Activities Google Chrome ▾ Fri 4:56 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLi Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-42:Login with valid username and valid password

Version 1

Summary

User should be able to login.

Preconditions

User should already be registered.

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled

directory for attachments: /var/testlink/upload_area/ does not exist

```
javascript:ET(181573)
```

Activities Google Chrome ▾ Fri 4:56 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLi Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-43:Login with empty username or empty password

Version 1

Summary

User should not be allowed to login. Error message should be displayed.

Preconditions

User should already be registered.

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled

directory for attachments: /var/testlink/upload_area/ does not exist

```
javascript:ET(181573)
```

Activities Google Chrome ▾ Fri 4:56 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLink [japneet [senior tester]] Learn [My Dr Bug R Under Basket X Bug R Under Basket X TestLink 1.9.14 (Padawan) Test Project QEFEB_19-QE_bootcampsession_Feb2019 ▾

Not secure | testlink.tothenew.com/index.php

TestLink [japneet [senior tester]] QEFEB_19-44:Login with invalid username or invalid password

QEFEB_19-44:Login with invalid username or invalid password

Version 1 1

Summary

User should not be allowed to login and error message should be displayed.

Preconditions

User should already be registered.

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled

directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181578)

This screenshot shows the TestLink application interface. The left sidebar displays a tree view of test cases, including suites like Suite1_Vidhi, TestSuite1_sakshi, TestSuite1_Japneet, Amazon_Parul, Sakshi_amazon, Sakshi_mytria, Sakshi_Search, Mynta_TestCases_Vidhi, and TestSuite_Amazon_Japneet. The main panel is titled 'QEFEB_19-44:Login with invalid username or invalid password'. It contains sections for 'Summary' (User should not be allowed to login and error message should be displayed), 'Preconditions' (User should already be registered), and 'Create step' (Status: Draft, Importance: Medium, Execution type: Manual). There are also sections for 'Keywords' (None), 'Requirements' (None), and 'Relations' (New relation: This test case related to PREFIX-ID Add). A note at the bottom states 'attachment disabled' and 'directory for attachments: /var/testlink/upload_area/ does not exist'.

Activities Google Chrome ▾ Fri 4:56 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLink [japneet [senior tester]] Learn [My Dr Bug R Under Basket X Bug R Under Basket X TestLink 1.9.14 (Padawan) Test Project QEFEB_19-QE_bootcampsession_Feb2019 ▾

Not secure | testlink.tothenew.com/index.php

TestLink [japneet [senior tester]] QEFEB_19-45:Verify that Username and password fields take input

QEFEB_19-45:Verify that Username and password fields take input

Version 1 1

Summary

User should be able to enter values in Username and Password field.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled

directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181580)

This screenshot shows the TestLink application interface, similar to the one above. The left sidebar displays a tree view of test cases. The main panel is titled 'QEFEB_19-45:Verify that Username and password fields take input'. It contains sections for 'Summary' (User should be able to enter values in Username and Password field), 'Preconditions', and 'Create step' (Status: Draft, Importance: Medium, Execution type: Manual). There are also sections for 'Keywords' (None), 'Requirements' (None), and 'Relations' (New relation: This test case related to PREFIX-ID Add). A note at the bottom states 'attachment disabled' and 'directory for attachments: /var/testlink/upload_area/ does not exist'.

Activities Google Chrome ▾ Fri 4:56 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLink [japneetk [senior tester]] Learn [My Dr Bug R Under Basket X Bug R Under Basket X TestLink 1.9.14 (Padawan) Test Project QEFEB_19-QE_bootcampsession_Feb2019

Not secure | testlink.tothenew.com/index.php

TestLink [japneetk [senior tester]] QEFEB_19-48:Submit button is clickable

Test Case Version 1 1

Summary
When user clicks on Submit button, it should be clickable and the credentials should be submitted.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations
New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

This screenshot shows the TestLink application interface. On the left, there's a sidebar with various project and suite icons. The main area displays a test case titled 'QEFEB_19-48:Submit button is clickable'. The test case details include a summary stating that the submit button should be clickable and credentials should be submitted. It has sections for preconditions, a create step button, status (Draft), importance (Medium), execution type (Manual), and estimated execution time. There are also fields for keywords, requirements, and relations. A note at the bottom indicates that attachments are disabled and the directory for attachments does not exist.

Activities Google Chrome ▾ Fri 4:56 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLink [japneetk [senior tester]] Learn [My Dr Bug R Under Basket X Bug R Under Basket X TestLink 1.9.14 (Padawan) Test Project QEFEB_19-QE_bootcampsession_Feb2019

Not secure | testlink.tothenew.com/index.php

TestLink [japneetk [senior tester]] QEFEB_19-49:Clear button should be clickable

Test Case Version 1 1

Summary
When Clear button is clicked, the username and Password fields should become blank.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations
New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

This screenshot shows the TestLink application interface, similar to the previous one but with a different test case selected. The test case is titled 'QEFEB_19-49:Clear button should be clickable'. The summary states that the clear button should click the username and password fields should become blank. It includes sections for preconditions, a create step button, status (Draft), importance (Medium), execution type (Manual), and estimated execution time. It also features fields for keywords, requirements, and relations, along with a note about attachment directory issues.

Activities Google Chrome ▾ Fri 4:56 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLink [japneetk [senior tester]] Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan) Test Project QEFEB_19-QE_bootcampsession_Feb2019

Not secure | testlink.tothenew.com/index.php

TestLink [japneetk [senior tester]] QEFEB_19-

Test Case

QEFEB_19-53:Special characters in Username field

Version 1

Summary
Special characters should be considered as invalid and user should not be allowed to move further without editing it.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181615)

Activities Google Chrome ▾ Fri 4:57 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLink [japneetk [senior tester]] Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan) Test Project QEFEB_19-QE_bootcampsession_Feb2019

Not secure | testlink.tothenew.com/index.php

TestLink [japneetk [senior tester]] QEFEB_19-

Test Case

QEFEB_19-51:SignUp option on Login page

Version 1

Summary
SignUp option should be present and clickable along with Login on the Home Page.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181607)

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket jayne TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneetk [senior tester] QEFEB_19-

Test Case

QEFEB_19-58:Mandatory fields marked with (*)

Version 1 1

Summary
All the Mandatory fields should have (*) symbol to segregate them from other fields that are not mandatory.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181628)

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket jayne TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneetk [senior tester] QEFEB_19-

Test Case

QEFEB_19-59:Mandatory fields should not be empty

Version 1 1

Summary
Mandatory fields should display error message if left empty by user.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181634)

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-60:Reset option should clear all fields

Version 1 1

Summary
When Reset button is clicked then all the fields should become empty.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181637)

This screenshot shows the TestLink application interface. On the left, there's a sidebar with various project and test suite icons. The main area displays a test case titled 'QEFEB_19-60:Reset option should clear all fields'. The test case details include a summary stating that when the Reset button is clicked, all fields should become empty. It has a status of 'Draft', medium importance, and is set to manual execution. There are sections for keywords, requirements, and relations. A note at the bottom indicates that attachments are disabled and the directory for attachments does not exist.

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-61:Password should have atleast 6 characters

Version 1 1

Summary
Password should display error message if input is of 5 characters or less.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181641)

This screenshot shows the TestLink application interface, similar to the one above but with a different test case selected. The test case is titled 'QEFEB_19-61:Password should have atleast 6 characters'. The summary states that a password of 5 characters or less should display an error message. The test case has a status of 'Draft', medium importance, and is set to manual execution. It includes sections for keywords, requirements, and relations, with a note about attachment directory issues.

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-62:Phone number should have 10 numeric values

Version 1

Summary
Phone field should accept exactly 10 numbers.

Preconditions

Create step

Status: Draft **Importance:** Medium **Execution type:** Manual **Estimated exec. (min):** Save

Keywords: None

Requirements: None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181|643)

This screenshot shows the TestLink application interface. The left sidebar displays a tree view of test cases, including categories like 'Myatra_TestCases_Vidhi' and 'TestSuite_Amazon_Japneet'. The main panel is focused on a specific test case titled 'QEFEB_19-62:Phone number should have 10 numeric values'. The test case details include a summary stating 'Phone field should accept exactly 10 numbers.', preconditions, and a status set to 'Draft'. There are sections for keywords, requirements, and relations. A note at the bottom indicates that the attachment directory does not exist.

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-64:Email id should have proper format

Version 1

Summary
Error message should be displayed if email format is not correct.

Preconditions

Create step

Status: Draft **Importance:** Medium **Execution type:** Manual **Estimated exec. (min):** Save

Keywords: None

Requirements: None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181|647)

This screenshot shows the TestLink application interface, similar to the one above but with a different test case selected. The main panel is focused on a test case titled 'QEFEB_19-64:Email id should have proper format'. The test case details include a summary stating 'Error message should be displayed if email format is not correct.', preconditions, and a status set to 'Draft'. There are sections for keywords, requirements, and relations. A note at the bottom indicates that the attachment directory does not exist.

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket jayne TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink jayneek [senior tester] QEFEB_19-

Test Case

QEFEB_19-65: Register button should be present at end of form

Version 1 1

Summary
Register button should be clickable and the form fields should be submitted when it is pressed.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181649)

This screenshot shows the TestLink application interface. On the left, there's a sidebar with various icons and a tree view of test cases under 'Mytrra_TestCases_Vidhi'. The main panel displays a 'Test Case' for 'QEFEB_19-65: Register button should be present at end of form'. It includes sections for Summary, Preconditions, Create step, Status (Draft), Requirements (None), Relations (New relation to PREFIX-ID), and a note about attachments. The status bar at the bottom shows 'javascript:ET(181649)'.

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket jayne TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink jayneek [senior tester] QEFEB_19-

Test Case

QEFEB_19-66: Verification link should be sent

Version 1 1

Summary
Verification link should be sent on the registered mobile number as SMS and the registered email Id when the registration form is submitted.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181657)

This screenshot shows the TestLink application interface, similar to the one above. It displays a 'Test Case' for 'QEFEB_19-66: Verification link should be sent'. The structure is identical to the first screenshot, with sections for Summary, Preconditions, Create step, Status (Draft), Requirements (None), Relations (New relation to PREFIX-ID), and a note about attachments. The status bar at the bottom shows 'javascript:ET(181657)'.

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-69:Verify Forgot Password link at end of page

Version 1

Summary
The link should be clickable and the user should be directed to the Forgot Password page.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

This screenshot shows the TestLink application interface. The main window displays a test case titled 'QEFEB_19-69:Verify Forgot Password link at end of page'. The 'Summary' section contains the instruction: 'The link should be clickable and the user should be directed to the Forgot Password page.' Below this are sections for 'Preconditions', 'Create step', and configuration options like status, importance, and execution type. A sidebar on the left lists various test suites and their test cases, including 'Amazon Login', 'Amazon Signup', and 'Amazon ForgotPassword'. The bottom of the screen shows the Linux desktop environment with icons for various applications.

Activities Google Chrome Fri 4:57 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-70:Verify entered Email address

Version 1

Summary
The email id entered should be a registered email id else error message should be displayed.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

This screenshot shows the TestLink application interface, similar to the one above but with a different test case selected. The main window displays a test case titled 'QEFEB_19-70:Verify entered Email address'. The 'Summary' section contains the instruction: 'The email id entered should be a registered email id else error message should be displayed.' Below this are sections for 'Preconditions', 'Create step', and configuration options. A sidebar on the left lists various test suites and their test cases, including 'Amazon Login', 'Amazon Signup', and 'Amazon ForgotPassword'. The bottom of the screen shows the Linux desktop environment with icons for various applications.

Activities Google Chrome ▾

Fri 4:57 PM

Inbox ✉ Testin [QB-5] [QB-4] TestLink [japneetk [senior tester]] Learn My D Bug R Under Basket X japon X +

Not secure | testlink.tothenew.com/index.php

TestLink 1.9.14 (Padawan)

Test Project QEFEB_19-QE_bootcampsession_Feb2019

Test Case

QEFEB_19-71:Password Reset link should be sent to the registered email address

Version 1

Summary
Password Reset link should be sent to the registered email address and on clicking it the user should be directed to the Reset Password page.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

Test Suite


- TestSuite_Amazon_Japneet (21)
 - Amazon Login (7)
 - QEFEB_19-42>Login with valid username and valid password
 - QEFEB_19-43>Login with empty username or empty password
 - QEFEB_19-44>Login with invalid username or invalid password
 - QEFEB_19-45:Verify that Username and password fields take input
 - QEFEB_19-48:Submit button is clickable
 - QEFEB_19-49:Clear button should be clickable
 - QEFEB_19-53:Special characters in Username field
 - Amazon Signup (9)
 - QEFEB_19-51:SignUp option on Login page
 - QEFEB_19-52:Mandatory fields marked with (*)
 - QEFEB_19-58:Mandatory fields should not be empty
 - QEFEB_19-60:Reset option should clear all fields
 - QEFEB_19-61:Password should have atleast 6 characters
 - QEFEB_19-62:Phone number should have 10 numeric values
 - QEFEB_19-64:Email id should have proper format
 - QEFEB_19-65:Register button should be present at end of form
 - QEFEB_19-66:Verification link should be sent
 - Amazon ForgotPassword (5)
 - QEFEB_19-69:Verify Forgot Password link at end of page
 - QEFEB_19-70:Verify entered Email address
 - QEFEB_19-71:Password Reset link should be sent to the registered email address
 - QEFEB_19-72:Verify New Password and Confirm Password
 - QEFEB_19-74:Verify Notification of Password Reset
 - Amazon (4)
 - TestSuite_Myntra_AddToCart_Japneet (9)
 - TestSuite_Search_Japneet (3)
 - QEFEB_19-84:Verify URL of website
 - QEFEB_19-85:Enter valid search query
 - QEFEB_19-86:Enter invalid Search query

The screenshot shows the TestLink application interface. The main window displays a 'Test Case' for 'QEFEB_19-72:Verify New Password and Confirm Password'. The 'Summary' section states: 'The New Password and Confirm Password field should be same.' The 'Preconditions' section is empty. The 'Status' is set to 'Draft', 'Importance' to 'Medium', and 'Execution type' to 'Manual'. The 'Keywords' field is empty. The 'Requirements' section is also empty. The 'Relations' section shows a note: 'attachment disabled' and 'directory for attachments: /var/testlink/upload_area/ does not exist'. On the left sidebar, there is a tree view of test suites and cases, including 'TestSuite_Amazon_Japneet' and 'TestSuite_Myntra_AddToCart_Japneet'. The bottom status bar shows 'javascript:ET(181677)'.

This screenshot shows the TestLink interface again, but for a different test case, 'QEFEB_19-74:Verify Notification of Password Reset'. The 'Summary' section states: 'A Password Reset notification should be sent displayed and an email should also be sent when the new password is set.' The 'Preconditions' section is empty. The 'Status' is set to 'Draft', 'Importance' to 'Medium', and 'Execution type' to 'Manual'. The 'Keywords' field is empty. The 'Requirements' section is empty. The 'Relations' section shows a note: 'attachment disabled' and 'directory for attachments: /var/testlink/upload_area/ does not exist'. The left sidebar shows the same test suite structure as the previous screenshot. The bottom status bar shows 'javascript:ET(181682)'.

Q24. Write Test Cases for placing an order in Myntra on TestLink.

Bug/Defect LifeCycle



Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-75:Select the product size and click 'Add To Cart'

Version 1 1

Summary Message should be displayed 'Product has been added to cart.'

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None


Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181687)



Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-76:Click on 'Add To Cart'

Version 1 1

Summary Error message should be displayed asking user to select the size and then add it to cart.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None


Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181689)



Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-77:Click on 'Go To Cart'

Version 1 1

Summary
User should be directed to the the Cart and the cart items should be displayed along with the total amount.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-78:Quantity not specified for the item

Version 1 1

Summary
Default Quantity of any item should be sent to 1.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-79:Change quantity of item

Version 1 1

Summary
Change in quantity of item should be reflected in the cart.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

This screenshot shows the TestLink application interface. On the left, there's a sidebar with various project and test suite icons. The main area displays a test case titled 'QEFEB_19-79:Change quantity of item'. The test case details include a summary stating 'Change in quantity of item should be reflected in the cart.', preconditions, and a status set to 'Draft'. The 'Relations' section is visible, and a note at the bottom indicates that the attachment directory does not exist.

Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-80:Click on 'Apply Coupon' and enter valid coupon

Version 1 1

Summary
Message 'coupon is applied successfully' should be displayed and the total amount should be modified according to the coupon.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

This screenshot shows the TestLink application interface, similar to the previous one but with a different test case selected. The test case is titled 'QEFEB_19-80:Click on 'Apply Coupon' and enter valid coupon'. It includes a summary about the message 'coupon is applied successfully' and the expected modification in total amount. The status is 'Draft', and the relations section is present with a note about the attachment directory.

Activities Google Chrome ▾

Inbox x Testin x [QB-5 x] [QB-4 x] TestL x Learn x My D x Bug R x Under x Basket x japneet x +

Fri 4:59 PM Not secure | testlink.tothenew.com/index.php

TestLink 1.9.14 (Padawan)

japneetk [senior tester]

QEFEB_19-

Test Case

QEFEB_19-81:Click on 'Apply Coupon' and enter invalid coupon

Version 1

Summary: Message 'Coupon is invalid' should be displayed.

Preconditions:

Create step

Status: Draft Importance: Medium Execution type: Manual Estimated exec. (min): Save

Keywords: None

Requirements: None

Relations: New relation: This test case related to PREFIX-ID Add

attachment disabled directory for attachments: /var/testlink/upload_area/ does not exist

Amazon Signup (9) QEFEB_19-51.SignUp option on Login page QEFEB_19-58 Mandatory fields marked with (*) QEFEB_19-59 Mandatory fields should not be empty QEFEB_19-60 Reset option should clear all fields QEFEB_19-61 Password should have atleast 6 characters QEFEB_19-62 Phone number should have 10 numeric value QEFEB_19-64 Email id should have proper format QEFEB_19-65 Register button should be present at end of form QEFEB_19-66 Verification link should be sent Amazon ForgotPassword (5) QEFEB_19-69 Verify Forget Password link at end of page QEFEB_19-70 Verify entered Email address QEFEB_19-71 Password Reset link should be sent to the registered Email address QEFEB_19-72 Verify New Password and Confirm Password QEFEB_19-74 Verify Notification of Password Reset Amazon (4) QEFEB_19-75 Select the product size and click 'Add To Cart' QEFEB_19-76 Click on 'Add To Cart' QEFEB_19-77 Click on 'Go To Cart' QEFEB_19-78 Quantity not specified for the item QEFEB_19-79 Change quantity of item QEFEB_19-80 Click on 'Apply Coupon' and enter valid coupon QEFEB_19-81 Click on 'Apply Coupon' and enter invalid coupon QEFEB_19-82 Click on 'Place Order' QEFEB_19-87 Click on 'Remove item' TestSuite_Myntra_AddToCart_Japneet (9) QEFEB_19-84 Verify URL of website QEFEB_19-85 Enter valid search query QEFEB_19-86 Enter invalid Search query

Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-82:Click on 'Place Order'

Version 1 1

Summary
The user should be directed to the 'Enter Address Details' page.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

Activities Google Chrome Fri 4:59 PM

Inbox Testin [QB-5] [QB-4] TestLink Learn My Dr Bug R Under Basket japneet TestLink 1.9.14 (Padawan)

Not secure | testlink.tothenew.com/index.php

TestLink japneet [senior tester] QEFEB_19-

Test Case

QEFEB_19-87:Click on 'Remove item'

Version 1 1

Summary
When user clicks on 'Remove item' then the item should be deleted from the cart and the total amount should be modified.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled
directory for attachments: /var/testlink/upload_area/ does not exist

Q25. Write Test Cases for Search functionality on TestLink.

Activities Google Chrome ▾ Fri 5:00 PM

Inbox | Testin | QB-5 | QB-4 | TestL | Learn | My Dr | Bug R | Under | Baske | japne | +

Not secure | testlink.tothenew.com/index.php

TestLink 1.9.14 (Padawan)

Test Case

QEFEB_19-84:Verify URL of website

Version 1

Summary

User should be directed to website with a valid URL.

Preconditions

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements: None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled

directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181710)

This screenshot shows the TestLink 1.9.14 interface. The main window displays a test case titled 'QEFEB_19-84:Verify URL of website'. The 'Summary' section states 'User should be directed to website with a valid URL.' The 'Preconditions' section is empty. A 'Create step' button is visible. The 'Status' dropdown is set to 'Draft', 'Importance' to 'Medium', and 'Execution type' to 'Manual'. The 'Estimated exec. (min)' field is empty and has a 'Save' button. The 'Keywords' and 'Requirements' sections are both empty. The 'Relations' section shows a new relation to a test case with 'PREFIX-ID'. A note at the bottom indicates that attachments are disabled and the directory for attachments does not exist. The left sidebar lists various test cases and suites, including 'Amazon Signup', 'Amazon ForgotPassword', 'TestSuite_Myntra_AddToCart_Japneet', and 'TestSuite_Search_Japneet'. The bottom status bar shows 'javascript:ET(181710)'.

Activities Google Chrome ▾ Fri 5:00 PM

Inbox | Testin | QB-5 | QB-4 | TestL | Learn | My Dr | Bug R | Under | Baske | japne | +

Not secure | testlink.tothenew.com/index.php

TestLink 1.9.14 (Padawan)

Test Case

QEFEB_19-85:Enter valid search query

Version 1

Summary

If user enters a search query containing only alphabetical values then the user should be directed to the correct search results.

Preconditions

User should enter queries only with alphabetical values.

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements: None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled

directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181712)

This screenshot shows the TestLink 1.9.14 interface. The main window displays a test case titled 'QEFEB_19-85:Enter valid search query'. The 'Summary' section states 'If user enters a search query containing only alphabetical values then the user should be directed to the correct search results.' The 'Preconditions' section states 'User should enter queries only with alphabetical values.' A 'Create step' button is visible. The 'Status' dropdown is set to 'Draft', 'Importance' to 'Medium', and 'Execution type' to 'Manual'. The 'Estimated exec. (min)' field is empty and has a 'Save' button. The 'Keywords' and 'Requirements' sections are both empty. The 'Relations' section shows a new relation to a test case with 'PREFIX-ID'. A note at the bottom indicates that attachments are disabled and the directory for attachments does not exist. The left sidebar lists various test cases and suites, including 'Amazon Signup', 'Amazon ForgotPassword', 'TestSuite_Myntra_AddToCart_Japneet', and 'TestSuite_Search_Japneet'. The bottom status bar shows 'javascript:ET(181712)'.

Activities Google Chrome Fri 5:00 PM

Inbox ✉ Testin ✅ QB-5 ✎ QB-4 ✎ TestLink Learn My Dr Bug R Under Baske ✎ japne ✎ +

Not secure | testlink.tothenew.com/index.php

TestLink 1.9.14 (Padawan)

Test Project QEFEB_19 QE_bootcampsession_Feb2019

Test Case

QEFEB_19-86:Enter invalid Search query

Version 1

Summary

If user enters invalid search query containg special characters or numbers, or empty search field, then error message should be display 'Search Request Incorrect'.

Preconditions

User should enter invalid search query containg special characters or numbers, or empty search field.

Create step

Status : Draft Importance : Medium Execution type : Manual Estimated exec. (min) : Save

Keywords: None

Requirements : None

Relations

New relation: This test case related to PREFIX-ID Add

attachment disabled

directory for attachments: /var/testlink/upload_area/ does not exist

javascript:ET(181716)

Amazon Signup (9)
QEFEB_19-51.SignUp option on Login page
QEFEB_19-58 Mandatory fields marked with (*)
QEFEB_19-59 Mandatory fields should not be empty
QEFEB_19-60 Reset option should clear all fields
QEFEB_19-61.Password should have atleast 6 characters
QEFEB_19-62.Phone number should have 10 numeric values
QEFEB_19-64.Email id should have proper format
QEFEB_19-65.Register button should be present at end of form
QEFEB_19-66.Verification link should be sent
AmazonForgotPassword (5)
QEFEB_19-69.Verify Forget Password link at end of page
QEFEB_19-70.Verify entered Email address
QEFEB_19-71.Password Reset link should be sent to the registered Email address
QEFEB_19-72.Verify New Password and Confirm Password
QEFEB_19-74.Verify Notification of Password Reset
Amazon (4)
TestSuite_Myntra_AddToCart_Japneet (9)
QEFEB_19-75.Select the product size and click 'Add To Cart'
QEFEB_19-76.Click on 'Add To Cart'
QEFEB_19-77.Click on 'Go To Cart'
QEFEB_19-78.Quantity not specified for the item
QEFEB_19-79.Change quantity of item
QEFEB_19-80.Click on 'Apply Coupon' and enter valid coupon
QEFEB_19-81.Click on 'Apply Coupon' and enter invalid coupon
QEFEB_19-82.Click on 'Place Order'
QEFEB_19-87.Click on 'Remove item'
TestSuite_Search_Japneet (3)
QEFEB_19-84.Verify URL of website
QEFEB_19-85.Enter valid search query
QEFEB_19-86.Enter invalid Search query