



Chapter

1.0

OAS3

<https://localhost:7216/swagger/v1/swagger.json>

Livro

^

GET	/api/Livro	▼
POST	/api/Livro	▼
GET	/api/Livro/{id}	▼
DELETE	/api/Livro/{id}	▼
PUT	/api/Livro/{id}	▼

Login

^

POST

/api/Login

^

Parameters

Cancel

Reset

No parameters

Request body

application/json

▼

```
{
  "email": "joao@email.com",
  "senha": "senha"
}
```

Clear

Responses

```
curl -X 'POST' \
  'https://localhost:7216/api/Login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "joao@email.com",
    "senha": "senha"
  }'
```


https://localhost:7216/api/Login

Details

200

Response body

```
{
  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJlbWFPbCI6ImprYWZwY2t1IiwianRpIjoiaSImh0dHA6Ly9yZWZlbnQpY3Jvc29mdC5jb20vd3MvbmJAwOC8wNnI5pZGVudGl0eS9jbGFpbXBvc29mZSI6IjEiLCJleHAiOjE2NWAzNDYxMjAsImmlzcyciOiImNoYXB0ZXVud2ViXXB0TiwiyYVkIjoyY2hhcHRlcj53ZWJhcGkifQ.eeBoC0omdc-FA9H29EbuA4R_ZdOMyJ_EhV...lfz"
}
```

 Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sat, 03 Dec 2022 04:48:41 GMT
server: Kestrel
```

GET

Responses

Parameters

Code

Description

Links

No parameters

Success

No links

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7216/api/Usuario' \
  -H 'accept: */*'
```

Request URL

https://localhost:7216/api/Usuario

Server response

Code	Details
200	<div><div>Response body</div><div><pre>[{ "id": 3, "email": "joao@email.com", "senha": "senha", "tipo": "1" }]</pre></div><div><div>Download</div></div></div> <div><div>Response headers</div><div><pre>content-type: application/json; charset=utf-8 date: Sat,03 Dec 2022 04:47:31 GMT server: Kestrel</pre></div></div>

Responses

Code	Description	Links
200	Success	No links

POST

/api/Usuario

GET

/api/Usuario/{id}

PUT

/api/Usuario/{id}

https://localhost:7216/swagger/index.html

3/4

DELETE

/api/Usuario/{id}

⌵

Schemas

⌵

Livro >

LoginViewModel >

Usuario >