Swagger Supported by SMARTBEAR

Select a definition Chapter v1 ⌄

Chapter 1.0 OAS3

https://localhost:7216/swagger/v1/swagger.json

Livro ⌃

| GET | /api/Livro | ⌄ |

| POST | /api/Livro | ⌄ |

| GET | /api/Livro/{id} | ⌄ |

| DELETE | /api/Livro/{id} | ⌄ |

| PUT | /api/Livro/{id} | ⌄ |

Usuario ⌃

| GET | /api/Usuario | ⌃ |

Parameters   Cancel

No parameters

| Execute | Clear |

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7216/api/Usuario' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7216/api/Usuario
```

Server response

Code	Details

200

Response body

```
[
  {
    "id": 2,
    "email": "ana@gmail",
    "senha": "1234",
    "tipo": "1"
  },
  {
    "id": 3,
    "email": "joao@email.com",
    "senha": "senha",
    "tipo": "1"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sat,03 Dec 2022 02:53:15 GMT
server: Kestrel
```

Responses

Code	Description	Links
200	Success	No links

POST /api/Usuario ∧

Parameters Cancel Reset

No parameters

Request body application/json ∨

```
{
  "id": 0,
  "email": "joao@email.com",
  "senha": "senha",
  "tipo": "1"
}
```

Execute	Clear

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:7216/api/Usuario' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 0,
  "email": "joao@email.com",
  "senha": "senha",
  "tipo": "1"
}'
```

Request URL

```
https://localhost:7216/api/Usuario
```

Server response

Code	Details
201 *Undocumented*	**Response headers** ``` content-length: 0 date: Sat,03 Dec 2022 02:53:01 GMT server: Kestrel ```

Responses

Code	Description	Links
200	Success	*No links*

GET   /api/Usuario/{id}   ∧

Parameters   Cancel

Name	Description
id * required integer($int32) *(path)*	3

Execute	Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7216/api/Usuario/3' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7216/api/Usuario/3
```

Server response

Code	Details

200	**Response body**
	
	``{
	  "id": 3,
	  "email": "joao@email.com",
	  "senha": "senha",
	  "tipo": "1"
	}``` Download
	
	Response headers
	
	``content-type: application/json; charset=utf-8
	date: Sat,03 Dec 2022 02:53:27 GMT
	server: Kestrel```

Responses

Code	Description	Links
200	Success	*No links*

PUT /api/Usuario/{id} ∧

Parameters

<button>Cancel</button> <button>Reset</button>

Name	Description
id * required `integer($int32)` *(path)*	2

Request body

application/json ⌄

```
{
  "id": 0,
  "email": "ana@email.com",
  "senha": "123",
  "tipo": "1"
}
```

<button>Execute</button> <button>Clear</button>

Responses

Curl

```
curl -X 'PUT' \
  'https://localhost:7216/api/Usuario/2' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 0,
  "email": "ana@email.com",
  "senha": "123",
  "tipo": "1"
}'
```

Request URL

```
https://localhost:7216/api/Usuario/2
```

Server response

Code	Details
200	**Response body**

```
"Usuario Alterado"
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sat,03 Dec 2022 02:53:58 GMT
server: Kestrel
```

Responses

Code	Description	Links
200	Success	No links

DELETE /api/Usuario/{id}   ∧

Parameters   Cancel

Name	Description
id * required integer($int32) (path)	2

Execute	Clear

Responses

Curl

```
curl -X 'DELETE' \
  'https://localhost:7216/api/Usuario/2' \
  -H 'accept: */*'
```

Request URL

```
https://localhost:7216/api/Usuario/2
```

Server response

Code	Details

Code	Details

200

Response body

```
"Usuario Deletado"
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Sat,03 Dec 2022 02:54:19 GMT
server: Kestrel
```

Responses

Schemas

Code	Description	Links

200 | Success | *No links*

Livro ›

Usuario ›