R03 - Regression: using logarithms

STAT 5870 (Engineering) Iowa State University

November 4, 2024

Parameter interpretation in regression

lf

$$E[Y|X] = \beta_0 + \beta_1 X,$$

then

- ullet eta_0 is the expected response when X is zero and
- ullet $deta_1$ is the expected change in the response for a d unit change in the explanatory variable.

For the following discussion,

- \bullet Y is always going to be the original response and
- X is always going to be the original explanatory variable.

Corn yield example

Suppose

- Y is corn yield (bushels/acre)
- X is fertilizer level in lbs/acre


Then, if

$$E[Y|X] = \beta_0 + \beta_1 X$$

- β_0 is the expected corn yield (bushels/acre) when fertilizer level is zero and
- $d\beta_1$ is the expected change in corn yield (bushels/acre) when fertilizer is increased by d lbs/acre.

Regression with logarithms

Regression models using logarithms



Response is logged

lf

$$E[\log(Y)|X] = \beta_0 + \beta_1 X,$$

then we have

$$\mathsf{Median}[Y|X] = e^{\beta_0 + \beta_1 X} = e^{\beta_0} e^{\beta_1 X}$$

then

- e^{β_0} is the median of Y when X is zero
- $e^{d\beta_1}$ is the multiplicative change in the median of Y for a d unit change in the explanatory variable.

Response is logged

Let be Y is corn yield (bushels/acre) and X is fertilizer level in lbs/acre. If we assume


$$E[\log(Y)|X] = \beta_0 + \beta_1 X$$

then

$$\mathsf{Median}[Y|X] = e^{\beta_0} e^{\beta_1 X}$$

- \bullet e^{β_0} is the median corn yield (bushels/acre) when fertilizer level is 0 and
- $e^{d\beta_1}$ is the multiplicative change in median corn yield (bushels/acre) when fertilizer is increased by d lbs/acre.

Response is logged



Explanatory variable is logged

lf

$$E[Y|X] = \beta_0 + \beta_1 \log(X),$$

then,

- ullet eta_0 is the expected response when X is 1 and
- $\beta_1 \log(d)$ is the expected change in the response when X increases multiplicatively by d,e.g.
 - $\beta_1 \log(2)$ is the expected change in the response for each doubling of X or
 - $\beta_1 \log(10)$ is the expected change in the response for each ten-fold increase in X.

Explanatory variable is logged

Suppose

- Y is corn yield (bushels/acre)
- X is fertilizer level in lbs/acre


lf

$$E[Y|X] = \beta_0 + \beta_1 \log(X)$$

then

- \bullet β_0 is the expected corn yield (bushels/acre) when fertilizer amount is 1 lb/acre and
- $\beta_1 \log(2)$ is the expected change in corn yield when fertilizer amount is doubled.

Explanatory variable is logged



Both response and explanatory variable are logged

lf

$$E[\log(Y)|X] = \beta_0 + \beta_1 \log(X),$$

then

$$\mathsf{Median}[Y|X] = e^{\beta_0} X^{\beta_1},$$

and thus

- \bullet e^{β_0} is the median of Y when X is 1 and
- d^{β_1} is the multiplicative change in the median of the response when X increases multiplicatively by d, e.g.
 - ullet 2^{eta_1} is the multiplicative change in the median of the response for each doubling of X or
 - 10^{β_1} is the multiplicative change in the median of the response for each ten-fold increase in X.

Both response and explanatory variables are logged

Suppose

- Y is corn yield (bushels/acre)
- X is fertilizer level in lbs/acre


lf

$$E[\log(Y)|X] = \beta_0 + \beta_1 \log(X) \quad \text{or} \quad \mathsf{Median}[Y|X] = e^{\beta_0} e^{\beta_1 \log(X)} = e^{\beta_0} X^{\beta_1},$$

then

- e^{β_0} is the median corn yield (bushels/acre) at 1 lb/acre of fertilizer and
- 2^{β_1} is the multiplicative change in median corn yield (bushels/acre) when fertilizer is doubled.

Both response and explanatory variables are logged



Why use logarithms

The most common transformation of either the response or explanatory variable(s) is to take logarithms because

- linearity will often then be approximately true,
- the variance will likely be approximately constant,
- influence of some observations may decrease, and
- there is a (relatively) convenient interpretation.

Summary of interpretations when using logarithms

- When using the log of the response,
 - β_0 determines the median response
 - β_1 determines the multiplicative change in the median response
- When using the log of the explanatory variable (X),
 - β_0 determines the response when X=1
 - ullet eta_1 determines the change in the response when there is a multiplicative increase in X

Constructing credible intervals

Recall the model

$$Y_i \stackrel{ind}{\sim} N(\beta_0 + \beta_1 X_i, \sigma^2).$$

Let (L, U) be a 100(1-a)% credible interval for β .

For ease of interpretation, it is often convenient to calculate functions of β , e.g.


$$f(\beta) = d\beta$$
 and $f(\beta) = e^{\beta}$.

A 100(1-a)% credible interval for $f(\beta)$ (when f is monotonic) is

Breakdown times

In an industrial laboratory, under uniform conditions, batches of electrical insulating fluid were subjected to constant voltages (kV) until the insulating property of the fluids broke down. Seven different voltage levels were studied and the measured responses were the times (minutes) until breakdown.

Logarithms




summary(Sleuth3::case0802)


Time		Voltage	Group
Min. :	0.090	Min. :26.00	Group1: 3
1st Qu.:	1.617	1st Qu.:31.50	Group2: 5
Median :	6.925	Median :34.00	Group3:11
Mean :	98.558	Mean :33.13	Group4:15
3rd Qu.:	38.383	3rd Qu.:36.00	Group5:19
Max. :2	323.700	Max. :38.00	Group6:15
			Group7: 8


Insulating fluid breakdown

Insulating fluid breakdown




Insulating fluid breakdown






Run the regression and look at diagnostics




Logarithm of time (response)

Insulating fluid breakdown



Logarithm of time (response): residuals



Summary

- At 30 kV, the median breakdown time is estimated to be 42 minutes with a 95% credible interval of (25, 69).
- Each 1 kV increase in voltage was associated with a 40% (32%, 46%) reduction in median breakdown time