ChariGo

Group demonstration guide

A four-person walkthrough: who does what, what to click, what to say, and what to explain. About 14 minutes plus 5 minutes of questions.

#	Part	Time	Browser	Presenter name
1	**Host** – problem, design, HCI, phone vs PC	3 min	Guest + phone	
2	**Charity Goer** – discover, donate, history	4 min	Goer	
3	**Volunteering & Organization**	4 min	Goer + Organization	
4	**Administrator, technology & close**	3 min	Admin	

The idea in one sentence

- We do not show screens one by one. We tell **one story**: Maria donates and volunteers, the organization sees it and accepts her, and the administrator keeps the whole system trustworthy – the same data flows through all three roles.

Live site: _____ **Local backup:** http://127.0.0.1:5000

Demo password for every account: **ChariGo123!**

1 · The plan at a glance

Keep this page open while you rehearse. Everything else in the guide expands one row of this table.

Time	Beat	Presenter	What the audience should walk away with
0:00 – 3:00	**Opening** · the problem, the three users, the Figma design, phone vs PC	1	Giving and volunteering is scattered; ChariGo puts it in one trusted place, designed for people first.
3:00 – 7:00	**Maria finds a cause and donates** · search, fundraiser, simulated payment, receipt, history	2	A donation takes a few clear steps, with a review before anything is final, and the history is real and usable.
7:00 – 11:00	**Maria volunteers; the organization responds** · application, donations received, accept applicant	3	Both sides of volunteering work, and the organization instantly sees what donors did.
11:00 – 14:00	**Trust and technology** · approve an organization, audit log, tech stack, limits, close	4	Only verified charities appear, every action is recorded, and it runs both locally and online.
14:00 – 19:00	**Questions**	1 leads	See the Q&A page – everyone can answer the questions about their own part.

Who owns which screens

Presenter	Owns these screens	Name-drop these HCI principles
1 Host	Welcome, role choice, Figma prototype, the same page on phone and PC	Consistency and standards · Aesthetic and minimalist design · Match with the real world
2 Goer	Log in, Home, Explore + filters, fundraiser, donate, review, receipt, donation history	Visibility of system status · User control and freedom · Error prevention · Flexibility and efficiency
3 Volunteer + Org	Volunteer details and application, volunteer history, organization profile, donations received, volunteer requests, applicant profile	Recognition rather than recall · Visibility of system status · Error prevention (confirmations)
4 Admin	Admin dashboard, organization review, system records, closing	Help users recover from errors · Error prevention · Accountability (audit trail)

Ground rules for the whole group

- Speak to the audience, not the screen. Click slowly and say what you are about to do *before* you do it.
- Name one HCI principle per screen at most – say it in plain words (“you can always go back”) and the term after.
- Never apologise for the simulated payments: it is a design decision, say it with confidence.
- If something goes wrong, keep talking and use the recovery table on the “If something goes wrong” page.
- Everyone knows the **first click of the next person**, so hand-offs are instant.

2 · Setup and pre-demo checklist

Do this 30 minutes before. One person (suggested: Presenter 1) owns the checklist and ticks it off out loud.

Demo accounts

Role	Email	Password	Used by	Browser
Charity Goer (Maria Santos)	goer@example.com	ChariGo123!	Presenters 2 and 3	Browser A
Organization (Angat Buhay Foundation)	organization@example.com	ChariGo123!	Presenter 3	Browser B
Administrator	admin@example.com	ChariGo123!	Presenter 4	Browser C
Spare applicants	juan@example.com, ana@example.com	ChariGo123!	Already have pending volunteer requests	–

Devices and browsers

- **One laptop on the projector, three different browsers** (for example Chrome = Goer, Edge = Organization, Firefox = Admin). A login belongs to one browser, so this lets you switch roles by switching windows, with no logging out and in.
- Log in on each browser beforehand using the one-tap demo buttons on the log-in page, and leave each on its starting page (Goer: Home · Organization: Profile · Admin: Dashboard).
- **Presenter 1's phone** opens the live site. This is the proof that the same app adapts to a phone.
- Optional: every presenter on their own laptop. Because everyone uses the same live site, a donation made on one laptop shows up on the other – even better proof, but needs good Wi-Fi.

Checklist

☐	Open the live site 30 minutes before. Free hosting **goes to sleep**; the first load can take 30–60 seconds.
☐	Do **not** redeploy the site in the last hour. Every deploy resets the database to the clean demo data (that is also the fastest way to reset after a rehearsal).
☐	All three browsers logged in, each on its starting page; other tabs closed; notifications off; full-screen or zoom to 125% so the back row can read it.
☐	Phone on the live site, brightness up, “do not disturb” on, screen timeout set to 5 minutes.
☐	Copy the volunteer message into your notes: *I would like to help with cooking and packing meals. I can join on weekends.*
☐	Figma prototype open in a tab (Presenter 1) and the document with this guide on a second screen or printed.
☐	Backup plan ready: Wi-Fi + phone hotspot; local copy running with **python app.py** at http://127.0.0.1:5000; screenshots from the last page of this guide.
☐	Agree who holds the clicker/keyboard at each hand-off and who keeps time (a phone timer is enough).

Resetting to a clean state

- **Online:** in the hosting dashboard use *Manual Deploy → Deploy latest commit*. Wait until it says Live, then open the site once.
- **Local:** stop the app and run **flask --app app reset-db** (answer y), then **python app.py**.
- A demo account stopped working? **flask --app app restore-demo** repairs the demo logins without erasing other data.

PRESENTER 1

The Host · problem, design and phone vs PC

3 min · 0:00 – 3:00
Browser: **Guest window + phone**
No login needed

Your goal: make the audience care about the problem and trust that the design was deliberate, then show that one app works on a phone and a PC. You also keep time and lead the questions at the end.

#	DO (on screen)	SAY (script)	EXPLAIN (key point / if asked)
1	Stand beside the projector with the **Welcome** page showing (logged-out window).	*"Good day, we are group ___ and this is **ChariGo**. In the Philippines people want to help, but it is hard to know which charities are real, where the money goes, and how to give time as well as money."*	State the problem in two lines. Mention the three users: people who give, charities who run campaigns, and someone who keeps it trustworthy.
2	Click **Sign up** to show the role choice (**Charity Goer / Organizations**), then use the back arrow to return.	*"ChariGo has three kinds of users. Charity Goers give and volunteer. Organizations create campaigns and manage volunteers. An administrator verifies charities. Administrators cannot be created by sign-up."*	Shows consistency (back arrow everywhere) and a design choice: the roles are explicit and the admin role is protected.
3	Switch to the Figma prototype tab, scroll the frames for a few seconds, then return to the app.	*"We designed it in Figma first and built the app from it: the pink and green palette, the Inter font, the clover logo and the original photos. Where Figma and usability disagreed we chose usability."*	Deliberate differences: dark text on pink for readable contrast; no Monthly or Google/Facebook buttons because they do not work yet, so we do not show buttons that do nothing.
4	Hold up your phone on the live **Home** page. Then, on the laptop, drag the browser window narrower and wider (or press Ctrl + / Ctrl −).	*"Same app, same code. On a phone the navigation is a tab bar at the bottom, where your thumb is. On a PC it moves to the top and the cards become a grid."*	Mobile-first CSS, breakpoints at 640 px and 900 px, checked from 320 to 1440 px wide with no sideways scrolling.
5	Point to the home page content: search, categories, featured foundation.	*"Today we follow one story. **Maria** finds a cause and donates, then volunteers. The organization sees it and responds. And the administrator makes sure the system can be trusted."*	Sets up the storyline so each presenter's part feels connected.

Hand-off cue → *"To start Maria's story, here is Presenter 2." (Presenter 2 takes the keyboard on Browser A.)*

Watch-outs

- Do not read the slide-style script word for word; make eye contact and use it as a prompt.
- If the phone is slow to load the site, keep talking about the bottom tab bar and show it afterwards.
- You are the timekeeper: signal Presenter 2 at 6:00 and Presenter 3 at 10:00 if they run over.


What the phone proof should show



Home



Fundraiser



History

Same pages and same data as on the PC. The tab bar sits at the bottom where a thumb reaches it, cards become one column, and photos run edge to edge.

PRESENTER 2

The Charity Goer · discover, donate, history

4 min · 3:00 – 7:00
Browser: **Browser A (Goer)**
goer@example.com · Maria Santos

Your goal: show a complete, low-effort donation from search to receipt, and that the history is real and genuinely useful. You are Maria.

#	DO (on screen)	SAY (script)	EXPLAIN (key point / if asked)
1	Log-in page: click the **Charity Goer** demo button, then **Log In**. (Skip if already logged in.)	*"For the demo we have one-tap buttons that fill in the demo accounts. I'm Maria, a charity goer."*	Efficiency. Log-in errors say exactly what is wrong (unknown email, wrong password, deactivated account).
2	**Home:** point to the search bar, the **My impact** tiles, categories and the featured foundation banner.	*"Home gives me search, my own impact so far, categories and featured campaigns. Everything has an icon and a label, so I never have to guess."*	Recognition rather than recall; aesthetic and minimalist design – one clear action per area.
3	Click **Explore**. Type **children** in the search box and press Enter. Open **Filters** and tick **Volunteers needed** (results update by themselves). Then click the **Bawat Batang Pinoy Malusog** card.	*"I can search by cause, charity or place, and filter by organization, category or whether volunteers are needed. Filters apply instantly – no extra button to press."*	Flexibility and efficiency. Filters fold away so the page stays calm for people who only browse.
4	**Fundraiser page:** point at the progress bar (₱19,000 raised of ₱30,000), **Your donation will help**, then click **Donate**.	*"Before I give, I can see how far the campaign is, exactly what my money does, and who the organization is. The progress comes from the real donation records, so it cannot be wrong."*	Visibility of system status; trust. Raised amounts are calculated from the donation rows, never typed in.
5	**Donate:** choose **₱250**, keep **GCash**, leave anonymous off, click **Continue to review**.	*"Preset amounts for speed, a custom amount if I want, and a clear payment list. This is a **simulated** payment – we never ask for card details."*	Error prevention: amounts are validated (₱1 to ₱10,000,000, two decimals). Simulated payments are a deliberate, safe choice for a student project.
6	**Review:** read out amount, method, fees (₱0) and total. Point at **Edit / Cancel**, then click **Confirm Donation**.	*"Nothing is final until I confirm. I can edit or cancel here. The button says 'Processing donation…' so I know it is working, and pressing it twice cannot charge me twice."*	User control and freedom; visibility of status; duplicate-submission protection (each review carries a one-time token).
7	**Receipt:** show **Thank You!** and the reference number, then click **View Donation History**.	*"I get a receipt with a reference number, and it is saved permanently."*	Match with the real world: a receipt and reference number, like a real transaction.
8	**History → Donations:** point at **Total Donated**. Click **Search and filter**, type **iwas**, change **Period** or **Sort by → Highest amount**, then click **Download CSV**. Point to **View receipt** → and **Donate again**.	*"My history shows my total, every donation grouped by month, and I can search, filter by period, sort and even download it as a spreadsheet. 'Donate again' gets me back to a cause in one tap."*	The history is built from the same donation rows as the receipts and totals, so nothing drifts out of sync. The CSV is exactly what is on screen and is protected against spreadsheet formula tricks.

Hand-off cue → *"Maria also wants to give her time, not just money. Presenter 3 will take it from here." (Leave Browser A on the same fundraiser page: **Bawat Batang Pinoy Malusog**.)*

Watch-outs

- Total Donated will read **₱1,750** after your ₱250 (three ₱500 demo donations + yours). If you rehearsed, the number will be higher – just say "total so far".
- Pressing the browser's Back button after logging in keeps you on Home on purpose: signed-in users cannot return to the log-in page until they log out. Mention it if you press it by accident.
- Do not rush the review step – it is the best example of control and freedom in the app.

PRESENTER 3

Volunteering & the Organization

4 min · 7:00 – 11:00
Browser: **Browser A, then B**
Maria, then organization@example.com

Your goal: show both sides of volunteering and prove that the donor's action instantly appears on the organization's side. Part A is Maria (Browser A), Part B is the Angat Buhay Foundation (Browser B).

#	DO (on screen)	SAY (script)	EXPLAIN (key point / if asked)
1	**A · Browser A.** On the fundraiser page click **Volunteer**. Point at the date, location, volunteers needed, **What to expect** and **Requirements**.	*"Maria also wants to help in person. Before applying she can see when and where, how many spots are left, what to expect and what is required."*	Recognition rather than recall: everything needed to decide is on one page.
2	Paste the message into **Why would you like to volunteer?**, click **Review Application**, then **Confirm Application**.	*"She writes a short message, reviews it, and confirms. Same pattern as donating, so it feels familiar."*	Consistency: the review-then-confirm pattern is reused. Duplicate applications are blocked by the database.
3	On the success page click **View Volunteer History**. Point at the new **Pending** badge, the older **Accepted** and **Rejected** ones and the **Withdraw** button (do not click it).	*"Her history shows every application with a plain-language status – pending, accepted or declined – and she can withdraw a pending one, after a confirmation."*	Visibility of system status; user control. Statuses are explained in sentences, not codes.
4	**B · Switch to Browser B.** On **Profile** point at **Organization Overview**, then click **Donations Received**.	*"Now we are the Angat Buhay Foundation. At the top is Maria's ₱250 donation from a minute ago – the same data, shown from the charity's side."*	One shared database: donors, organizations and administrators all see the same truth. Anonymous donors stay anonymous.
5	Click the **Home** tab (Current Fundraisers) → **Manage fundraiser** on **Bawat Batang Pinoy Malusog** → **Check Volunteers**.	*"The organization manages each campaign, and sees volunteer requests: Juan, Ana – and Maria's new one."*	Only the owning organization can open this page; the server checks ownership on every request.
6	Click **View Applicant** on Maria. Scroll through her personal information, skills, message and history, then click **Accept** and **Confirm decision**.	*"Before deciding the organization can read her profile, skills and past activity. Accepting asks for confirmation, because the decision is final."*	Error prevention. Capacity is enforced: an organization cannot accept more volunteers than it has slots.
7	Click the **Create** (+) tab and scroll the form without filling it in. Mention **Mark as completed** and **Deactivate** on the manage page.	*"Creating a campaign takes one form – photo, goal, dates and an optional volunteer opportunity. Closing a campaign keeps every donation and application on record."*	Only verified organizations can create campaigns (Presenter 4 shows how verification works). Deleting never erases history.
8	**Back to Browser A.** Open **Volunteer History** and refresh.	*"And back on Maria's side, her request now says **Accepted**. The loop is closed."*	Visibility of status across roles – no emails needed for an in-app update.

Hand-off cue → *"So who makes sure every organization on the platform is real? Presenter 4." (Presenter 4 takes Browser C.)*

Watch-outs

- If you rehearsed, Maria may already have applied here. Say "let's use another volunteer" and accept **Ana** instead, or register a brand-new goer account live (it takes 20 seconds and also shows sign-up).
- Part A and B involve two browser windows – practise the window switch so you land on the right one first time.
- Do not fill in the Create form on stage unless you have time; an empty form makes the point.

PRESENTER 4

Administrator, technology & close

3 min · 11:00 – 14:00
Browser: **Browser C (Admin)**
admin@example.com

Your goal: show that trust is built in (verification and an audit trail), explain the technology honestly, state the limits, and close strongly.

#	DO (on screen)	SAY (script)	EXPLAIN (key point / if asked)
1	**Dashboard:** point at the numbers (users, organizations, **pending verification**, fundraisers) and **Recent System Activity**.	*"The administrator sees the health of the system at a glance, including how many organizations are waiting for approval."*	Visibility of system status for the person responsible for the platform.
2	Click **Organizations** → **Community Care Team** (Pending) → **Review Organization**. Show About, Mission, registration details and portfolio.	*"This charity just registered. Before it can appear to the public, the administrator reviews its official details and portfolio."*	Trust: unverified organizations are hidden from the public lists and cannot create campaigns – enforced on the server, not just hidden in the interface.
3	Click **Approve Organization**, read the confirmation text aloud, click **Confirm approve**.	*"Approving asks for confirmation and explains what will change. The record is preserved and the action is audited." (Point at the green success message.)*	Error prevention and recovery: administrators can also reject with a reason or deactivate and reactivate later – nothing is destroyed.
4	Click **Records**. Point at the newest rows: the donation, the volunteer application, the decision and the approval. Type **donation** in the search box.	*"Everything important is written to a searchable system record: who did what and when. No passwords or payment details are ever stored in it."*	Accountability. Times are shown in Philippine time and stored in UTC.
5	Optional: open **Users** and point at **View User**. **Do not deactivate any demo account.**	*"Administrators can deactivate or reactivate accounts, but never their own."*	A deactivated user is logged out on their next request.
6	Face the audience (keep Records on screen).	*"Technically: Python and Flask with Jinja templates, SQLite for the data and plain HTML, CSS and JavaScript – no heavy framework. Passwords are hashed, every form has a CSRF token, and every private page checks the user's role. It has 23 automated tests, and it runs online and locally with one command."*	Deployed with gunicorn on a hosting service; locally **python app.py**. The database and demo data are created automatically on first start.
7	Face the audience.	*"We are honest about the limits: payments are simulated, sign-in is by email and password, and the free host resets its data on every deploy. Next we would add real payments such as GCash or Maya, email notifications, volunteer certificates and Filipino-language support."*	Naming the limits yourself shows you understand the difference between a prototype and a production system.
8	Close.	*"ChariGo: small acts, a bigger change. Thank you – we would be happy to take your questions."*	Pass to Presenter 1 to lead the Q&A.

Hand-off cue → *"Presenter 1 will take your questions." (Everyone stands together for Q&A.)*

Watch-outs

- If Community Care Team was already approved in a rehearsal, still open its review page, explain the approve step in words, and go on to the Records page.
- Never deactivate goer@, organization@ or admin@ during the demo – you would lock out your own colleagues.
- The technology part is spoken, not clicked. Keep it to 30 seconds; the questions page covers the details.

3 · HCI principles – where to point

Use this as a cheat sheet when someone asks “how did you apply HCI?”. Each row names a principle, the proof in the app, and who can show it.

Principle	What the app does	Show it at	Who
Visibility of system status	Loading bar on every page change, buttons switch to “Processing…”, status badges, progress bars from real data, live result counts	Review → Confirm; history counts	2, 3
Match with the real world	Peso amounts, Philippine time, receipts with reference numbers, plain-language statuses	Receipt; volunteer history	2, 3
User control and freedom	Back arrow on every inner page, review step before donating or applying, Edit / Cancel, withdraw an application, Clear filters	Review page; Withdraw	2, 3
Consistency and standards	One set of cards, buttons, badges and tabs for all three roles; navigation always in the same place	Phone vs PC; role screens	1
Error prevention	Confirmation dialogs, amount presets and validation, duplicate-submission protection, file-size checks, capacity limits	Confirm decision; Approve	2, 3, 4
Recognition rather than recall	Icons with labels, category tiles, demo-account buttons, receipts and references kept in history	Home; volunteer details	2, 3
Flexibility and efficiency	Filters apply instantly, search on Home, CSV export, “Donate again”, impact tiles link to history	Explore; History	2
Aesthetic and minimalist design	Figma palette, generous spacing, one main action per screen, details tucked behind “Search and filter”	Home; fundraiser	1, 2
Help users recover from errors	Specific log-in and form messages, friendly error pages with a way back, empty states that say what to do next	Log-in message; empty history	4
Accessibility	Visible focus, skip link, labelled forms, large touch targets, dark text on pink for contrast, reduced-motion support	Tab key through a form	1

A small honest note

- Accessibility was designed in and checked with automated tools on the first version, but it is not a full audit with assistive-technology users. Say that if asked – it is a strength to know your limits.

4 · Likely questions and good answers

Presenter 1 chooses who answers. Keep answers to 20 seconds. If you do not know, say so and offer what you do know.

Question	Suggested answer	Best answered by
Is real money moved?	No. Payments are simulated and no card details are asked for. A payment provider (GCash, Maya or a gateway) is the first next step.	2
How do you know a charity is real?	Organizations register with official details and an optional PDF portfolio; an administrator approves or rejects them. Unverified ones are hidden and cannot create campaigns. The server enforces this.	4
How does the history work?	Every donation and application is a database record. History, receipts, totals and progress bars are all computed from those same records, so they cannot disagree. You can search, filter, sort and export.	2
Why Flask and SQLite?	Small, readable and runs anywhere with one command. SQLite needs no setup. For real use we would move to PostgreSQL.	4
Why does it differ from the Figma?	Deliberately: dark text instead of white on pink for contrast, and no buttons for features that do not exist yet. Everything else follows the prototype.	1
How does it work on phones and PCs?	Mobile-first layout: tab bar at the bottom on phones, top navigation and multi-column grids from 900 px. Checked from 320 to 1440 px wide.	1
Is it secure?	Passwords are hashed, forms have CSRF tokens, roles and ownership are checked on the server, there is a strict content-security policy, uploads are validated, and private pages cannot be reopened with the Back button after logging out.	4
What happens to data on the live site?	The free host resets its disk on each deploy, so the database starts again from the demo data. A persistent database would fix that.	4
How did you test it?	23 automated tests (log-in, permissions, donations, volunteering, history, moderation) plus browser checks at eight screen widths.	4
Is it accessible?	Keyboard focus, labels, a skip link, large touch targets and contrast were designed in. We have not done a full audit with assistive-technology users.	1
What would you add next?	Real payments, monthly giving, email notifications, volunteer attendance and certificates, Filipino-language support, a stronger database.	Anyone

5 · If something goes wrong

Stay calm, keep speaking, fix it quietly. The audience mostly remembers how you handled it.

Problem	What to do
The live site is slow or blank at the start	It was asleep. Wait 30–60 seconds while Presenter 1 keeps talking. Next time open it 30 minutes before. If it does not wake, switch to the local copy.
No Wi-Fi	Switch to a phone hotspot, or present the local copy at http://127.0.0.1:5000 (**python app.py**). Phone proof can wait until after.
“Demo account is missing or was changed”	Someone deactivated or edited a demo account, or the database is old. Locally run **flask --app app restore-demo**; online redeploy. Meanwhile use another demo account.
Maria has already applied to this opportunity	Accept Ana or Juan instead, or register a new goer with Sign up (20 seconds, and it shows registration).
“Your form expired. Reload the page and try again.”	The session timed out. Reload and repeat the last step.
Numbers are different from the script	Rehearsals added data. Say “total so far”. To reset, redeploy (online) or **flask --app app reset-db** (local) before the real run.
You logged out by accident	On the log-in page use the one-tap demo button for your role.
The back row cannot read the screen	Ctrl + (plus) to zoom to 125–150% before you start; use full screen.
You are running over time	Presenter 1 signals; use the short version below.

8-minute short version


Presenter	Keep	Cut
1 · 1:30	Problem, three users, phone vs PC	Figma tab, role-choice screen
2 · 2:30	Search, fundraiser, donate, review, receipt, one history filter	Filters panel on Explore, CSV download
3 · 2:30	Apply, donations received, accept applicant, status now Accepted	Create form, withdraw, applicant history
4 · 1:30	Approve organization, audit records, one-line tech summary and limits	Users page, detailed tech talk

Rehearsal plan


- **Rehearsal 1 – read-through (15 min):** no clicking; read the Say column and fix wording you would not naturally say.
- **Rehearsal 2 – with clicks (20 min):** on the local copy; swap seats so everyone has driven every part once and can cover for a colleague.
- **Rehearsal 3 – timed run with Q&A (25 min):** on the live site; someone plays a tough examiner using the question page. Reset the data afterwards, then do not redeploy again before the real demo.

6 · Screens at a glance


What each step should look like on the projector. Use these as a backup if the live site is unavailable.




Welcome · Presenter 1




Home · Presenter 2




Explore + filter · Presenter 2




Fundraiser · Presenter 2




Donate · Presenter 2




Donation history · Presenter 2




Volunteering details · Presenter 3




Volunteer history · Presenter 3




Donations received · Presenter 3



Volunteer requests · Presenter 3



Organization review · Presenter 4



System records · Presenter 4