Movie Rating System

Testcases:

• Testcase 1. Home alone 2

```
Enter the name of the movie:
Enter the MIPAA rating of the movie:
Enter the rating of the movie (1 to 5, -1 to exit:
Enter the rating of the movie (1 to 5, -1 to exit:
Enter the rating of the movie (1 to 5, -1 to exit:
Enter the rating of the movie (1 to 5, -1 to exit:
Enter the rating of the movie (1 to 5, -1 to exit:
Name of the movie: Home Alone 2
MIPAA Rating: PG-13
Average Rating: 2
Process finished with exit code 0
```

• Testcase 2, Kung Fury

- Testcase 3, Big Chungus: Return of the Chungening
 - In this one I fixed the float issue

```
/home/mastermind63/.jdks/openjdk-17.0.2/bin/java -javaagent:/home/mastermind63/.local
Enter the name of the movie:
Bit Shungus: The Shunguring
Enter the MIPAA rating of the movie:
R
Enter the rating of the movie (1 to 5, -1 to exit:
Enter the rating of the movie (1 to 5, -1 to exit:

Character the rating of the movie (1 to 5, -1 to exit:

Character the rating of the movie (1 to 5, -1 to exit:

Character the rating of the movie (1 to 5, -1 to exit:

Enter the rating of the movie (1 to 5, -1 to exit:

Enter the rating of the movie (1 to 5, -1 to exit:

A
Enter the rating of the movie (1 to 5, -1 to exit:

Name of the movie: Big Chungus: The Chungening
MIPAA Rating: R
Average Rating: 3.5

Process finished with exit code 0
```