




These are your Rivus guidelines. They're not canon, but close. Over time they'll need to be updated, added to, and evolved to stay relevant. To ensure brand consistency, please see that any changes are made under the watchful eye of a trusted and reputable professional.

Brand Elements

(At a glance)



Logos

Color

Type

Typography

The Rivus brand font is Montserrat. It was chosen for its practicality and legibility. Montserrat Light is the primary weight used in our brand. Montserrat Semi Bold is used for instances where extra emphasis and/or contrast is needed.

Montserrat is an open source font and can be downloaded for free here:

<https://fonts.google.com/specimen/Montserrat>



Montserrat Light



Montserrat Semi Bold

Color & Gradient

Color provides a strong visual link to our brand identity across a wide range of applications. The brand color palette can be used for elements such as headlines, headings, backgrounds, buttons, and hyperlinks.


RGB Colors have been built for digital uses. Do not use RGB colors for print applications.

Spot Colors have been chosen from the Coated and Uncoated Pantone® selectors. Any colors that need to be printed in process color need to be matched to the Coated chips only.

Spot colors do not render properly on screen and should never be used for digital applications.

Tints of our colors should only be used at specified percentages.

Our **Gradient** is made using Cyan and Violet. The direction of the gradient is flexible and can blend vertically, horizontally or at an angle. A Cyan to Violet top-to-bottom, or left-to-right blend is generally preferred.



Horizontal Logo

Consistent use of the horizontal Rivus logo will help build visibility and brand recognition, and will set us apart from our competitors.

RGB Color logos have been saved in .SVG (vector), and .PNG (raster) formats and are only used for digital applications.

Spot Color logos have been saved in .EPS (vector) formats and are only used for printed applications.

Black & White logos have been saved in .SVG and .EPS (vector), and .PNG (raster) formats and can be used for print or digital applications as necessary.



Color Positive



Color Negative



Black



White

Vertical Logo

Consistent use of the vertical Rivas logo will help build visibility and brand recognition, and will set us apart from our competitors.

RGB Color logos have been saved in .SVG (vector), and .PNG (raster) formats and are only used for digital applications.

Spot Color logos have been saved in .EPS (vector) formats and are only used for printed applications.

Black & White logos have been saved in .SVG and .EPS (vector), and .PNG (raster) formats and can be used for print or digital applications as necessary.



Color Positive



Color Negative



Black



White


Symbol

Consistent use of the Rivus symbol will help build visibility and brand recognition, and will set us apart from our competitors.

RGB Color logos have been saved in .SVG (vector), and .PNG (raster) formats and are only used for digital applications.

Spot Color logos have been saved in .EPS (vector) formats and are only used for printed applications.

Black & White logos have been saved in .SVG and .EPS (vector), and .PNG (raster) formats and can be used for print or digital applications as necessary.



Color



Black



White

Clear Space

Clear space helps maintain integrity by keeping the Rivus logos and symbol away from other elements like headlines, text, images and the outside edge of printed materials.

The minimum clear space for the **Horizontal Logo** and **Vertical Logo** equals the height of the letter “R” in the logo.

The minimum clear space for the **Symbol** equals X, which is ¼th the height of the symbol.

Allow more than the minimum amount of clear space whenever possible.



Minimum Size

Minimum size refers to the smallest acceptable size that has been established to ensure legibility of the Rivus logo and symbol.

The minimum size of the **Horizontal Logo** is 20 pixels high.

The minimum size of the **Vertical Logo** is 50 pixels high.

The minimum size of the **Symbol** is 15 pixels high.

Use our logo and symbol larger than the minimum size whenever possible.



Background Color


Positive Color Logos can be used on white backgrounds and backgrounds with 0–30%.

Negative Color Logos can be used on white backgrounds and backgrounds with 70–100%.

Black Logos can be used on backgrounds with a 0–50% values.

White Logos can be used on backgrounds with a 50–100% values.


The same rules apply for the Rivus Symbol.




Improper Use

The integrity of the Rivus logo must be maintained at all times. Any unauthorized modification diminishes our logo and undermines our brand.


1. **Do not** stretch, squeeze, skew, sheer, morph, or alter the logo.
2. **Do not** recreate, manipulate, or retype the logo.
3. **Do not** use effects, drop shadows, glows, or outlines on the logo.
4. **Do not** place the logo in a containing shape.
5. **Do not** change color of the logo.
6. **Do not** tilt or rotate the logo, or place it in a vertical position.
7. **Do not** rearrange the parts of the logo.
8. **Do not** redraw or abstract the symbol.
9. **Do not** use the logo on a visually complicated background.



Design Direction
Digital



Design Direction
Print



Prepared by
HEADQUARTERS

Jason Grube
jason@hqtrs.co
(206) 258-1772

Corianton Hale
corianton@hqtrs.co
(206) 484-0651

www.headquarters.studio