

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction
Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications
Conclusions

Modeling the Construction and Evolution of Distributed Volcanic Fields on Earth and Mars

Jacob A. Richardson

School of Geosciences
University of South Florida

19 February 2016

Acknowledgements

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills

Vent Intensity

Lava Flows

Arsia Mons

Volcanic Field

Methods

Results

Implications

Conclusions

Some Collaborators

Chuck Connor

Laura Connor

Sylvain Charbonnier

Judy McIlrath

Paul Wetmore

James Wilson

Lis Gallant

Julia Kubanek

Jake Bleacher

Lori Glaze

Funding Agencies

NASA Mars Data Analysis Program

NSF SSI

Introduction

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field


Methods
Results
Implications

Conclusions

Distributed-style Volcanism

Characteristics

- Clusters of volcanoes are formed, sometimes associated with large volcanoes
- New eruptions form new vents
- Eruptions are fed by small volume batches of magma
- Long periods of quiescence



Outline of Talk

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview



Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions

- Volcanic fields, from the inside out
 - The role of sills in the formation of volcanic fields (Richardson et al., *Geology*, 2015)
 - The spatial organization of vents in volcanic fields (Richardson et al., *LPSC*, 2012)
 - Simulating lava flow emplacement
(Kabanek et al., *Bull. Volc.*, 2015)
- Evolution of volcanism at Arsia Mons
 - Can its recent rate of volcanism be determined by studying a volcanic field with only satellite data?
- Conclusions



The Igneous Plumbing System

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills

Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions

San Rafael Volcanic Field, Utah

- Pliocene volcanic activity
- Now eroded to depth of ~1 km
- Sills and Dikes exposed



Chuck Connor with a Terrestrial Lidar (L. Connor)




Photo Credit: Judy McIlrath

The Igneous Plumbing System

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview
Sills

Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications
Conclusions

Results of lidar survey

- Sill volume comparable to volume thought to have erupted at surface
- Sills had ability to modulate eruption style by interacting with volcanic conduits
- Conduits deliver magma from depth to distributed volcanoes



Richardson et al., Geology, 2015

Volcano organization in fields

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills

Vent Intensity

Lava Flows

Arsia Mons
Volcanic Field


Methods

Results

Implications

Conclusions




The spatial organization of volcanoes is modeled as a density function




- Area of volcanic field defined as 95th percentile of density function

$$\text{Average vent intensity} = \frac{\# \text{ volcanic vents}}{\text{field area}}$$

- This model is applied to fields on Earth, Mars, and Venus



The 2012-3 Tolbachik Lava Flow



NASA Earth Observing-1 Mission, 1 February 2013

Lava Flows/Simulators

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview

Sills
Vent Intensity
Lava Flows


Arsia Mons
Volcanic Field
Methods
Results
Implications
Conclusions

- MOLASSES developed after Connor et al., *JAV*, 2012
- Spreads lava over a grid according to universal rules

Optional Spreading Rules




Using TanDEM-X satellite data, flow simulations match the 2012-3 Tolbachik flow between 70-85%.



Kubanek et al., *Bull. Volc.*, 2015

Distributed Volcanism of the Tharsis Volcanic Province



Tharsis Vent Catalog

- >1,000 small volcanic vents cataloged
(Richardson et al., JVGR, 2013, Bleacher et al., JVGR, 2009)
- Groups of vents form isolated clusters

Research Questions

- How does distributed-style volcanism occur over time and space in Tharsis?
- How do volcanic fields relate to the larger volcanoes on Mars?

Arsia Mons Overview

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills

Vent Intensity

Lava Flows

Arsia Mons
Volcanic Field

Methods

Results

Implications

Conclusions

Arsia Mons

- Large ($1.5 \cdot 10^6 \text{ km}^3$) shield volcano with 110 km diameter caldera
- A cluster of volcanic vents lay in the caldera!

Motivation

What are the recurrence rate of
volcanism and delivery rate of
magma to the surface?



Arsia Mons Overview

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills

Vent Intensity

Lava Flows

Arsia Mons
Volcanic Field

Methods

Results

Implications

Conclusions

Recurrence Rate and Magma Delivery Rate

$$\text{Recurrence Rate} = \frac{\text{Number of Events} - 1}{\text{Time elapsed}}$$

$$\text{Delivery Rate} = \frac{\text{Total Volume}}{\text{Number of Events}} \times \text{Recurrence Rate}$$

- Lavas from these vents can be mapped to estimate volume and timing of emplacement



Mapping Volcanic Vents

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions



CTX Image: G10_022160_1710_XN_09S120W (NASA/JPL-Caltech/MSSS)

Mapping Lava Flows

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions



CTX Image: G10_022160_1710_XN_09S120W (NASA/JPL-Caltech/MSSS)



Lava Flow Map of Arsia Mons' Caldera

Volcanic
Fields on
Earth & Mars

Jacob
Richardson


Introduction

Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications

Conclusions



Mapping results

- 29 vents are cataloged, each with long lava flows
- Lava flow areas are 10s–100s km²
- Flow thicknesses assumed to be 10–80 m (Mouginis-Mark & Rowland, *Icarus*, 2008)
- From this, volumes estimates range from 10⁻²–70 km³

Ages: Crater Counting

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview

Sills
Vent Intensity
Lava Flows

Arisia Mons
Volcanic Field

Methods
Results
Implications

Conclusions



CTX Image: G10_022160_1710_XN_09S120W (NASA/JPL-Caltech/MSSS)

Impact craters on
each flow are
cataloged

More craters
generally indicates
older age

Ages and
uncertainties
modeled in
craterstats2 (Michael,
Icarus, 2013)

Ages: Crater Counting

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills
Vent Intensity
Lava Flows



Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions

Ages of flow emplacement are modeled as Normal Distributions

- Estimated age from *craterstats2* is used as the Mean Value
- Age Uncertainty is Standard Deviation



Ages: Stratigraphy

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions




CTX Image: G10_022160_1710_XN_09S120W (NASA/JPL-Caltech/MSSS)

Stratigraphic
relationships
relatively date
events.



Lava from v19
overlies v23 lavas

Graphical Form:



Combined Age Information

Stratigraphy “Web”



Ages: Information Conflicts

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview



Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions

Mean crater ages can agree stratigraphy...




Ages: Information Conflicts

Volcanic
Fields on
Earth & Mars


Jacob
Richardson

Introduction
Overview
Sills
Vent Intensity
Lava Flows
**Arisia Mons
Volcanic Field**
Methods
Results
Implications
Conclusions

...or mean age can disagree with strat.



**But by probabilistically modeling age,
possible ages can still be identified**



Volcanic Event Recurrence Rate Model (VERRM)

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview


Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications
Conclusions


Step 1: Find potential ages of all events in the field (Monte Carlo)

Input Files



Age Model Database			Stratigraphic Relationship Database	
EventID	Mean_age	Uncertainty	Older	Younger
A	50	30	B	A
B	80	20	D	B
C	30	05	D	C
D	80	50	E	D
E	150	75		



For each vent:



Binary Function from Stratigraphy



Output

Sampled_Age [A]
Sampled_Age [B]
...
Sampled_Age [E]

Volcanic Event Recurrence Rate Model (VERRM)

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions

Step 2: Calculate Recurrence Rate of Volcanism

For each Monte Carlo simulation (i.e. each set of potential ages), model Recurrence Rate (RR) through time:

$$\text{RR}(t) = \frac{3}{T_{e-2} - T_{e+2}}$$

Step 3: Calculate Magma Delivery Rate

Model Magma Delivery Rate (Flux) through time:

$$\text{Flux}(t) = \frac{\text{Volume}_e}{T_e - T_{e+1}}$$

Results

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications

Conclusions

Recurrence Rate through time



- All 10,000 Recurrence Rate functions are combined
- Rate peaks at 150 Ma, producing 1 vent per 1-10 Myr (Median value: $0.25 \text{ events Myr}^{-1}$)
- Rate has decreased monotonically: $\text{RR}(t = 0) \rightarrow 0$

Volume Flux

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction


Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications
Conclusions

Magma Delivery Rate through time

- All 10,000 Magma Delivery Rate functions are combined
- Median rate plateaus at at 150 Ma ($0.4\text{--}3 \text{ km}^3 \text{ Myr}^{-1}$), remains steady until 100 Ma before rapidly waning.
- Uncertainty in magma delivery rate is about 1 order of magnitude to either side of the median



Tie-in with ashes and glaciers

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills

Vent Intensity

Lava Flows


Arsia Mons
Volcanic Field

Methods

Results

Implications

Conclusions



- Extant glaciers are preserved on Western flank of Arsia
- Preserved for ~200 Ma by ashes (Kadish et al., *P&SS*, 2014)
- If ashes were sourced near-summit (Mouginis-Mark, *GRL*, 2002), our effusive volcanism might be predated by explosive activity

← from Shean et al., *JGR Planets*, 2007

Model of waning volcanism of Arsia

Volcanic
Fields on
Earth & Mars


Jacob
Richardson

Introduction

Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications
Conclusions



- ① Large magma chamber fed edifice-building, sometimes explosive eruptions (Wilson et al., *JGR*, 2001)
- ② Ashes coated ice-rich deposits before 200 Ma
- ③ The chamber cooled from waning magma flux
- ④ Volcanism evolved from explosive to effusive as magma waned
- ⑤ Volcanism is now in hiatus ($RR(t = 0) \rightarrow 0$)

Conclusions

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills

Vent Intensity

Lava Flows

Arsia Mons

Volcanic Field

Methods

Results

Implications

Conclusions




Arsia Mons

- ① Late volcanism at Arsia Mons emplaced a volcanic field in its caldera
- ② Multiple dating methods used on lavas can be combined to estimate rate of volcanism, which peaked 150 million years ago
- ③ Volcanism waned and likely ceased 10-90 million years ago
- ④ This field might be related to a larger waning of volcanism at Arsia
- ⑤ Vents in this field are less concentrated than vents in terrestrial volcanic fields
- ⑥ Lava flows are an order of magnitude larger in volume than flows in most terrestrial fields

Conclusions

Overall Conclusions

- Volcanic fields have complex, voluminous roots
 - Emplacement of lavas in these fields can be modeled
 - Volcanic vent distribution in fields has a wide variation across the solar system
 - These tools can be used to gain knowledge about volcanic fields on Mars with spaceborne instruments



Acknowledgements

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field
Methods
Results
Implications

Conclusions

The Intrepid Committee!

Chuck Connor, Jake Bleacher, Rocco Malservisi, Matt Pasek, and Tim Dixon



Questions?

Volcanic
Fields on
Earth & Mars

Jacob
Richardson

Introduction

Overview

Sills
Vent Intensity
Lava Flows

Arsia Mons
Volcanic Field

Methods
Results
Implications

Conclusions

