

CURIONEST

Chapter 1 — Essential Ideas

Unit Pack · Lab Safety · Properties of Matter · Measurement · Sig Figs · Dimensional Analysis

WHAT'S INSIDE

- ✓ Complete concept notes with worked examples
- ✓ Practice sets in varied formats (short answer, MCQ, calculations)
- ✓ Key terms glossary + full answer key with worked solutions
- ✓ Original figures and Word-native equations — print-ready & editable

Made by a chemistry teacher — aligned to the standard US chemistry sequence.

In this unit, you will learn to:

1. Read the NFPA 704 hazard diamond and identify chemical hazards
2. Distinguish physical properties from chemical properties
3. Use SI units and metric prefixes correctly
4. Count significant figures and report calculations correctly
5. Convert units using dimensional analysis

Unit Vocabulary — Write each term in your own words

hazard diamond (NFPA 704)

physical property

chemical property

extensive property

intensive property

SI unit

metric prefix

significant figure

accuracy

precision

dimensional analysis

density

Lesson 1 — Lab Safety: The NFPA 704 Hazard Diamond

Objective: Read the four sections of the NFPA hazard diamond and explain what each rating means.

Before you touch any chemical, read its hazard information. The NFPA 704 hazard diamond — sometimes called a 'fire diamond' — summarizes the major hazards of a chemical in one symbol. It has four colored sections: the top (red) diamond specifies the level of fire hazard, based on the flash point temperature. The blue (left) diamond indicates the health hazard. The yellow (right) diamond describes reactivity — how readily the substance will detonate or undergo violent chemical change. The white (bottom) diamond points out special hazards, such as oxidizers or substances that react with water.

Each hazard is rated from 0 to 4: 0 means no hazard, 4 means extremely hazardous. A chemical rated 4 for health is deadly even with brief exposure; a rating of 1 means mild irritation. Reading these numbers tells you how careful you need to be.

Worked Example

A container shows a hazard diamond rated 2-3-1 with a W in the white section. What do the ratings tell you?

Step 1: Fire hazard (top, red) = 2: the substance must be moderately heated before it will ignite.

Step 2: Health hazard (left, blue) = 3: even short exposure can cause serious injury or permanent damage.

Step 3: Reactivity (right, yellow) = 1: stable normally, but can become unstable under high heat or pressure.

Step 4: Special (bottom, white) = W: the substance reacts violently with water.

Answer: Handle with full PPE, away from water and flames.

Check Your Understanding

1. Which section of the NFPA diamond indicates fire hazard?

- (A) Top (red)
- (B) Left (blue)
- (C) Right (yellow)
- (D) Bottom (white)

Answer: _____

2. A rating of 4 in any section means the hazard is:

- (A) No hazard
- (B) Slight
- (C) Serious
- (D) Extremely hazardous

Answer: _____

3. What does the W in the white section of the diamond mean?

- (A) Wet-able substance
- (B) Reacts violently with water
- (C) Water-soluble
- (D) Weigh carefully

Answer: _____

4. A chemical is rated 0 for fire hazard. What does this mean?

- (A) It will not burn
- (B) It burns easily
- (C) It explodes in air
- (D) It has a low flash point

Answer: _____

Lesson 2 — Physical vs Chemical Properties

Objective: Classify properties and changes of matter as physical or chemical.

A physical property is a characteristic observed without changing the chemical composition — density, color, hardness, melting point, and boiling point are physical properties. A physical change alters the state or form but not the identity: wax melting, sugar dissolving, steam condensing, and grinding solids are physical changes.

A chemical property describes the ability of a substance to change into different matter — flammability, toxicity, acidity, and reactivity are chemical properties. Iron rusts (combines with oxygen); nitroglycerin explodes easily; neon is very unreactive. A chemical change always produces new substances: rusting, burning, food rotting, copper reacting with nitric acid.

Worked Example

Classify each as a physical or chemical property: (a) the melting point of iron is 1538 °C; (b) chromium does not oxidize; (c) the density of aluminum is 2.70 g/cm³.

Step 1: Melting point is observed without changing the chemical composition — physical property.

Step 2: Resistance to oxidation describes how the substance behaves in a chemical reaction — chemical property.

Step 3: Density describes the substance itself, not a reaction — physical property.

Answer: (a) physical, (b) chemical, (c) physical.

Check Your Understanding

1. Classify: 'Iron combines with oxygen to form rust.'

- (A) Physical property
- (B) Chemical property
- (C) Physical change
- (D) Intensive property

Answer: _____

2. Which is a PHYSICAL change?

- (A) Burning a match
- (B) Iron rusting
- (C) Sugar dissolving in coffee
- (D) Food rotting

Answer: _____

3. Which is a CHEMICAL change?

- (A) Wax melting
- (B) Steam condensing
- (C) Grinding powder
- (D) Copper reacting with nitric acid

Answer: _____

4. Why is flammability a chemical property?

Lesson 3 — Measurements and SI Units

Objective: Identify SI base units, metric prefixes, and the three parts of every measurement.

Every measurement provides three kinds of information: a number (magnitude), a unit (standard of comparison), and an indication of uncertainty. The SI system uses base units: meter (length), kilogram (mass), second (time), and kelvin (temperature).

Metric prefixes change the size of a unit by powers of ten. Common prefixes: kilo (k, $1000\times$), centi (c, $1/100$), milli (m, $1/1000$), micro (μ , $1/1,000,000$), nano (n, $1/1,000,000,000$). Derived units include volume (liter = dm^3) and density (g/mL or g/cm^3).

Worked Example

How many milliliters are in 1.5 liters?

Step 1: The prefix milli (m) means $1/1000$, so $1\text{ L} = 1000\text{ mL}$.

$$1\text{ L} = 1000\text{ mL}$$

Step 2: Multiply by the conversion factor — the L units cancel:

$$1.5\text{ L} \times \frac{1000\text{ mL}}{1\text{ L}} = 1500\text{ mL}$$

Answer: 1500 mL

Check Your Understanding

1. Which SI base unit measures length?

- (A) Kilogram
- (B) Meter
- (C) Second
- (D) Kelvin

Answer: _____

2. The prefix 'kilo' means:

- (A) $1/100$
- (B) $1/1000$
- (C) $1000\times$
- (D) $1/1,000,000$

Answer: _____

3. Which SI base unit measures temperature?

- (A) Celsius
- (B) Kelvin
- (C) Fahrenheit
- (D) Joule

Answer: _____

4. 1 centimeter is what fraction of a meter?

- (A) $1/10$
- (B) $1/100$
- (C) $1/1000$
- (D) $1/1,000,000$

Answer: _____

Lesson 4 — Significant Figures

Objective: Count significant figures and report calculations with the correct number of sig figs.

Significant figures (sig figs) are the digits in a measurement that are known with certainty plus one estimated digit. Rules: non-zero digits are always significant; leading zeros are NOT significant (0.003080 has 4 sig figs — the 3080); captive zeros between non-zeros ARE significant; trailing zeros are significant only if a decimal point is present.

Calculations: for multiplication and division, round the answer to the fewest significant figures of any factor. For addition and subtraction, round to the fewest decimal places. Exact numbers (counted or defined) have unlimited sig figs.

Worked Example

How many sig figs are in 0.003080? Then compute 12.55×0.25 and report with the correct sig figs.

Step 1: Count sig figs in 0.003080: leading zeros do NOT count; the 3, 0, 8, 0 are significant (trailing zero counts because a decimal point is present).

$$0.003080 \rightarrow 4 \text{ sig figs}$$

Step 2: For multiplication, round to the fewest sig figs of any factor. 0.25 has 2 sig figs:

$$12.55 \times 0.25 = 3.1375 \rightarrow 3.1 \text{ (2 sig figs)}$$

Answer: 0.003080 has 4 sig figs; the product is 3.1.

Check Your Understanding

1. How many significant figures are in 0.003080?

- (A) 3
- (B) 4
- (C) 5
- (D) 6

Answer: _____

2. How many significant figures are in 2500 (no decimal point)?

- (A) 2
- (B) 3
- (C) 4
- (D) Cannot determine

Answer: _____

3. Compute 2.5×3.1416 and report with correct sig figs:

- (A) 7.854
- (B) 7.85
- (C) 7.9
- (D) 8

Answer: _____

4. For multiplication/division, round to the fewest:

- (A) Decimal places
- (B) Significant figures
- (C) Digits total
- (D) Non-zero digits

Answer: _____

Lesson 5 — Dimensional Analysis and Density

Objective: Convert units using conversion factors and calculate density.

Dimensional analysis (unit conversion) uses conversion factors written as ratios to cancel unwanted units. Example: $12.0 \text{ oz} \times (29.57 \text{ mL} / 1 \text{ oz}) = 355 \text{ mL}$ — the oz units cancel, leaving mL.

Density is the ratio of mass to volume: $\text{density} = \text{mass} / \text{volume}$. The density of aluminum is 2.70 g/cm^3 — a small piece and a large block have the same density (it is intensive).

Worked Example

A 197-lb weight lifter wants to compete in a class limited to 90 kg. Is he light enough? ($1 \text{ kg} = 2.205 \text{ lb}$)

Step 1: Write the conversion factor with the desired unit (kg) on top:

$$\frac{1 \text{ kg}}{2.205 \text{ lb}}$$

Step 2: Multiply — the lb units cancel:

$$197 \text{ lb} \times \frac{1 \text{ kg}}{2.205 \text{ lb}} = 89.3 \text{ kg}$$

Step 3: Compare: $89.3 \text{ kg} < 90 \text{ kg}$ — he qualifies.

Answer: Yes — 89.3 kg, under the 90 kg limit.

Check Your Understanding

1. How many milliliters are in a 12.0-oz can? ($1 \text{ oz} = 29.57 \text{ mL}$)

- (A) 355 mL
- (B) 405 mL
- (C) 295 mL
- (D) 0.406 mL

Answer: _____

2. Calculate the density of aluminum if 27.6 cm^3 has a mass of 74.6 g.

- (A) 0.370 g/cm^3
- (B) 2.70 g/cm^3
- (C) 27.0 g/cm^3
- (D) 3.70 g/cm^3

Answer: _____

3. Is density an extensive or intensive property?

- (A) Extensive — depends on amount
- (B) Intensive — does not depend on amount
- (C) Chemical
- (D) Neither

Answer: _____

4. Convert 2.0 L to milliliters:

- (A) 20 mL
- (B) 200 mL
- (C) 2000 mL
- (D) 0.002 mL

Answer: _____

Unit Review — Chapter 1 (Multiple Choice)

Circle the letter of the best answer for each question.

1. Which section of the NFPA hazard diamond indicates reactivity?

- (A) Top (red)
- (B) Left (blue)
- (C) Right (yellow)
- (D) Bottom (white)

2. Classify: 'The density of aluminum is 2.70 g/cm^3 .'

- (A) Chemical property
- (B) Extensive property
- (C) Intensive property
- (D) Chemical change

3. Which is a chemical property?

- (A) Melting point
- (B) Color
- (C) Flammability
- (D) Density

4. The SI base unit for mass is the:

- (A) Gram
- (B) Kilogram
- (C) Pound
- (D) Newton

5. How many significant figures in 0.05020?

- (A) 3
- (B) 4
- (C) 5
- (D) 6

6. Report 4.52×2.0 with correct sig figs:

- (A) 9.04
- (B) 9.0
- (C) 9
- (D) 9.040

7. A chemical rated 3 for health hazard means:

- (A) No hazard
- (B) Mild irritation
- (C) Even short exposure can cause serious injury
- (D) Deadly instantly

8. Convert 250 mL to liters:

- (A) 2.5 L
- (B) 0.25 L
- (C) 25 L
- (D) 0.025 L

- 9.** Which is a physical change?
- (A) Burning gasoline
 - (B) Iron rusting
 - (C) Ice melting
 - (D) Food digesting
- 10.** For addition/subtraction, round to the fewest:
- (A) Significant figures
 - (B) Decimal places
 - (C) Digits
 - (D) Non-zero digits
- 11.** The W in the NFPA diamond white section means the substance:
- (A) Is water-soluble
 - (B) Reacts violently with water
 - (C) Is wet
 - (D) Washes off easily
- 12.** Density is calculated as:
- (A) $\text{mass} \times \text{volume}$
 - (B) $\text{mass} \div \text{volume}$
 - (C) $\text{volume} \div \text{mass}$
 - (D) $\text{mass} + \text{volume}$
- 13.** How many cm in 1 m?
- (A) 10
 - (B) 100
 - (C) 1000
 - (D) 1,000,000
- 14.** A substance rated 0 for reactivity is:
- (A) Extremely reactive
 - (B) Stable under normal conditions
 - (C) Explosive
 - (D) An oxidizer
- 15.** Which GHS pictogram warns of a flammable substance?
- (A) Skull and crossbones
 - (B) Flame
 - (C) Corrosion
 - (D) Gas cylinder

Answer Key

Answers to all lesson practice and unit review questions are in the answer key.