Jenkins

búsqueda (CTRL+K)   jarold.hakins ∨   Desconectar

Configuration

⚙ General

ஃ Configurar el origen del código fuente

🕒 Disparadores de ejecuciones

🌐 Entorno de ejecución

⚙ Pasos previos

⚙ Proyecto

⚙ Pasos posteriores

⚙ Propiedades del proyecto

📦 Acciones para ejecutar después.

General

Enabled ✓

Descripción

1. Generate the build with the maven command clean package using option -DskipTests

[Plain text] Visualizar

☐ Desechar ejecuciones antiguas ?

☐ Esta ejecución debe parametrizarse ?

☐ GitHub project

☐ Throttle builds ?

☐ Lanzar ejecuciones concurrentes en caso de ser necesario ?

Avanzado...

Configurar el origen del código fuente

○ Ninguno

● Git ?

Repositories ?

Repository URL ?   ✕

Guardar   Apply

Configuration

- ⚙ General
- ⅄ Configurar el origen del código fuente
- ⏱ Disparadores de ejecuciones
- 🌐 Entorno de ejecución
- ⚙ Pasos previos
- ⚙ Proyecto
- ⚙ Pasos posteriores
- ⚙ Propiedades del proyecto
- 📦 Acciones para ejecutar después.

Configurar el origen del código fuente

○ Ninguno

● Git ?

Repositories ?

Repository URL ?   ✕

https://github.com/jitpack/maven-simple

Credentials ?

- none - ⌄

+ Add

Avanzado...

Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?   ✕

*/master

Add Branch

Navegador del repositorio ?

Guardar   Apply

Configuration

- General
- Configurar el origen del código fuente
- Disparadores de ejecuciones
- Entorno de ejecución
- Pasos previos
- Proyecto
- Pasos posteriores
- Propiedades del proyecto
- Acciones para ejecutar después.

Pasos previos

Añadir un paso previo ▾

Proyecto

Fichero POM raíz ?

pom.xml

Goles y opciones ?

clean package -DskipTests

Avanzado...

Pasos posteriores

○ Ejecutar sólo en caso de éxito

○ Ejecutar sólo cuando la ejecución fué buena o inestable.

● Ejecutar siempre (sea cual sea el resultado)

Criterios de ejecución

Añadir un paso posterior ▾

Guardar Apply

↑ Volver al proyecto

🗐 Estatus

</> Cambios

⊡ Console Output

　　📄 View as plain text

☑ Editar información de la ejecución

🗑 Delete build '#4'

◆ Git Build Data

↪ Redesplegar Artefactos

🗄 Ver firmas

← Ejecución previa

✅ Salida de consola

```
Started by user jarold.hakins
Running as SYSTEM
Building in workspace C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven
The recommended git tool is: NONE
No credentials specified
 > git rev-parse --resolve-git-dir C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\.git # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/jitpack/maven-simple # timeout=10
Fetching upstream changes from https://github.com/jitpack/maven-simple
 > git --version # timeout=10
 > git --version # 'git version 2.38.1.windows.1'
 > git fetch --tags --force --progress -- https://github.com/jitpack/maven-simple +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git rev-parse "refs/remotes/origin/master^{commit}" # timeout=10
Checking out Revision 9466faa13d65044c8430b418327df826f13ca07a (refs/remotes/origin/master)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f 9466faa13d65044c8430b418327df826f13ca07a # timeout=10
Commit message: "JUnit4 test"
 > git rev-list --no-walk 9466faa13d65044c8430b418327df826f13ca07a # timeout=10
Parsing POMs
Established TCP socket on 63862
[ejercicio-Maven] $ java -cp C:\Users\jarold.hakins\.jenkins\plugins\maven-plugin\WEB-INF\lib\maven35-agent-
1.14.jar;C:\Users\jarold.hakins\.jenkins\tools\hudson.tasks.Maven_MavenInstallation\Maven\boot\plexus-classworlds-
2.6.0.jar;C:\Users\jarold.hakins\.jenkins\tools\hudson.tasks.Maven_MavenInstallation\Maven\conf/logging jenkins.maven3.agent.Maven35Main
C:\Users\jarold.hakins\.jenkins\tools\hudson.tasks.Maven_MavenInstallation\Maven C:\Users\jarold.hakins\.jenkins\war\WEB-INF\lib\remoting-3044.vb_940a_a_e4f72e.jar
C:\Users\jarold.hakins\.jenkins\plugins\maven-plugin\WEB-INF\lib\maven35-interceptor-1.14.jar C:\Users\jarold.hakins\.jenkins\plugins\maven-plugin\WEB-INF\lib\maven3-interceptor-commons-1.14.jar 63862
<===[JENKINS REMOTING CAPACITY]===>channel started
Executing Maven:  -B -f C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\pom.xml clean package -DskipTests
[INFO] Scanning for projects...
[WARNING]
[WARNING] Some problems were encountered while building the effective model for com.github.jitpack:maven-simple:jar:0.2-SNAPSHOT
[WARNING] 'build.plugins.plugin.version' for org.apache.maven.plugins:maven-source-plugin is missing. @ line 35, column 15
[WARNING] 'build.plugins.plugin.version' for org.apache.maven.plugins:maven-javadoc-plugin is missing. @ line 48, column 15
[WARNING]
[WARNING] It is highly recommended to fix these problems because they threaten the stability of your build.
```

```
[WARNING] It is highly recommended to fix these problems because they threaten the stability of your build.
[WARNING]
[WARNING] For this reason, future Maven versions might no longer support building such malformed projects.
[WARNING]
[INFO]
[INFO] ------------------< com.github.jitpack:maven-simple >-------------------
[INFO] Building Simple Maven example 0.2-SNAPSHOT
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ maven-simple ---
[INFO] Deleting C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ maven-simple ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\src\main\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.2:compile (default-compile) @ maven-simple ---
[INFO] Changes detected - recompiling the module!
[WARNING] File encoding has not been set, using platform encoding Cp1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file to C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target\classes
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ maven-simple ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.2:testCompile (default-testCompile) @ maven-simple ---
[INFO] Changes detected - recompiling the module!
[WARNING] File encoding has not been set, using platform encoding Cp1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file to C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target\test-classes
[INFO]
[INFO] --- maven-surefire-plugin:2.12.4:test (default-test) @ maven-simple ---
[INFO] Tests are skipped.
[INFO]
[INFO] --- maven-jar-plugin:2.4:jar (default-jar) @ maven-simple ---
[INFO] Building jar: C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target\maven-simple-0.2-SNAPSHOT.jar
[INFO]
[INFO] >>> maven-source-plugin:3.2.1:jar (attach-sources) > generate-sources @ maven-simple >>>
[WARNING] Failed to getClass for org.apache.maven.plugins.source.SourceJarMojo
[INFO]
[INFO] <<< maven-source-plugin:3.2.1:jar (attach-sources) < generate-sources @ maven-simple <<<
[INFO]
[INFO]
```

[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[WARNING] javadoc: warning - The code being documented uses modules but the packages defined in https://docs.oracle.com/javase/7/docs/api/ are in the unnamed module.
[INFO] Building jar: C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target\maven-simple-0.2-SNAPSHOT-javadoc.jar
[INFO] --
[INFO] BUILD SUCCESS
[INFO] --
[INFO] Total time: 4.946 s
[INFO] Finished at: 2022-11-08T12:40:20-05:00
[INFO] --
Waiting for Jenkins to finish collecting data
[JENKINS] Archiving C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\pom.xml to com.github.jitpack/maven-simple/0.2-SNAPSHOT/maven-simple-0.2-SNAPSHOT.pom
[JENKINS] Archiving C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target\maven-simple-0.2-SNAPSHOT.jar to com.github.jitpack/maven-simple/0.2-SNAPSHOT/maven-simple-0.2-SNAPSHOT.jar
[JENKINS] Archiving C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target\maven-simple-0.2-SNAPSHOT-sources.jar to com.github.jitpack/maven-simple/0.2-SNAPSHOT/maven-simple-0.2-SNAPSHOT-sources.jar
[JENKINS] Archiving C:\Users\jarold.hakins\.jenkins\workspace\ejercicio-Maven\target\maven-simple-0.2-SNAPSHOT-javadoc.jar to com.github.jitpack/maven-simple/0.2-SNAPSHOT/maven-simple-0.2-SNAPSHOT-javadoc.jar
channel stopped
Finished: SUCCESS