Status	Finished
Started	Tuesday, 25 August 2026, 4:35 PM
Completed	Tuesday, 25 August 2026, 4:39 PM
Duration	3 mins 37 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("REC")
```

a. Compiled Successfully, No Output.

b. **REC**

c. Hello

Question **2**

Complete

Mark 1.00 out of 1.00

What is the output of the following snippet?

```
s1 = "IIT "  # Remember there is a space after T in IIT
s2 = "Punjab"
s1 = s1 * 2
s2 = "Ropar"
print(s1, s2)
```

a. IIT Punjab

b. IIT Ropar

c. IIT IIT Ropar

d. IIT IIT Punjab

Question **3**

Complete

Mark 1.00 out of 1.00

Which of the following options correctly prints the phrase "Hurry Up!!"?

- a. print("Hurry Up!!")
- b. print(Hurry Up!!!)
- c. printf("Hurry Up!!")
- d. print_sentence(Hurry Up!!!)

Question **4**

Complete

Mark 1.00 out of 1.00

What is the output when the following sequence of instructions is carried out in the console?

```
a = 1;a = a + 1;a = a + 2;a = a + 3;print(a)
```

- a. 5
- b. 4
- c. 6
- d. 7

Question **5**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if a>=2 :
- b. if (a >= 2)
- c. if (a => 22)

Question **6**

Complete

Mark 0.00 out of 1.00

What is the output of the below code snippet?

```
num1=100
num2=200
num3=6
if(5>=num3):
    if(num1>100 or num2>150):
        print("1")
elif(num1>=100 and num2>150):
    print("2")
else:
    print("3")
```

a. 3

b. 1

c. 2

Question **7**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
a = 25
if a > 15:
   print("Hi")
if a <= 30:
   print("Hello")
else:
   print("Know Program")
```

a. Hi
Hello

b. Hello
Know Program

c. Hello

d. Hi
Know Program

Question **8**

Complete

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 2

b. Code 2, Code 3

c. Code 1, Code 3

Question **9**

Complete

Mark 1.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

- a. pass
- b. None
- c. Jump
- d. Empty

Question **10**

Complete

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if  1-1:
    print("python")
else:
    print("0 is false")
```

- a. python
- b. 0 is false
- c. Error

Question **11**

Complete

Mark 1.00 out of 1.00

Python supports _____ types of control structures.

- a. 2
- b. 4
- c. 3
- d. 1

Question **12**

Complete

Mark 1.00 out of 1.00

what will be the output for the following question?

```
a, b = 12, 5
if a + b:
    print('True')
else:
  print('False')
```

- a. False
- b. True
- c. Error

Question **13**

Complete

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

- a. Finds the sum of two numbers
- b. Finds the remainder on dividing two numbers
- c. Finds the product of two numbers
- d. Finds the quotient on dividing two numbers

Question **14**

Complete

Mark 1.00 out of 1.00

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

a. **Iteration**

b. **None of the above**

c. **indentation**

d. **orientation**

Question **15**

Complete

Mark 1.00 out of 1.00

Write the output of the following code :

```
x="Joy"
if(x=="John"):
    print("Aero")
elif(x=="Joy"):
    pass
else:
    print("REC")
print("REC-AERO")
```

a. REC
REC-AERO

b. REC-AERO

c. Aero
REC
REC-Aero

d. All the Above