

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1','2020-01-01 11:03:00','2020-01-01 12:16:00','144','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('2','2020-01-01 11:22:00','2020-01-01 12:27:00','136','31','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('3','2020-01-01 12:25:00','2020-01-01 13:01:00','66','24','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('4','2020-01-01 12:28:00','2020-01-01 13:20:00','49','24','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('5','2020-01-01 12:35:00','2020-01-01 13:29:00','61','21','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('6','2020-01-01 13:14:00','2020-01-01 13:50:00','209','3','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('7','2020-01-01 13:43:00','2020-01-01 14:36:00','35','17','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('8','2020-01-01 13:52:00','2020-01-01 14:35:00','104','39','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('9','2020-01-01 14:15:00','2020-01-01 15:13:00','132','20','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('10','2020-01-01 14:17:00','2020-01-01 15:09:00','137','24','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('11','2020-01-01 14:20:00','2020-01-01 14:54:00','26','33','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('12','2020-01-01 14:38:00','2020-01-01 15:09:00','110','7','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('13','2020-01-01 15:19:00','2020-01-01 16:23:00','141','25','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('14','2020-01-01 17:24:00','2020-01-01 18:19:00','105','17','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('15','2020-01-01 19:51:00','2020-01-01 20:49:00','168','20','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('16','2020-01-02 11:36:00','2020-01-02 12:07:00','100','7','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('17','2020-01-02 12:19:00','2020-01-02 13:25:00','164','39','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('18','2020-01-02 12:55:00','2020-01-02 13:54:00','57','31','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('19','2020-01-02 13:32:00','2020-01-02 14:42:00','130','40','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('20','2020-01-02 13:53:00','2020-01-02 14:40:00','85','22','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('21','2020-01-02 14:15:00','2020-01-02 15:28:00','40','46','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('22','2020-01-02 14:22:00','2020-01-02 15:04:00','202','5','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('23','2020-01-02 14:46:00','2020-01-02 15:45:00','93','34','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('24','2020-01-02 15:23:00','2020-01-02 16:34:00','112','29','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('25','2020-01-02 15:41:00','2020-01-02 16:22:00','127','50','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('26','2020-01-02 16:12:00','2020-01-02 16:46:00','144','15','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('27','2020-01-02 16:32:00','2020-01-02 17:21:00','69','50','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('28','2020-01-02 17:11:00','2020-01-02 17:57:00','78','39','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('29','2020-01-02 17:39:00','2020-01-02 18:46:00','137','6','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('30','2020-01-02 17:54:00','2020-01-02 18:30:00','84','45','4');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('31','2020-01-02 18:01:00','2020-01-02 18:40:00','31','13','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('32','2020-01-02 18:22:00','2020-01-02 19:25:00','120','2','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('33','2020-01-02 18:49:00','2020-01-02 19:42:00','68','26','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('34','2020-01-02 18:56:00','2020-01-02 20:04:00','68','26','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('35','2020-01-02 19:11:00','2020-01-02 20:01:00','131','32','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('36','2020-01-02 19:19:00','2020-01-02 20:02:00','132','41','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('37','2020-01-02 19:25:00','2020-01-02 20:22:00','136','21','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('38','2020-01-03 10:58:00','2020-01-03 12:10:00','113','50','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('39','2020-01-03 12:51:00','2020-01-03 13:39:00','37','49','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('40','2020-01-03 13:05:00','2020-01-03 13:37:00','28','11','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('41','2020-01-03 13:19:00','2020-01-03 13:49:00','43','5','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('42','2020-01-03 13:30:00','2020-01-03 14:07:00','120','14','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('43','2020-01-03 14:03:00','2020-01-03 14:55:00','76','24','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('44','2020-01-03 14:22:00','2020-01-03 15:13:00','136','50','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('45','2020-01-03 14:30:00','2020-01-03 15:39:00','193','22','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('46','2020-01-03 14:35:00','2020-01-03 15:40:00','56','28','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('47','2020-01-03 14:43:00','2020-01-03 15:19:00','117','37','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('48','2020-01-03 15:37:00','2020-01-03 16:20:00','46','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('49','2020-01-03 15:41:00','2020-01-03 16:20:00','108','41','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('50','2020-01-03 17:20:00','2020-01-03 18:14:00','137','31','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('51','2020-01-03 17:35:00','2020-01-03 18:25:00','143','15','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('52','2020-01-03 17:40:00','2020-01-03 18:38:00','106','33','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('53','2020-01-03 18:41:00','2020-01-03 19:43:00','114','20','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('54','2020-01-03 18:43:00','2020-01-03 19:51:00','32','42','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('55','2020-01-03 19:50:00','2020-01-03 20:53:00','139','5','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('56','2020-01-03 19:53:00','2020-01-03 20:52:00','126','1','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('57','2020-01-04 11:10:00','2020-01-04 12:12:00','113','45','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('58','2020-01-04 11:58:00','2020-01-04 12:49:00','33','4','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('59','2020-01-04 12:20:00','2020-01-04 13:21:00','65','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('60','2020-01-04 13:07:00','2020-01-04 13:59:00','84','11','7');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('61','2020-01-04 14:03:00','2020-01-04 15:16:00','110','29','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('62','2020-01-04 14:19:00','2020-01-04 15:17:00','120','50','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('63','2020-01-04 17:20:00','2020-01-04 18:08:00','24','4','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('64','2020-01-04 17:56:00','2020-01-04 18:36:00','29','22','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('65','2020-01-04 19:48:00','2020-01-04 20:23:00','39','9','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('66','2020-01-04 20:12:00','2020-01-04 20:54:00','76','49','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('67','2020-01-05 11:30:00','2020-01-05 12:39:00','74','37','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('68','2020-01-05 12:28:00','2020-01-05 13:28:00','53','50','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('69','2020-01-05 12:45:00','2020-01-05 13:44:00','168','31','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('70','2020-01-05 13:15:00','2020-01-05 14:00:00','190','48','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('71','2020-01-05 13:24:00','2020-01-05 14:11:00','55','33','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('72','2020-01-05 13:26:00','2020-01-05 14:31:00','132','28','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('73','2020-01-05 13:56:00','2020-01-05 14:30:00','162','1','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('74','2020-01-05 14:48:00','2020-01-05 16:03:00','162','35','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('75','2020-01-05 14:54:00','2020-01-05 15:51:00','128','2','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('76','2020-01-05 15:33:00','2020-01-05 16:20:00','176','28','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('77','2020-01-05 15:36:00','2020-01-05 16:37:00','46','10','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('78','2020-01-05 16:28:00','2020-01-05 17:14:00','140','24','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('79','2020-01-05 16:34:00','2020-01-05 17:05:00','32','15','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('80','2020-01-05 17:30:00','2020-01-05 18:23:00','114','42','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('81','2020-01-05 18:29:00','2020-01-05 19:30:00','126','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('82','2020-01-05 19:56:00','2020-01-05 20:43:00','189','33','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('83','2020-01-06 11:52:00','2020-01-06 13:03:00','134','2','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('84','2020-01-06 12:31:00','2020-01-06 13:04:00','90','2','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('85','2020-01-06 13:32:00','2020-01-06 14:08:00','188','48','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('86','2020-01-06 13:59:00','2020-01-06 14:46:00','145','48','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('87','2020-01-06 16:01:00','2020-01-06 16:43:00','106','38','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('88','2020-01-06 16:30:00','2020-01-06 17:10:00','132','49','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('89','2020-01-06 17:14:00','2020-01-06 18:21:00','111','2','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('90','2020-01-06 17:16:00','2020-01-06 18:20:00','36','26','4');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('91','2020-01-06 17:34:00','2020-01-06 18:23:00','118','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('92','2020-01-06 17:51:00','2020-01-06 18:48:00','198','6','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('93','2020-01-06 18:27:00','2020-01-06 19:10:00','78','12','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('94','2020-01-06 18:39:00','2020-01-06 19:19:00','86','15','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('95','2020-01-06 19:26:00','2020-01-06 20:39:00','29','19','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('96','2020-01-06 19:54:00','2020-01-06 20:46:00','97','20','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('97','2020-01-06 20:12:00','2020-01-06 20:56:00','181','38','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('98','2020-01-07 12:25:00','2020-01-07 12:57:00','114','19','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('99','2020-01-07 13:02:00','2020-01-07 13:51:00','112','30','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('100','2020-01-07 13:29:00','2020-01-07 14:19:00','134','45','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('101','2020-01-07 14:47:00','2020-01-07 15:50:00','140','49','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('102','2020-01-07 16:48:00','2020-01-07 17:25:00','41','43','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('103','2020-01-07 16:50:00','2020-01-07 17:35:00','66','50','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('104','2020-01-07 17:40:00','2020-01-07 18:20:00','72','34','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('105','2020-01-07 18:42:00','2020-01-07 19:55:00','189','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('106','2020-01-07 19:19:00','2020-01-07 20:31:00','60','27','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('107','2020-01-07 19:56:00','2020-01-07 20:39:00','37','29','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('108','2020-01-08 11:39:00','2020-01-08 12:45:00','96','45','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('109','2020-01-08 12:13:00','2020-01-08 13:16:00','116','44','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('110','2020-01-08 12:33:00','2020-01-08 13:14:00','130','40','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('111','2020-01-08 13:19:00','2020-01-08 13:52:00','134','1','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('112','2020-01-08 13:33:00','2020-01-08 14:32:00','32','40','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('113','2020-01-08 13:35:00','2020-01-08 14:22:00','151','15','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('114','2020-01-08 13:47:00','2020-01-08 14:18:00','132','18','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('115','2020-01-08 14:09:00','2020-01-08 15:00:00','67','30','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('116','2020-01-08 16:16:00','2020-01-08 16:51:00','154','40','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('117','2020-01-08 16:42:00','2020-01-08 17:14:00','31','19','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('118','2020-01-08 17:28:00','2020-01-08 18:00:00','56','16','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('119','2020-01-08 17:34:00','2020-01-08 18:16:00','77','43','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('120','2020-01-08 17:38:00','2020-01-08 18:24:00','50','27','3');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('121','2020-01-08 18:25:00','2020-01-08 19:18:00','40','48','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('122','2020-01-08 18:54:00','2020-01-08 19:35:00','158','25','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('123','2020-01-08 19:17:00','2020-01-08 19:51:00','126','47','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('124','2020-01-08 19:32:00','2020-01-08 20:32:00','50','15','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('125','2020-01-08 19:33:00','2020-01-08 20:21:00','93','13','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('126','2020-01-09 11:19:00','2020-01-09 12:32:00','143','14','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('127','2020-01-09 11:26:00','2020-01-09 12:36:00','144','42','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('128','2020-01-09 11:46:00','2020-01-09 12:58:00','120','22','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('129','2020-01-09 11:52:00','2020-01-09 12:48:00','143','42','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('130','2020-01-09 11:56:00','2020-01-09 12:49:00','58','10','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('131','2020-01-09 12:22:00','2020-01-09 13:32:00','30','31','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('132','2020-01-09 14:37:00','2020-01-09 15:35:00','138','25','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('133','2020-01-09 15:07:00','2020-01-09 15:42:00','141','7','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('134','2020-01-09 15:19:00','2020-01-09 16:33:00','76','43','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('135','2020-01-09 15:20:00','2020-01-09 15:52:00','191','26','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('136','2020-01-09 15:55:00','2020-01-09 17:10:00','106','8','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('137','2020-01-09 18:12:00','2020-01-09 19:07:00','33','9','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('138','2020-01-09 19:22:00','2020-01-09 20:36:00','31','20','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('139','2020-01-09 19:40:00','2020-01-09 20:16:00','193','2','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('140','2020-01-09 19:46:00','2020-01-09 20:52:00','82','6','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('141','2020-01-10 10:59:00','2020-01-10 12:00:00','134','19','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('142','2020-01-10 12:18:00','2020-01-10 13:30:00','33','25','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('143','2020-01-10 12:30:00','2020-01-10 13:16:00','30','20','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('144','2020-01-10 12:32:00','2020-01-10 13:31:00','40','47','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('145','2020-01-10 13:10:00','2020-01-10 14:18:00','189','18','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('146','2020-01-10 13:44:00','2020-01-10 14:22:00','162','44','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('147','2020-01-10 14:15:00','2020-01-10 14:46:00','83','48','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('148','2020-01-10 14:30:00','2020-01-10 15:44:00','50','43','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('149','2020-01-10 15:13:00','2020-01-10 16:03:00','174','12','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('150','2020-01-10 15:44:00','2020-01-10 16:29:00','36','16','9');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('151','2020-01-10 15:44:00','2020-01-10 16:43:00','23','24','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('152','2020-01-10 17:08:00','2020-01-10 18:04:00','63','2','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('153','2020-01-10 17:08:00','2020-01-10 18:09:00','91','42','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('154','2020-01-10 17:12:00','2020-01-10 18:03:00','191','4','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('155','2020-01-10 17:39:00','2020-01-10 18:18:00','109','18','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('156','2020-01-10 17:40:00','2020-01-10 18:17:00','26','49','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('157','2020-01-10 18:26:00','2020-01-10 19:30:00','217','8','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('158','2020-01-10 18:27:00','2020-01-10 19:25:00','116','24','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('159','2020-01-10 18:42:00','2020-01-10 19:31:00','127','39','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('160','2020-01-10 19:17:00','2020-01-10 20:26:00','101','14','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('161','2020-01-10 19:28:00','2020-01-10 20:17:00','130','33','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('162','2020-01-10 20:09:00','2020-01-10 20:48:00','162','12','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('163','2020-01-11 11:34:00','2020-01-11 12:42:00','31','50','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('164','2020-01-11 13:10:00','2020-01-11 13:44:00','118','22','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('165','2020-01-11 14:20:00','2020-01-11 14:51:00','143','34','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('166','2020-01-11 14:31:00','2020-01-11 15:36:00','64','2','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('167','2020-01-11 15:03:00','2020-01-11 15:46:00','191','37','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('168','2020-01-11 15:03:00','2020-01-11 15:43:00','124','18','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('169','2020-01-11 15:06:00','2020-01-11 15:56:00','41','7','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('170','2020-01-11 15:52:00','2020-01-11 16:56:00','189','48','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('171','2020-01-11 16:28:00','2020-01-11 17:24:00','74','4','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('172','2020-01-11 16:49:00','2020-01-11 18:00:00','108','20','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('173','2020-01-11 17:02:00','2020-01-11 17:41:00','28','43','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('174','2020-01-11 17:13:00','2020-01-11 18:28:00','27','25','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('175','2020-01-11 17:27:00','2020-01-11 18:23:00','162','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('176','2020-01-11 17:32:00','2020-01-11 18:13:00','205','25','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('177','2020-01-11 17:34:00','2020-01-11 18:35:00','55','20','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('178','2020-01-11 17:53:00','2020-01-11 18:43:00','39','11','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('179','2020-01-11 17:57:00','2020-01-11 18:45:00','61','29','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('180','2020-01-11 18:46:00','2020-01-11 19:18:00','61','23','10');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('181','2020-01-11 19:29:00','2020-01-11 20:09:00','38','3','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('182','2020-01-11 19:44:00','2020-01-11 20:31:00','92','34','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('183','2020-01-11 19:55:00','2020-01-11 20:49:00','78','23','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('184','2020-01-11 20:06:00','2020-01-11 20:57:00','96','18','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('185','2020-01-12 13:03:00','2020-01-12 13:34:00','145','33','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('186','2020-01-12 13:37:00','2020-01-12 14:20:00','84','5','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('187','2020-01-12 13:37:00','2020-01-12 14:15:00','68','42','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('188','2020-01-12 14:18:00','2020-01-12 14:49:00','161','10','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('189','2020-01-12 15:21:00','2020-01-12 16:27:00','206','26','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('190','2020-01-12 17:05:00','2020-01-12 18:07:00','74','16','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('191','2020-01-12 17:41:00','2020-01-12 18:36:00','51','38','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('192','2020-01-12 17:51:00','2020-01-12 18:23:00','96','21','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('193','2020-01-12 18:14:00','2020-01-12 19:17:00','29','24','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('194','2020-01-12 18:36:00','2020-01-12 19:25:00','170','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('195','2020-01-12 18:39:00','2020-01-12 19:19:00','164','10','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('196','2020-01-12 18:41:00','2020-01-12 19:31:00','162','37','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('197','2020-01-12 19:15:00','2020-01-12 20:02:00','151','43','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('198','2020-01-12 19:27:00','2020-01-12 20:05:00','170','39','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('199','2020-01-12 20:11:00','2020-01-12 20:44:00','85','8','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('200','2020-01-13 11:32:00','2020-01-13 12:10:00','51','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('201','2020-01-13 11:33:00','2020-01-13 12:32:00','146','1','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('202','2020-01-13 12:42:00','2020-01-13 13:23:00','68','34','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('203','2020-01-13 13:31:00','2020-01-13 14:18:00','64','21','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('204','2020-01-13 13:35:00','2020-01-13 14:49:00','74','6','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('205','2020-01-13 13:54:00','2020-01-13 14:26:00','98','19','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('206','2020-01-13 14:09:00','2020-01-13 15:18:00','241','34','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('207','2020-01-13 14:09:00','2020-01-13 14:40:00','41','36','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('208','2020-01-13 14:23:00','2020-01-13 15:30:00','71','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('209','2020-01-13 15:37:00','2020-01-13 16:22:00','24','24','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('210','2020-01-13 16:03:00','2020-01-13 16:56:00','41','28','8');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('211','2020-01-13 16:44:00','2020-01-13 17:26:00','26','25','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('212','2020-01-13 17:36:00','2020-01-13 18:49:00','97','5','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('213','2020-01-13 17:51:00','2020-01-13 18:27:00','60','38','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('214','2020-01-13 18:17:00','2020-01-13 19:19:00','38','7','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('215','2020-01-13 18:35:00','2020-01-13 19:46:00','78','18','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('216','2020-01-13 19:06:00','2020-01-13 19:55:00','152','22','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('217','2020-01-13 19:25:00','2020-01-13 20:12:00','74','11','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('218','2020-01-13 19:49:00','2020-01-13 20:45:00','113','12','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('219','2020-01-14 11:06:00','2020-01-14 12:14:00','72','48','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('220','2020-01-14 11:36:00','2020-01-14 12:37:00','119','20','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('221','2020-01-14 11:54:00','2020-01-14 12:43:00','115','8','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('222','2020-01-14 12:55:00','2020-01-14 13:30:00','80','8','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('223','2020-01-14 13:06:00','2020-01-14 14:01:00','40','40','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('224','2020-01-14 14:48:00','2020-01-14 15:33:00','113','18','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('225','2020-01-14 15:12:00','2020-01-14 15:43:00','142','3','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('226','2020-01-14 15:44:00','2020-01-14 16:19:00','178','16','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('227','2020-01-14 16:11:00','2020-01-14 17:05:00','112','35','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('228','2020-01-14 16:24:00','2020-01-14 17:29:00','190','34','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('229','2020-01-14 16:45:00','2020-01-14 17:55:00','141','38','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('230','2020-01-14 17:03:00','2020-01-14 17:33:00','117','39','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('231','2020-01-14 17:24:00','2020-01-14 18:39:00','74','24','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('232','2020-01-14 17:42:00','2020-01-14 18:57:00','111','24','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('233','2020-01-14 17:53:00','2020-01-14 19:02:00','120','43','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('234','2020-01-14 18:08:00','2020-01-14 18:43:00','110','16','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('235','2020-01-14 18:59:00','2020-01-14 19:43:00','113','36','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('236','2020-01-15 12:09:00','2020-01-15 13:15:00','47','32','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('237','2020-01-15 14:13:00','2020-01-15 15:07:00','96','1','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('238','2020-01-15 14:17:00','2020-01-15 15:15:00','41','16','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('239','2020-01-15 14:29:00','2020-01-15 15:27:00','59','32','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('240','2020-01-15 15:22:00','2020-01-15 15:55:00','217','34','10');

```



```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('241','2020-01-15 15:23:00','2020-01-15 16:01:00','38','7','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('242','2020-01-15 15:55:00','2020-01-15 16:58:00','124','33','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('243','2020-01-15 16:18:00','2020-01-15 17:25:00','145','48','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('244','2020-01-15 18:53:00','2020-01-15 19:48:00','143','38','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('245','2020-01-15 19:21:00','2020-01-15 20:24:00','35','23','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('246','2020-01-16 11:10:00','2020-01-16 12:25:00','128','9','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('247','2020-01-16 11:59:00','2020-01-16 12:58:00','29','27','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('248','2020-01-16 12:30:00','2020-01-16 13:36:00','59','15','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('249','2020-01-16 12:34:00','2020-01-16 13:22:00','118','14','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('250','2020-01-16 13:17:00','2020-01-16 14:28:00','110','11','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('251','2020-01-16 13:55:00','2020-01-16 15:01:00','191','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('252','2020-01-16 14:32:00','2020-01-16 15:15:00','107','35','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('253','2020-01-16 15:45:00','2020-01-16 16:18:00','92','42','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('254','2020-01-16 15:46:00','2020-01-16 16:47:00','178','4','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('255','2020-01-16 16:13:00','2020-01-16 17:16:00','54','32','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('256','2020-01-16 16:49:00','2020-01-16 17:32:00','139','1','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('257','2020-01-16 17:08:00','2020-01-16 17:47:00','56','37','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('258','2020-01-16 17:48:00','2020-01-16 18:45:00','152','25','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('259','2020-01-16 18:22:00','2020-01-16 19:33:00','159','31','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('260','2020-01-16 18:41:00','2020-01-16 19:23:00','34','39','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('261','2020-01-16 18:47:00','2020-01-16 19:56:00','26','18','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('262','2020-01-16 18:56:00','2020-01-16 20:06:00','155','11','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('263','2020-01-16 19:15:00','2020-01-16 20:23:00','81','41','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('264','2020-01-16 19:38:00','2020-01-16 20:19:00','55','22','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('265','2020-01-17 11:36:00','2020-01-17 12:23:00','86','24','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('266','2020-01-17 13:13:00','2020-01-17 14:17:00','166','20','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('267','2020-01-17 13:43:00','2020-01-17 14:49:00','85','12','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('268','2020-01-17 16:14:00','2020-01-17 17:01:00','28','29','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('269','2020-01-17 16:15:00','2020-01-17 17:16:00','56','13','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('270','2020-01-17 16:53:00','2020-01-17 17:56:00','92','13','9');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('271','2020-01-17 17:09:00','2020-01-17 18:20:00','106','30','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('272','2020-01-17 17:11:00','2020-01-17 18:22:00','123','10','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('273','2020-01-17 17:41:00','2020-01-17 18:53:00','126','46','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('274','2020-01-17 18:34:00','2020-01-17 19:23:00','84','23','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('275','2020-01-17 18:40:00','2020-01-17 19:29:00','39','3','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('276','2020-01-17 19:31:00','2020-01-17 20:14:00','81','36','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('277','2020-01-18 11:16:00','2020-01-18 12:20:00','157','38','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('278','2020-01-18 11:52:00','2020-01-18 12:52:00','113','12','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('279','2020-01-18 12:05:00','2020-01-18 13:06:00','29','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('280','2020-01-18 12:05:00','2020-01-18 12:37:00','77','9','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('281','2020-01-18 14:10:00','2020-01-18 14:54:00','82','4','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('282','2020-01-18 15:20:00','2020-01-18 16:17:00','29','47','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('283','2020-01-18 15:36:00','2020-01-18 16:15:00','32','34','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('284','2020-01-18 15:38:00','2020-01-18 16:38:00','72','14','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('285','2020-01-18 15:45:00','2020-01-18 16:16:00','168','26','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('286','2020-01-18 15:50:00','2020-01-18 16:30:00','49','19','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('287','2020-01-18 16:18:00','2020-01-18 17:30:00','112','32','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('288','2020-01-18 17:20:00','2020-01-18 18:09:00','72','2','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('289','2020-01-18 17:32:00','2020-01-18 18:40:00','112','41','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('290','2020-01-18 18:52:00','2020-01-18 19:45:00','38','20','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('291','2020-01-18 18:53:00','2020-01-18 19:45:00','89','12','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('292','2020-01-18 19:40:00','2020-01-18 20:54:00','54','9','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('293','2020-01-18 20:19:00','2020-01-18 20:57:00','100','39','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('294','2020-01-19 11:10:00','2020-01-19 12:00:00','132','1','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('295','2020-01-19 11:40:00','2020-01-19 12:16:00','55','41','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('296','2020-01-19 12:20:00','2020-01-19 13:26:00','148','50','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('297','2020-01-19 13:13:00','2020-01-19 14:22:00','39','4','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('298','2020-01-19 14:15:00','2020-01-19 15:16:00','43','8','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('299','2020-01-19 14:38:00','2020-01-19 15:13:00','139','8','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('300','2020-01-19 15:03:00','2020-01-19 16:11:00','89','32','3');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('301','2020-01-19 15:36:00','2020-01-19 16:08:00','162','49','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('302','2020-01-19 15:52:00','2020-01-19 16:54:00','36','9','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('303','2020-01-19 20:04:00','2020-01-19 20:41:00','104','36','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('304','2020-01-20 12:09:00','2020-01-20 13:07:00','45','39','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('305','2020-01-20 12:16:00','2020-01-20 13:04:00','27','16','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('306','2020-01-20 12:51:00','2020-01-20 13:40:00','65','2','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('307','2020-01-20 13:43:00','2020-01-20 14:33:00','76','37','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('308','2020-01-20 14:12:00','2020-01-20 15:12:00','197','24','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('309','2020-01-20 15:05:00','2020-01-20 16:15:00','66','5','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('310','2020-01-20 15:29:00','2020-01-20 16:18:00','76','46','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('311','2020-01-20 15:52:00','2020-01-20 16:30:00','70','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('312','2020-01-20 16:03:00','2020-01-20 16:59:00','64','12','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('313','2020-01-20 16:55:00','2020-01-20 17:26:00','177','46','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('314','2020-01-20 17:04:00','2020-01-20 17:42:00','167','39','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('315','2020-01-20 17:33:00','2020-01-20 18:30:00','101','38','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('316','2020-01-20 17:36:00','2020-01-20 18:42:00','56','28','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('317','2020-01-20 17:48:00','2020-01-20 18:56:00','66','23','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('318','2020-01-20 18:30:00','2020-01-20 19:19:00','36','5','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('319','2020-01-20 18:36:00','2020-01-20 19:36:00','79','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('320','2020-01-20 19:17:00','2020-01-20 20:04:00','42','16','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('321','2020-01-20 19:46:00','2020-01-20 20:41:00','75','5','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('322','2020-01-20 20:02:00','2020-01-20 20:36:00','106','42','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('323','2020-01-21 12:05:00','2020-01-21 13:19:00','160','32','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('324','2020-01-21 12:26:00','2020-01-21 13:34:00','91','49','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('325','2020-01-21 13:48:00','2020-01-21 14:37:00','129','36','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('326','2020-01-21 14:07:00','2020-01-21 15:10:00','28','32','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('327','2020-01-21 14:35:00','2020-01-21 15:28:00','138','19','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('328','2020-01-21 15:01:00','2020-01-21 15:36:00','140','19','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('329','2020-01-21 15:13:00','2020-01-21 15:57:00','91','28','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('330','2020-01-21 15:20:00','2020-01-21 15:50:00','85','38','1');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('331','2020-01-21 16:55:00','2020-01-21 17:34:00','130','49','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('332','2020-01-21 16:56:00','2020-01-21 17:27:00','82','6','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('333','2020-01-21 17:36:00','2020-01-21 18:39:00','106','46','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('334','2020-01-21 17:45:00','2020-01-21 18:41:00','142','6','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('335','2020-01-21 18:02:00','2020-01-21 18:40:00','118','49','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('336','2020-01-22 12:04:00','2020-01-22 13:10:00','29','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('337','2020-01-22 13:25:00','2020-01-22 14:26:00','45','48','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('338','2020-01-22 13:43:00','2020-01-22 14:29:00','114','2','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('339','2020-01-22 14:30:00','2020-01-22 15:40:00','89','13','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('340','2020-01-22 14:35:00','2020-01-22 15:11:00','65','17','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('341','2020-01-22 15:20:00','2020-01-22 16:04:00','43','4','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('342','2020-01-22 16:05:00','2020-01-22 17:11:00','87','25','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('343','2020-01-22 16:28:00','2020-01-22 17:09:00','102','30','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('344','2020-01-22 16:33:00','2020-01-22 17:30:00','137','11','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('345','2020-01-22 18:18:00','2020-01-22 19:33:00','191','4','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('346','2020-01-22 18:24:00','2020-01-22 19:22:00','110','13','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('347','2020-01-22 18:35:00','2020-01-22 19:32:00','38','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('348','2020-01-22 19:03:00','2020-01-22 19:33:00','100','44','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('349','2020-01-22 19:14:00','2020-01-22 19:56:00','68','10','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('350','2020-01-22 19:44:00','2020-01-22 20:55:00','131','7','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('351','2020-01-22 20:06:00','2020-01-22 20:40:00','35','9','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('352','2020-01-23 10:54:00','2020-01-23 12:07:00','36','23','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('353','2020-01-23 11:36:00','2020-01-23 12:44:00','54','47','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('354','2020-01-23 12:11:00','2020-01-23 13:02:00','60','47','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('355','2020-01-23 14:49:00','2020-01-23 16:04:00','102','12','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('356','2020-01-23 14:55:00','2020-01-23 15:54:00','75','28','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('357','2020-01-23 16:56:00','2020-01-23 17:49:00','94','43','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('358','2020-01-23 17:01:00','2020-01-23 17:53:00','168','39','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('359','2020-01-23 17:37:00','2020-01-23 18:14:00','92','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('360','2020-01-23 17:48:00','2020-01-23 18:54:00','53','46','7');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('361','2020-01-23 18:28:00','2020-01-23 18:59:00','96','50','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('362','2020-01-23 18:50:00','2020-01-23 19:47:00','151','7','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('363','2020-01-23 18:55:00','2020-01-23 19:53:00','68','9','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('364','2020-01-23 19:00:00','2020-01-23 19:43:00','130','32','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('365','2020-01-23 19:01:00','2020-01-23 19:40:00','99','6','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('366','2020-01-23 19:27:00','2020-01-23 20:14:00','39','2','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('367','2020-01-23 19:43:00','2020-01-23 20:17:00','129','30','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('368','2020-01-24 11:53:00','2020-01-24 13:07:00','84','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('369','2020-01-24 11:55:00','2020-01-24 12:57:00','136','5','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('370','2020-01-24 13:37:00','2020-01-24 14:15:00','76','41','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('371','2020-01-24 13:43:00','2020-01-24 14:37:00','106','20','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('372','2020-01-24 14:16:00','2020-01-24 15:22:00','96','18','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('373','2020-01-24 14:43:00','2020-01-24 15:18:00','125','36','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('374','2020-01-24 15:05:00','2020-01-24 15:57:00','67','36','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('375','2020-01-24 15:15:00','2020-01-24 16:13:00','120','39','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('376','2020-01-24 15:17:00','2020-01-24 16:26:00','36','17','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('377','2020-01-24 16:00:00','2020-01-24 16:57:00','138','23','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('378','2020-01-24 17:04:00','2020-01-24 18:06:00','118','27','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('379','2020-01-24 17:51:00','2020-01-24 19:04:00','116','37','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('380','2020-01-24 18:34:00','2020-01-24 19:05:00','92','6','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('381','2020-01-24 19:23:00','2020-01-24 20:35:00','128','23','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('382','2020-01-24 19:25:00','2020-01-24 20:11:00','113','1','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('383','2020-01-24 19:36:00','2020-01-24 20:33:00','45','40','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('384','2020-01-24 19:45:00','2020-01-24 20:50:00','113','48','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('385','2020-01-25 11:34:00','2020-01-25 12:35:00','55','10','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('386','2020-01-25 11:40:00','2020-01-25 12:35:00','139','27','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('387','2020-01-25 12:15:00','2020-01-25 13:29:00','127','7','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('388','2020-01-25 12:16:00','2020-01-25 13:18:00','105','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('389','2020-01-25 12:18:00','2020-01-25 13:13:00','68','21','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('390','2020-01-25 12:37:00','2020-01-25 13:28:00','78','42','1');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('391','2020-01-25 13:40:00','2020-01-25 14:42:00','68','48','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('392','2020-01-25 13:43:00','2020-01-25 14:42:00','98','33','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('393','2020-01-25 14:01:00','2020-01-25 14:55:00','141','7','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('394','2020-01-25 15:25:00','2020-01-25 16:24:00','132','18','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('395','2020-01-25 15:50:00','2020-01-25 16:23:00','80','21','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('396','2020-01-25 16:46:00','2020-01-25 17:39:00','133','45','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('397','2020-01-25 16:57:00','2020-01-25 17:56:00','104','14','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('398','2020-01-25 17:01:00','2020-01-25 18:15:00','120','50','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('399','2020-01-25 17:12:00','2020-01-25 18:26:00','87','18','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('400','2020-01-25 17:31:00','2020-01-25 18:06:00','40','45','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('401','2020-01-25 17:41:00','2020-01-25 18:47:00','43','6','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('402','2020-01-25 19:02:00','2020-01-25 19:36:00','126','43','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('403','2020-01-25 19:40:00','2020-01-25 20:28:00','191','16','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('404','2020-01-25 19:44:00','2020-01-25 20:38:00','89','5','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('405','2020-01-25 19:52:00','2020-01-25 20:42:00','143','18','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('406','2020-01-25 20:27:00','2020-01-25 20:57:00','57','25','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('407','2020-01-26 11:26:00','2020-01-26 12:22:00','113','45','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('408','2020-01-26 11:55:00','2020-01-26 12:27:00','110','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('409','2020-01-26 12:05:00','2020-01-26 12:57:00','114','7','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('410','2020-01-26 12:30:00','2020-01-26 13:45:00','80','5','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('411','2020-01-26 13:50:00','2020-01-26 15:04:00','199','20','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('412','2020-01-26 14:11:00','2020-01-26 15:01:00','108','2','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('413','2020-01-26 14:30:00','2020-01-26 15:37:00','168','36','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('414','2020-01-26 14:46:00','2020-01-26 15:57:00','99','28','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('415','2020-01-26 14:47:00','2020-01-26 15:25:00','121','47','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('416','2020-01-26 14:54:00','2020-01-26 15:30:00','100','43','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('417','2020-01-26 15:00:00','2020-01-26 16:11:00','113','25','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('418','2020-01-26 15:05:00','2020-01-26 15:37:00','155','6','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('419','2020-01-26 15:27:00','2020-01-26 16:36:00','124','36','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('420','2020-01-26 15:58:00','2020-01-26 16:34:00','109','14','1');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('421','2020-01-26 16:12:00','2020-01-26 16:55:00','105','7','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('422','2020-01-26 16:47:00','2020-01-26 17:54:00','83','47','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('423','2020-01-26 18:33:00','2020-01-26 19:29:00','113','3','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('424','2020-01-26 18:50:00','2020-01-26 19:40:00','62','9','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('425','2020-01-26 19:01:00','2020-01-26 19:49:00','152','43','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('426','2020-01-26 19:02:00','2020-01-26 19:53:00','80','31','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('427','2020-01-26 19:04:00','2020-01-26 19:54:00','92','4','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('428','2020-01-26 19:05:00','2020-01-26 19:47:00','99','40','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('429','2020-01-26 19:19:00','2020-01-26 20:12:00','117','38','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('430','2020-01-26 19:36:00','2020-01-26 20:14:00','72','32','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('431','2020-01-26 20:00:00','2020-01-26 20:51:00','152','39','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('432','2020-01-26 20:06:00','2020-01-26 20:42:00','85','48','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('433','2020-01-26 20:14:00','2020-01-26 20:51:00','183','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('434','2020-01-27 10:50:00','2020-01-27 12:05:00','66','36','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('435','2020-01-27 11:37:00','2020-01-27 12:24:00','106','20','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('436','2020-01-27 12:10:00','2020-01-27 12:47:00','139','22','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('437','2020-01-27 12:42:00','2020-01-27 13:13:00','68','21','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('438','2020-01-27 13:20:00','2020-01-27 13:54:00','121','18','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('439','2020-01-27 13:21:00','2020-01-27 14:30:00','143','28','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('440','2020-01-27 14:37:00','2020-01-27 15:46:00','32','11','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('441','2020-01-27 14:49:00','2020-01-27 15:38:00','151','37','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('442','2020-01-27 15:12:00','2020-01-27 15:54:00','112','5','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('443','2020-01-27 15:43:00','2020-01-27 16:39:00','111','1','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('444','2020-01-27 16:14:00','2020-01-27 17:23:00','42','11','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('445','2020-01-27 16:19:00','2020-01-27 17:18:00','162','6','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('446','2020-01-27 16:52:00','2020-01-27 17:29:00','53','18','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('447','2020-01-27 16:56:00','2020-01-27 17:35:00','107','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('448','2020-01-27 17:04:00','2020-01-27 17:38:00','99','43','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('449','2020-01-27 17:05:00','2020-01-27 17:44:00','112','8','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('450','2020-01-27 17:06:00','2020-01-27 18:15:00','62','40','5');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('451','2020-01-27 17:13:00','2020-01-27 17:59:00','142','25','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('452','2020-01-27 17:31:00','2020-01-27 18:12:00','147','37','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('453','2020-01-27 18:02:00','2020-01-27 19:03:00','191','5','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('454','2020-01-27 18:19:00','2020-01-27 19:32:00','108','28','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('455','2020-01-27 20:13:00','2020-01-27 20:51:00','68','38','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('456','2020-01-28 11:53:00','2020-01-28 12:40:00','130','35','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('457','2020-01-28 12:10:00','2020-01-28 13:01:00','118','26','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('458','2020-01-28 13:06:00','2020-01-28 13:41:00','65','7','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('459','2020-01-28 13:17:00','2020-01-28 14:26:00','37','28','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('460','2020-01-28 13:18:00','2020-01-28 14:29:00','66','26','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('461','2020-01-28 13:47:00','2020-01-28 14:34:00','129','26','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('462','2020-01-28 14:42:00','2020-01-28 15:24:00','89','19','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('463','2020-01-28 14:46:00','2020-01-28 15:48:00','112','14','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('464','2020-01-28 15:54:00','2020-01-28 16:42:00','120','25','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('465','2020-01-28 17:47:00','2020-01-28 18:59:00','49','2','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('466','2020-01-28 19:46:00','2020-01-28 20:29:00','27','28','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('467','2020-01-29 10:50:00','2020-01-29 12:05:00','100','40','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('468','2020-01-29 11:39:00','2020-01-29 12:27:00','225','19','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('469','2020-01-29 12:21:00','2020-01-29 13:12:00','130','50','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('470','2020-01-29 12:45:00','2020-01-29 13:33:00','130','16','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('471','2020-01-29 12:56:00','2020-01-29 13:43:00','128','23','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('472','2020-01-29 13:15:00','2020-01-29 14:27:00','133','23','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('473','2020-01-29 13:34:00','2020-01-29 14:09:00','35','44','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('474','2020-01-29 14:08:00','2020-01-29 14:48:00','69','36','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('475','2020-01-29 14:29:00','2020-01-29 15:41:00','176','33','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('476','2020-01-29 14:31:00','2020-01-29 15:03:00','100','47','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('477','2020-01-29 14:32:00','2020-01-29 15:14:00','76','10','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('478','2020-01-29 14:45:00','2020-01-29 15:20:00','133','49','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('479','2020-01-29 15:05:00','2020-01-29 15:44:00','188','21','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('480','2020-01-29 15:07:00','2020-01-29 16:17:00','82','27','5');

```



```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('481','2020-01-29 15:18:00','2020-01-29 16:15:00','30','31','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('482','2020-01-29 15:25:00','2020-01-29 15:55:00','106','30','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('483','2020-01-29 15:49:00','2020-01-29 16:55:00','91','7','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('484','2020-01-29 16:57:00','2020-01-29 17:59:00','162','49','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('485','2020-01-29 16:57:00','2020-01-29 17:52:00','90','32','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('486','2020-01-29 17:58:00','2020-01-29 18:33:00','190','35','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('487','2020-01-29 18:19:00','2020-01-29 19:34:00','82','36','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('488','2020-01-29 18:33:00','2020-01-29 19:03:00','66','3','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('489','2020-01-29 18:45:00','2020-01-29 19:43:00','170','11','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('490','2020-01-29 18:53:00','2020-01-29 19:29:00','32','33','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('491','2020-01-30 11:44:00','2020-01-30 12:31:00','81','1','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('492','2020-01-30 12:12:00','2020-01-30 13:24:00','122','24','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('493','2020-01-30 12:45:00','2020-01-30 13:24:00','102','6','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('494','2020-01-30 13:20:00','2020-01-30 13:56:00','138','20','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('495','2020-01-30 13:37:00','2020-01-30 14:52:00','46','13','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('496','2020-01-30 13:50:00','2020-01-30 14:37:00','56','28','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('497','2020-01-30 14:45:00','2020-01-30 15:56:00','106','44','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('498','2020-01-30 15:28:00','2020-01-30 16:26:00','92','32','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('499','2020-01-30 16:27:00','2020-01-30 16:58:00','96','33','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('500','2020-01-30 16:37:00','2020-01-30 17:36:00','44','42','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('501','2020-01-30 16:42:00','2020-01-30 17:36:00','77','43','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('502','2020-01-30 16:51:00','2020-01-30 17:23:00','80','25','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('503','2020-01-30 17:20:00','2020-01-30 18:10:00','50','45','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('504','2020-01-30 19:26:00','2020-01-30 20:08:00','37','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('505','2020-01-30 19:36:00','2020-01-30 20:20:00','47','39','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('506','2020-01-30 19:58:00','2020-01-30 20:45:00','164','47','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('507','2020-01-30 20:03:00','2020-01-30 20:38:00','84','9','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('508','2020-01-31 11:23:00','2020-01-31 12:16:00','136','36','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('509','2020-01-31 11:56:00','2020-01-31 12:42:00','52','3','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('510','2020-01-31 12:15:00','2020-01-31 12:48:00','154','26','4');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('511','2020-01-31 12:39:00','2020-01-31 13:45:00','122','8','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('512','2020-01-31 12:41:00','2020-01-31 13:41:00','65','50','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('513','2020-01-31 13:27:00','2020-01-31 14:20:00','56','50','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('514','2020-01-31 13:32:00','2020-01-31 14:33:00','114','21','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('515','2020-01-31 14:20:00','2020-01-31 15:05:00','55','45','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('516','2020-01-31 16:18:00','2020-01-31 17:04:00','108','21','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('517','2020-01-31 17:29:00','2020-01-31 17:59:00','37','23','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('518','2020-01-31 17:46:00','2020-01-31 18:28:00','162','26','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('519','2020-01-31 17:51:00','2020-01-31 18:28:00','109','15','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('520','2020-01-31 17:54:00','2020-01-31 18:49:00','38','21','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('521','2020-01-31 18:12:00','2020-01-31 19:13:00','162','3','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('522','2020-01-31 18:36:00','2020-01-31 19:26:00','143','33','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('523','2020-01-31 19:07:00','2020-01-31 20:14:00','116','1','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('524','2020-01-31 19:43:00','2020-01-31 20:13:00','137','19','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('525','2020-02-01 11:31:00','2020-02-01 12:43:00','168','19','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('526','2020-02-01 11:44:00','2020-02-01 12:43:00','101','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('527','2020-02-01 12:59:00','2020-02-01 14:13:00','72','6','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('528','2020-02-01 13:10:00','2020-02-01 14:11:00','89','21','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('529','2020-02-01 14:26:00','2020-02-01 15:07:00','245','36','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('530','2020-02-01 14:40:00','2020-02-01 15:15:00','64','40','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('531','2020-02-01 15:37:00','2020-02-01 16:15:00','136','22','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('532','2020-02-01 16:06:00','2020-02-01 17:04:00','99','6','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('533','2020-02-01 16:24:00','2020-02-01 17:29:00','133','28','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('534','2020-02-01 17:07:00','2020-02-01 17:39:00','31','49','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('535','2020-02-01 17:24:00','2020-02-01 18:33:00','149','38','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('536','2020-02-01 17:38:00','2020-02-01 18:48:00','160','34','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('537','2020-02-01 17:58:00','2020-02-01 18:28:00','83','36','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('538','2020-02-01 17:59:00','2020-02-01 18:43:00','38','44','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('539','2020-02-01 18:03:00','2020-02-01 19:14:00','111','21','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('540','2020-02-01 19:28:00','2020-02-01 20:12:00','199','2','3');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('541','2020-02-02 11:40:00','2020-02-02 12:18:00','166','31','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('542','2020-02-02 12:24:00','2020-02-02 12:57:00','40','10','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('543','2020-02-02 13:19:00','2020-02-02 14:14:00','106','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('544','2020-02-02 13:25:00','2020-02-02 13:57:00','67','21','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('545','2020-02-02 13:50:00','2020-02-02 14:32:00','101','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('546','2020-02-02 14:25:00','2020-02-02 15:05:00','67','10','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('547','2020-02-02 14:37:00','2020-02-02 15:26:00','33','13','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('548','2020-02-02 15:17:00','2020-02-02 16:11:00','166','24','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('549','2020-02-02 18:33:00','2020-02-02 19:36:00','70','20','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('550','2020-02-02 18:50:00','2020-02-02 19:23:00','67','47','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('551','2020-02-02 19:05:00','2020-02-02 20:20:00','84','16','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('552','2020-02-02 19:38:00','2020-02-02 20:53:00','162','9','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('553','2020-02-02 20:14:00','2020-02-02 20:45:00','60','13','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('554','2020-02-03 10:54:00','2020-02-03 12:08:00','80','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('555','2020-02-03 11:18:00','2020-02-03 12:11:00','115','1','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('556','2020-02-03 11:50:00','2020-02-03 12:39:00','145','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('557','2020-02-03 11:52:00','2020-02-03 12:26:00','78','27','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('558','2020-02-03 11:55:00','2020-02-03 12:29:00','146','46','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('559','2020-02-03 12:05:00','2020-02-03 12:56:00','52','27','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('560','2020-02-03 12:36:00','2020-02-03 13:23:00','116','21','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('561','2020-02-03 13:15:00','2020-02-03 13:55:00','88','18','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('562','2020-02-03 13:33:00','2020-02-03 14:43:00','112','16','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('563','2020-02-03 13:55:00','2020-02-03 14:33:00','150','34','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('564','2020-02-03 14:04:00','2020-02-03 14:48:00','104','11','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('565','2020-02-03 14:47:00','2020-02-03 15:43:00','85','38','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('566','2020-02-03 15:30:00','2020-02-03 16:44:00','88','42','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('567','2020-02-03 15:53:00','2020-02-03 16:49:00','94','4','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('568','2020-02-03 16:10:00','2020-02-03 17:17:00','34','21','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('569','2020-02-03 16:13:00','2020-02-03 16:57:00','99','1','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('570','2020-02-03 16:39:00','2020-02-03 17:42:00','42','49','7');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('571','2020-02-03 16:58:00','2020-02-03 18:01:00','138','4','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('572','2020-02-03 17:00:00','2020-02-03 18:11:00','148','28','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('573','2020-02-03 17:35:00','2020-02-03 18:13:00','82','7','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('574','2020-02-03 18:18:00','2020-02-03 19:12:00','64','22','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('575','2020-02-03 19:18:00','2020-02-03 20:19:00','62','42','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('576','2020-02-03 19:34:00','2020-02-03 20:39:00','201','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('577','2020-02-03 19:39:00','2020-02-03 20:13:00','42','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('578','2020-02-03 20:13:00','2020-02-03 20:50:00','76','10','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('579','2020-02-04 13:06:00','2020-02-04 13:39:00','75','38','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('580','2020-02-04 13:08:00','2020-02-04 13:47:00','80','47','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('581','2020-02-04 14:06:00','2020-02-04 15:12:00','40','15','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('582','2020-02-04 14:34:00','2020-02-04 15:21:00','62','22','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('583','2020-02-04 14:47:00','2020-02-04 15:48:00','43','40','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('584','2020-02-04 15:34:00','2020-02-04 16:08:00','28','49','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('585','2020-02-04 15:57:00','2020-02-04 17:05:00','86','27','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('586','2020-02-04 17:02:00','2020-02-04 17:43:00','130','6','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('587','2020-02-04 18:20:00','2020-02-04 18:52:00','76','30','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('588','2020-02-04 18:26:00','2020-02-04 19:10:00','138','9','11');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('589','2020-02-04 19:20:00','2020-02-04 20:12:00','53','28','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('590','2020-02-04 19:28:00','2020-02-04 20:37:00','110','47','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('591','2020-02-05 11:09:00','2020-02-05 12:04:00','40','44','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('592','2020-02-05 12:47:00','2020-02-05 13:43:00','216','9','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('593','2020-02-05 13:06:00','2020-02-05 14:11:00','59','45','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('594','2020-02-05 13:30:00','2020-02-05 14:35:00','80','22','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('595','2020-02-05 14:18:00','2020-02-05 15:32:00','64','24','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('596','2020-02-05 14:52:00','2020-02-05 15:41:00','100','38','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('597','2020-02-05 15:11:00','2020-02-05 16:23:00','118','33','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('598','2020-02-05 15:57:00','2020-02-05 16:51:00','133','38','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('599','2020-02-05 16:09:00','2020-02-05 16:42:00','152','11','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('600','2020-02-05 17:03:00','2020-02-05 17:47:00','94','23','7');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('601','2020-02-05 17:32:00','2020-02-05 18:19:00','103','3','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('602','2020-02-05 17:50:00','2020-02-05 18:32:00','83','42','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('603','2020-02-05 18:05:00','2020-02-05 19:02:00','110','27','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('604','2020-02-05 18:11:00','2020-02-05 19:19:00','65','23','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('605','2020-02-05 18:18:00','2020-02-05 19:23:00','129','22','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('606','2020-02-05 19:09:00','2020-02-05 19:58:00','72','21','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('607','2020-02-05 19:25:00','2020-02-05 20:39:00','47','18','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('608','2020-02-05 19:40:00','2020-02-05 20:33:00','66','37','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('609','2020-02-05 20:09:00','2020-02-05 20:46:00','62','31','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('610','2020-02-06 11:10:00','2020-02-06 12:09:00','198','41','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('611','2020-02-06 11:57:00','2020-02-06 12:40:00','129','19','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('612','2020-02-06 11:58:00','2020-02-06 12:33:00','156','34','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('613','2020-02-06 12:04:00','2020-02-06 12:45:00','144','48','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('614','2020-02-06 12:07:00','2020-02-06 12:59:00','104','45','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('615','2020-02-06 12:53:00','2020-02-06 13:32:00','112','2','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('616','2020-02-06 13:43:00','2020-02-06 14:58:00','46','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('617','2020-02-06 13:57:00','2020-02-06 15:10:00','36','20','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('618','2020-02-06 14:43:00','2020-02-06 15:21:00','184','8','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('619','2020-02-06 15:02:00','2020-02-06 15:40:00','43','7','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('620','2020-02-06 15:27:00','2020-02-06 16:38:00','129','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('621','2020-02-06 15:36:00','2020-02-06 16:26:00','27','46','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('622','2020-02-06 17:07:00','2020-02-06 17:43:00','55','40','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('623','2020-02-06 17:54:00','2020-02-06 18:38:00','69','6','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('624','2020-02-06 18:08:00','2020-02-06 18:47:00','94','3','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('625','2020-02-06 18:14:00','2020-02-06 19:18:00','100','35','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('626','2020-02-06 18:35:00','2020-02-06 19:19:00','82','23','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('627','2020-02-06 18:58:00','2020-02-06 19:39:00','144','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('628','2020-02-06 19:04:00','2020-02-06 20:03:00','217','21','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('629','2020-02-06 19:06:00','2020-02-06 19:38:00','165','45','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('630','2020-02-06 19:19:00','2020-02-06 20:29:00','158','26','5');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('631','2020-02-06 19:28:00','2020-02-06 20:22:00','72','10','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('632','2020-02-07 10:48:00','2020-02-07 12:02:00','110','30','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('633','2020-02-07 12:05:00','2020-02-07 12:44:00','136','7','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('634','2020-02-07 14:31:00','2020-02-07 15:38:00','104','3','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('635','2020-02-07 14:37:00','2020-02-07 15:44:00','60','24','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('636','2020-02-07 14:52:00','2020-02-07 15:36:00','166','38','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('637','2020-02-07 14:54:00','2020-02-07 15:42:00','59','36','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('638','2020-02-07 15:09:00','2020-02-07 15:42:00','157','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('639','2020-02-07 16:28:00','2020-02-07 17:17:00','97','28','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('640','2020-02-07 17:09:00','2020-02-07 17:46:00','110','19','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('641','2020-02-07 18:06:00','2020-02-07 18:53:00','28','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('642','2020-02-07 18:49:00','2020-02-07 19:53:00','92','34','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('643','2020-02-07 19:24:00','2020-02-07 20:38:00','99','5','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('644','2020-02-07 19:25:00','2020-02-07 20:32:00','67','43','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('645','2020-02-08 11:34:00','2020-02-08 12:49:00','59','26','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('646','2020-02-08 11:48:00','2020-02-08 12:56:00','114','9','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('647','2020-02-08 11:54:00','2020-02-08 12:34:00','46','48','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('648','2020-02-08 12:23:00','2020-02-08 13:09:00','48','38','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('649','2020-02-08 12:24:00','2020-02-08 13:03:00','83','44','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('650','2020-02-08 12:36:00','2020-02-08 13:34:00','51','46','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('651','2020-02-08 12:40:00','2020-02-08 13:11:00','76','36','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('652','2020-02-08 12:41:00','2020-02-08 13:12:00','30','27','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('653','2020-02-08 12:46:00','2020-02-08 13:58:00','104','28','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('654','2020-02-08 13:11:00','2020-02-08 13:43:00','122','34','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('655','2020-02-08 13:29:00','2020-02-08 14:34:00','129','49','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('656','2020-02-08 14:46:00','2020-02-08 15:26:00','87','44','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('657','2020-02-08 14:55:00','2020-02-08 15:49:00','215','2','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('658','2020-02-08 15:48:00','2020-02-08 16:34:00','40','18','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('659','2020-02-08 16:44:00','2020-02-08 17:44:00','50','19','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('660','2020-02-08 17:41:00','2020-02-08 18:14:00','39','35','2');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('661','2020-02-08 18:42:00','2020-02-08 19:44:00','61','37','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('662','2020-02-08 19:08:00','2020-02-08 20:01:00','133','19','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('663','2020-02-08 19:36:00','2020-02-08 20:16:00','74','14','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('664','2020-02-09 12:41:00','2020-02-09 13:39:00','29','6','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('665','2020-02-09 13:09:00','2020-02-09 13:42:00','35','20','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('666','2020-02-09 13:31:00','2020-02-09 14:21:00','40','43','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('667','2020-02-09 13:35:00','2020-02-09 14:43:00','87','41','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('668','2020-02-09 14:11:00','2020-02-09 14:47:00','187','29','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('669','2020-02-09 14:17:00','2020-02-09 15:03:00','80','12','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('670','2020-02-09 14:58:00','2020-02-09 15:29:00','89','34','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('671','2020-02-09 16:38:00','2020-02-09 17:09:00','120','37','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('672','2020-02-09 17:34:00','2020-02-09 18:39:00','82','1','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('673','2020-02-09 18:25:00','2020-02-09 19:17:00','50','2','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('674','2020-02-09 18:54:00','2020-02-09 19:46:00','106','46','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('675','2020-02-09 18:59:00','2020-02-09 20:13:00','178','17','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('676','2020-02-09 19:07:00','2020-02-09 20:09:00','140','49','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('677','2020-02-09 19:30:00','2020-02-09 20:03:00','137','5','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('678','2020-02-09 20:04:00','2020-02-09 20:59:00','60','48','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('679','2020-02-10 12:12:00','2020-02-10 12:59:00','78','28','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('680','2020-02-10 12:36:00','2020-02-10 13:38:00','29','39','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('681','2020-02-10 13:14:00','2020-02-10 13:48:00','102','38','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('682','2020-02-10 13:27:00','2020-02-10 14:34:00','255','14','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('683','2020-02-10 13:43:00','2020-02-10 14:29:00','116','20','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('684','2020-02-10 13:54:00','2020-02-10 14:25:00','163','22','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('685','2020-02-10 14:29:00','2020-02-10 15:06:00','94','9','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('686','2020-02-10 16:08:00','2020-02-10 16:55:00','29','3','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('687','2020-02-10 17:26:00','2020-02-10 18:14:00','60','3','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('688','2020-02-10 17:31:00','2020-02-10 18:14:00','137','32','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('689','2020-02-10 18:00:00','2020-02-10 18:31:00','40','47','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('690','2020-02-10 18:24:00','2020-02-10 19:27:00','36','6','5');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('691','2020-02-10 18:46:00','2020-02-10 19:24:00','165','35','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('692','2020-02-10 18:47:00','2020-02-10 19:35:00','111','12','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('693','2020-02-10 19:40:00','2020-02-10 20:22:00','90','8','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('694','2020-02-10 20:22:00','2020-02-10 20:58:00','132','35','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('695','2020-02-11 12:46:00','2020-02-11 13:52:00','56','48','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('696','2020-02-11 13:54:00','2020-02-11 14:30:00','132','34','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('697','2020-02-11 14:29:00','2020-02-11 15:33:00','112','31','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('698','2020-02-11 14:34:00','2020-02-11 15:28:00','91','7','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('699','2020-02-11 15:37:00','2020-02-11 16:46:00','110','35','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('700','2020-02-11 15:41:00','2020-02-11 16:27:00','133','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('701','2020-02-11 15:45:00','2020-02-11 16:35:00','97','33','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('702','2020-02-11 16:51:00','2020-02-11 17:36:00','45','17','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('703','2020-02-11 16:58:00','2020-02-11 17:54:00','100','12','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('704','2020-02-11 17:20:00','2020-02-11 18:17:00','62','35','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('705','2020-02-11 18:44:00','2020-02-11 19:47:00','40','34','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('706','2020-02-12 11:10:00','2020-02-12 12:22:00','161','7','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('707','2020-02-12 12:21:00','2020-02-12 12:54:00','110','49','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('708','2020-02-12 13:05:00','2020-02-12 13:43:00','134','46','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('709','2020-02-12 14:10:00','2020-02-12 14:54:00','166','21','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('710','2020-02-12 14:42:00','2020-02-12 15:24:00','199','40','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('711','2020-02-12 14:42:00','2020-02-12 15:32:00','59','19','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('712','2020-02-12 14:46:00','2020-02-12 15:28:00','40','1','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('713','2020-02-12 15:15:00','2020-02-12 16:22:00','41','41','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('714','2020-02-12 15:43:00','2020-02-12 16:26:00','114','26','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('715','2020-02-12 16:14:00','2020-02-12 17:05:00','106','23','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('716','2020-02-12 16:59:00','2020-02-12 18:05:00','126','9','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('717','2020-02-12 17:50:00','2020-02-12 18:45:00','72','23','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('718','2020-02-12 17:51:00','2020-02-12 18:21:00','113','43','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('719','2020-02-13 11:34:00','2020-02-13 12:16:00','112','2','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('720','2020-02-13 11:39:00','2020-02-13 12:29:00','70','35','6');

```



```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('721','2020-02-13 12:42:00','2020-02-13 13:48:00','84','16','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('722','2020-02-13 12:52:00','2020-02-13 13:49:00','176','16','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('723','2020-02-13 13:09:00','2020-02-13 13:59:00','113','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('724','2020-02-13 13:10:00','2020-02-13 13:54:00','66','31','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('725','2020-02-13 13:17:00','2020-02-13 14:02:00','68','22','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('726','2020-02-13 13:18:00','2020-02-13 14:06:00','172','8','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('727','2020-02-13 13:22:00','2020-02-13 13:55:00','27','48','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('728','2020-02-13 13:31:00','2020-02-13 14:01:00','89','50','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('729','2020-02-13 13:45:00','2020-02-13 14:41:00','68','4','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('730','2020-02-13 14:22:00','2020-02-13 15:15:00','130','25','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('731','2020-02-13 15:15:00','2020-02-13 16:29:00','70','20','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('732','2020-02-13 15:56:00','2020-02-13 16:41:00','139','37','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('733','2020-02-13 16:35:00','2020-02-13 17:28:00','59','42','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('734','2020-02-13 17:23:00','2020-02-13 18:14:00','104','15','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('735','2020-02-13 17:25:00','2020-02-13 18:17:00','72','12','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('736','2020-02-13 17:41:00','2020-02-13 18:55:00','37','32','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('737','2020-02-13 17:48:00','2020-02-13 18:46:00','70','37','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('738','2020-02-13 17:58:00','2020-02-13 19:05:00','34','18','11');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('739','2020-02-13 18:03:00','2020-02-13 19:08:00','138','40','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('740','2020-02-13 18:10:00','2020-02-13 19:22:00','91','5','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('741','2020-02-13 18:32:00','2020-02-13 19:06:00','138','41','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('742','2020-02-13 18:59:00','2020-02-13 19:46:00','42','37','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('743','2020-02-13 19:09:00','2020-02-13 20:12:00','143','11','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('744','2020-02-13 19:42:00','2020-02-13 20:14:00','63','40','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('745','2020-02-13 19:42:00','2020-02-13 20:13:00','112','28','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('746','2020-02-14 12:27:00','2020-02-14 13:35:00','128','11','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('747','2020-02-14 13:12:00','2020-02-14 13:44:00','38','40','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('748','2020-02-14 13:21:00','2020-02-14 14:05:00','151','16','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('749','2020-02-14 13:29:00','2020-02-14 14:26:00','112','44','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('750','2020-02-14 15:39:00','2020-02-14 16:46:00','101','9','11');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('751','2020-02-14 16:03:00','2020-02-14 16:34:00','46','42','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('752','2020-02-14 16:42:00','2020-02-14 17:29:00','93','2','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('753','2020-02-14 16:46:00','2020-02-14 17:39:00','193','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('754','2020-02-14 17:54:00','2020-02-14 18:36:00','100','9','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('755','2020-02-14 18:29:00','2020-02-14 19:06:00','31','15','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('756','2020-02-14 18:30:00','2020-02-14 19:20:00','107','2','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('757','2020-02-14 18:33:00','2020-02-14 19:29:00','110','22','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('758','2020-02-14 19:05:00','2020-02-14 19:55:00','164','48','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('759','2020-02-14 19:39:00','2020-02-14 20:40:00','52','40','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('760','2020-02-14 20:11:00','2020-02-14 20:45:00','164','19','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('761','2020-02-15 12:15:00','2020-02-15 13:11:00','62','9','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('762','2020-02-15 14:03:00','2020-02-15 14:49:00','136','44','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('763','2020-02-15 17:42:00','2020-02-15 18:20:00','193','43','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('764','2020-02-15 18:05:00','2020-02-15 19:12:00','43','35','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('765','2020-02-15 18:18:00','2020-02-15 19:17:00','170','9','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('766','2020-02-15 18:27:00','2020-02-15 19:03:00','135','14','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('767','2020-02-15 18:39:00','2020-02-15 19:21:00','27','34','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('768','2020-02-15 18:50:00','2020-02-15 19:36:00','109','9','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('769','2020-02-15 18:52:00','2020-02-15 19:50:00','142','19','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('770','2020-02-15 18:54:00','2020-02-15 19:27:00','27','16','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('771','2020-02-15 19:20:00','2020-02-15 20:28:00','86','4','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('772','2020-02-15 19:54:00','2020-02-15 20:35:00','50','3','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('773','2020-02-16 11:32:00','2020-02-16 12:07:00','85','45','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('774','2020-02-16 11:35:00','2020-02-16 12:30:00','94','21','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('775','2020-02-16 11:37:00','2020-02-16 12:20:00','38','15','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('776','2020-02-16 12:03:00','2020-02-16 12:49:00','130','9','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('777','2020-02-16 12:25:00','2020-02-16 13:16:00','93','39','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('778','2020-02-16 13:00:00','2020-02-16 13:30:00','72','9','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('779','2020-02-16 13:26:00','2020-02-16 14:03:00','79','10','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('780','2020-02-16 14:32:00','2020-02-16 15:43:00','152','18','10');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('781','2020-02-16 14:52:00','2020-02-16 15:50:00','41','9','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('782','2020-02-16 14:58:00','2020-02-16 16:08:00','139','41','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('783','2020-02-16 16:00:00','2020-02-16 16:47:00','102','19','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('784','2020-02-16 16:45:00','2020-02-16 17:33:00','63','15','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('785','2020-02-16 17:00:00','2020-02-16 17:39:00','45','26','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('786','2020-02-16 17:19:00','2020-02-16 18:05:00','138','25','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('787','2020-02-16 17:44:00','2020-02-16 18:20:00','199','30','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('788','2020-02-16 17:53:00','2020-02-16 18:52:00','87','48','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('789','2020-02-16 18:09:00','2020-02-16 18:57:00','75','22','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('790','2020-02-16 18:11:00','2020-02-16 19:03:00','42','34','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('791','2020-02-16 18:49:00','2020-02-16 19:25:00','53','30','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('792','2020-02-17 12:13:00','2020-02-17 13:18:00','84','6','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('793','2020-02-17 14:57:00','2020-02-17 15:49:00','92','6','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('794','2020-02-17 16:23:00','2020-02-17 17:30:00','116','14','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('795','2020-02-17 16:37:00','2020-02-17 17:27:00','111','50','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('796','2020-02-17 16:37:00','2020-02-17 17:09:00','111','18','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('797','2020-02-17 17:36:00','2020-02-17 18:35:00','54','21','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('798','2020-02-17 18:12:00','2020-02-17 19:20:00','129','21','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('799','2020-02-17 18:14:00','2020-02-17 18:47:00','255','45','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('800','2020-02-17 18:43:00','2020-02-17 19:28:00','72','23','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('801','2020-02-17 19:35:00','2020-02-17 20:07:00','191','20','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('802','2020-02-17 19:36:00','2020-02-17 20:31:00','193','24','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('803','2020-02-17 20:01:00','2020-02-17 20:43:00','126','48','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('804','2020-02-17 20:17:00','2020-02-17 20:51:00','180','13','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('805','2020-02-18 11:18:00','2020-02-18 12:14:00','76','2','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('806','2020-02-18 11:40:00','2020-02-18 12:15:00','68','20','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('807','2020-02-18 12:13:00','2020-02-18 13:24:00','24','32','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('808','2020-02-18 12:14:00','2020-02-18 13:08:00','152','43','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('809','2020-02-18 12:15:00','2020-02-18 13:04:00','40','7','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('810','2020-02-18 12:28:00','2020-02-18 13:41:00','138','14','10');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('811','2020-02-18 13:27:00','2020-02-18 14:39:00','190','40','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('812','2020-02-18 14:42:00','2020-02-18 15:31:00','85','9','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('813','2020-02-18 15:52:00','2020-02-18 16:56:00','38','38','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('814','2020-02-18 16:08:00','2020-02-18 17:18:00','29','8','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('815','2020-02-18 16:40:00','2020-02-18 17:23:00','115','26','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('816','2020-02-18 16:57:00','2020-02-18 17:44:00','49','26','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('817','2020-02-18 17:47:00','2020-02-18 18:54:00','132','50','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('818','2020-02-18 19:39:00','2020-02-18 20:30:00','153','22','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('819','2020-02-18 19:41:00','2020-02-18 20:22:00','104','37','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('820','2020-02-18 20:01:00','2020-02-18 20:42:00','83','23','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('821','2020-02-18 20:16:00','2020-02-18 20:55:00','70','28','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('822','2020-02-19 11:09:00','2020-02-19 12:09:00','130','42','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('823','2020-02-19 12:12:00','2020-02-19 13:08:00','94','48','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('824','2020-02-19 12:52:00','2020-02-19 13:43:00','134','33','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('825','2020-02-19 13:02:00','2020-02-19 13:47:00','97','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('826','2020-02-19 13:13:00','2020-02-19 13:56:00','84','43','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('827','2020-02-19 14:12:00','2020-02-19 15:09:00','77','41','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('828','2020-02-19 14:35:00','2020-02-19 15:16:00','97','2','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('829','2020-02-19 14:48:00','2020-02-19 15:52:00','82','44','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('830','2020-02-19 15:55:00','2020-02-19 17:08:00','42','26','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('831','2020-02-19 15:57:00','2020-02-19 17:07:00','156','42','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('832','2020-02-19 16:09:00','2020-02-19 17:15:00','178','5','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('833','2020-02-19 16:16:00','2020-02-19 17:13:00','137','29','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('834','2020-02-19 16:17:00','2020-02-19 16:55:00','189','43','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('835','2020-02-19 16:32:00','2020-02-19 17:07:00','49','43','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('836','2020-02-19 18:47:00','2020-02-19 20:01:00','121','17','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('837','2020-02-19 18:52:00','2020-02-19 19:30:00','90','7','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('838','2020-02-19 19:02:00','2020-02-19 19:37:00','105','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('839','2020-02-19 19:52:00','2020-02-19 20:22:00','119','13','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('840','2020-02-20 10:58:00','2020-02-20 12:06:00','102','33','7');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('841','2020-02-20 12:09:00','2020-02-20 12:42:00','70','10','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('842','2020-02-20 13:08:00','2020-02-20 13:39:00','176','1','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('843','2020-02-20 13:34:00','2020-02-20 14:05:00','33','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('844','2020-02-20 14:25:00','2020-02-20 15:17:00','130','39','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('845','2020-02-20 16:08:00','2020-02-20 17:14:00','152','4','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('846','2020-02-20 16:43:00','2020-02-20 17:58:00','72','44','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('847','2020-02-20 16:50:00','2020-02-20 17:50:00','144','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('848','2020-02-20 16:59:00','2020-02-20 17:38:00','62','11','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('849','2020-02-20 17:10:00','2020-02-20 17:42:00','168','34','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('850','2020-02-20 17:46:00','2020-02-20 18:28:00','41','40','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('851','2020-02-20 18:15:00','2020-02-20 18:54:00','151','39','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('852','2020-02-20 18:19:00','2020-02-20 19:22:00','63','1','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('853','2020-02-20 18:34:00','2020-02-20 19:27:00','83','25','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('854','2020-02-20 19:43:00','2020-02-20 20:25:00','111','7','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('855','2020-02-21 12:49:00','2020-02-21 13:32:00','122','44','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('856','2020-02-21 13:45:00','2020-02-21 14:58:00','90','14','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('857','2020-02-21 14:01:00','2020-02-21 14:54:00','114','26','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('858','2020-02-21 14:04:00','2020-02-21 14:57:00','66','17','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('859','2020-02-21 14:33:00','2020-02-21 15:17:00','67','22','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('860','2020-02-21 15:43:00','2020-02-21 16:23:00','138','14','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('861','2020-02-21 16:34:00','2020-02-21 17:12:00','85','45','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('862','2020-02-21 16:38:00','2020-02-21 17:11:00','138','29','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('863','2020-02-21 16:47:00','2020-02-21 17:20:00','120','43','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('864','2020-02-21 17:07:00','2020-02-21 18:16:00','163','45','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('865','2020-02-21 18:31:00','2020-02-21 19:33:00','154','19','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('866','2020-02-21 18:53:00','2020-02-21 19:55:00','154','24','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('867','2020-02-21 19:33:00','2020-02-21 20:18:00','80','45','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('868','2020-02-21 19:46:00','2020-02-21 20:34:00','44','7','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('869','2020-02-21 20:01:00','2020-02-21 20:31:00','40','7','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('870','2020-02-21 20:01:00','2020-02-21 20:43:00','154','29','8');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('871','2020-02-22 11:24:00','2020-02-22 12:14:00','106','46','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('872','2020-02-22 11:31:00','2020-02-22 12:06:00','166','37','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('873','2020-02-22 12:09:00','2020-02-22 13:12:00','141','28','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('874','2020-02-22 12:21:00','2020-02-22 13:35:00','93','5','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('875','2020-02-22 13:43:00','2020-02-22 14:39:00','53','14','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('876','2020-02-22 14:25:00','2020-02-22 15:02:00','51','22','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('877','2020-02-22 15:02:00','2020-02-22 16:07:00','41','19','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('878','2020-02-22 15:29:00','2020-02-22 16:23:00','138','29','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('879','2020-02-22 16:15:00','2020-02-22 17:17:00','92','13','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('880','2020-02-22 16:16:00','2020-02-22 17:19:00','34','43','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('881','2020-02-22 16:55:00','2020-02-22 17:51:00','91','31','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('882','2020-02-22 16:57:00','2020-02-22 17:30:00','83','35','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('883','2020-02-22 19:09:00','2020-02-22 20:07:00','84','40','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('884','2020-02-23 11:27:00','2020-02-23 12:02:00','66','38','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('885','2020-02-23 11:56:00','2020-02-23 12:47:00','72','46','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('886','2020-02-23 13:09:00','2020-02-23 14:03:00','45','9','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('887','2020-02-23 13:15:00','2020-02-23 14:06:00','172','27','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('888','2020-02-23 13:19:00','2020-02-23 14:06:00','118','2','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('889','2020-02-23 13:29:00','2020-02-23 14:27:00','57','12','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('890','2020-02-23 13:30:00','2020-02-23 14:23:00','26','8','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('891','2020-02-23 14:28:00','2020-02-23 15:22:00','36','33','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('892','2020-02-23 14:57:00','2020-02-23 16:01:00','83','25','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('893','2020-02-23 15:34:00','2020-02-23 16:40:00','110','5','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('894','2020-02-23 17:28:00','2020-02-23 18:01:00','58','11','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('895','2020-02-23 17:45:00','2020-02-23 18:20:00','98','27','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('896','2020-02-23 18:28:00','2020-02-23 19:30:00','47','44','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('897','2020-02-23 19:08:00','2020-02-23 20:19:00','102','16','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('898','2020-02-23 19:17:00','2020-02-23 19:58:00','60','23','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('899','2020-02-23 19:18:00','2020-02-23 20:02:00','151','16','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('900','2020-02-23 19:20:00','2020-02-23 20:33:00','58','16','1');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('901','2020-02-24 10:50:00','2020-02-24 12:04:00','146','28','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('902','2020-02-24 11:42:00','2020-02-24 12:37:00','33','31','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('903','2020-02-24 13:07:00','2020-02-24 13:55:00','60','8','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('904','2020-02-24 13:33:00','2020-02-24 14:14:00','139','6','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('905','2020-02-24 13:37:00','2020-02-24 14:10:00','142','10','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('906','2020-02-24 14:12:00','2020-02-24 15:23:00','36','33','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('907','2020-02-24 14:28:00','2020-02-24 15:14:00','109','9','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('908','2020-02-24 14:30:00','2020-02-24 15:07:00','59','11','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('909','2020-02-24 15:05:00','2020-02-24 15:57:00','95','5','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('910','2020-02-24 15:25:00','2020-02-24 16:32:00','162','10','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('911','2020-02-24 16:55:00','2020-02-24 17:53:00','117','13','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('912','2020-02-24 18:04:00','2020-02-24 19:01:00','87','41','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('913','2020-02-24 18:06:00','2020-02-24 18:44:00','140','28','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('914','2020-02-24 18:30:00','2020-02-24 19:29:00','153','40','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('915','2020-02-24 19:07:00','2020-02-24 20:14:00','137','10','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('916','2020-02-24 20:02:00','2020-02-24 20:55:00','29','25','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('917','2020-02-25 11:48:00','2020-02-25 13:03:00','172','44','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('918','2020-02-25 12:13:00','2020-02-25 13:11:00','192','36','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('919','2020-02-25 12:34:00','2020-02-25 13:38:00','153','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('920','2020-02-25 12:39:00','2020-02-25 13:15:00','140','38','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('921','2020-02-25 12:59:00','2020-02-25 14:11:00','65','24','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('922','2020-02-25 14:24:00','2020-02-25 15:28:00','66','35','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('923','2020-02-25 14:27:00','2020-02-25 15:35:00','179','22','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('924','2020-02-25 14:28:00','2020-02-25 15:11:00','56','11','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('925','2020-02-25 15:08:00','2020-02-25 15:41:00','158','12','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('926','2020-02-25 15:17:00','2020-02-25 16:13:00','100','2','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('927','2020-02-25 15:46:00','2020-02-25 16:40:00','76','38','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('928','2020-02-25 15:48:00','2020-02-25 16:50:00','114','9','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('929','2020-02-25 16:03:00','2020-02-25 16:38:00','51','29','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('930','2020-02-25 16:46:00','2020-02-25 17:47:00','87','32','3');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('931','2020-02-25 17:10:00','2020-02-25 17:44:00','86','38','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('932','2020-02-25 17:10:00','2020-02-25 17:41:00','111','22','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('933','2020-02-25 17:17:00','2020-02-25 18:22:00','151','19','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('934','2020-02-25 18:24:00','2020-02-25 19:19:00','94','13','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('935','2020-02-25 18:41:00','2020-02-25 19:18:00','166','10','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('936','2020-02-25 19:46:00','2020-02-25 20:33:00','36','2','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('937','2020-02-26 12:18:00','2020-02-26 13:05:00','104','2','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('938','2020-02-26 12:53:00','2020-02-26 13:27:00','117','6','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('939','2020-02-26 13:25:00','2020-02-26 14:24:00','35','8','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('940','2020-02-26 13:32:00','2020-02-26 14:03:00','114','27','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('941','2020-02-26 15:54:00','2020-02-26 16:55:00','195','23','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('942','2020-02-26 17:01:00','2020-02-26 17:38:00','114','5','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('943','2020-02-26 18:18:00','2020-02-26 19:01:00','31','48','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('944','2020-02-26 18:54:00','2020-02-26 19:42:00','122','36','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('945','2020-02-27 10:52:00','2020-02-27 12:01:00','132','21','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('946','2020-02-27 13:06:00','2020-02-27 14:21:00','55','42','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('947','2020-02-27 13:10:00','2020-02-27 13:50:00','69','24','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('948','2020-02-27 13:30:00','2020-02-27 14:10:00','56','4','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('949','2020-02-27 13:52:00','2020-02-27 15:03:00','50','1','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('950','2020-02-27 14:25:00','2020-02-27 15:26:00','204','38','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('951','2020-02-27 14:48:00','2020-02-27 15:36:00','124','44','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('952','2020-02-27 15:47:00','2020-02-27 16:50:00','68','31','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('953','2020-02-27 16:01:00','2020-02-27 17:13:00','172','13','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('954','2020-02-27 17:48:00','2020-02-27 18:48:00','83','47','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('955','2020-02-27 19:12:00','2020-02-27 20:09:00','40','44','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('956','2020-02-27 19:23:00','2020-02-27 20:09:00','138','38','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('957','2020-02-27 19:59:00','2020-02-27 20:33:00','37','21','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('958','2020-02-28 11:16:00','2020-02-28 12:01:00','30','9','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('959','2020-02-28 11:37:00','2020-02-28 12:25:00','35','28','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('960','2020-02-28 12:49:00','2020-02-28 13:32:00','136','17','10');

```



```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('961','2020-02-28 13:00:00','2020-02-28 13:35:00','58','39','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('962','2020-02-28 13:02:00','2020-02-28 14:02:00','86','13','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('963','2020-02-28 13:14:00','2020-02-28 14:06:00','47','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('964','2020-02-28 13:42:00','2020-02-28 14:46:00','109','7','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('965','2020-02-28 14:00:00','2020-02-28 15:03:00','57','13','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('966','2020-02-28 14:31:00','2020-02-28 15:11:00','191','6','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('967','2020-02-28 14:32:00','2020-02-28 15:34:00','102','14','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('968','2020-02-28 15:02:00','2020-02-28 15:40:00','108','36','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('969','2020-02-28 15:08:00','2020-02-28 15:49:00','26','27','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('970','2020-02-28 15:38:00','2020-02-28 16:26:00','116','23','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('971','2020-02-28 15:42:00','2020-02-28 16:13:00','114','23','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('972','2020-02-28 17:08:00','2020-02-28 18:08:00','84','12','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('973','2020-02-28 17:17:00','2020-02-28 18:03:00','33','32','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('974','2020-02-28 17:35:00','2020-02-28 18:14:00','88','35','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('975','2020-02-28 17:52:00','2020-02-28 18:36:00','166','12','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('976','2020-02-28 17:55:00','2020-02-28 18:47:00','146','31','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('977','2020-02-28 18:16:00','2020-02-28 19:13:00','72','36','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('978','2020-02-28 19:14:00','2020-02-28 19:47:00','178','31','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('979','2020-02-28 19:41:00','2020-02-28 20:22:00','68','6','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('980','2020-02-28 19:56:00','2020-02-28 20:59:00','135','23','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('981','2020-02-28 19:57:00','2020-02-28 20:28:00','154','32','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('982','2020-02-29 11:13:00','2020-02-29 12:10:00','34','36','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('983','2020-02-29 11:41:00','2020-02-29 12:33:00','118','22','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('984','2020-02-29 12:12:00','2020-02-29 13:05:00','120','45','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('985','2020-02-29 12:13:00','2020-02-29 12:50:00','144','25','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('986','2020-02-29 13:07:00','2020-02-29 14:03:00','168','37','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('987','2020-02-29 13:08:00','2020-02-29 13:44:00','136','14','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('988','2020-02-29 13:27:00','2020-02-29 14:26:00','181','17','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('989','2020-02-29 13:48:00','2020-02-29 14:18:00','41','10','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('990','2020-02-29 14:32:00','2020-02-29 15:14:00','103','21','6');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('991','2020-02-29 14:44:00','2020-02-29 15:36:00','123','2','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('992','2020-02-29 15:46:00','2020-02-29 16:43:00','127','8','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('993','2020-02-29 15:51:00','2020-02-29 16:44:00','70','25','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('994','2020-02-29 16:12:00','2020-02-29 17:18:00','129','22','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('995','2020-02-29 17:26:00','2020-02-29 18:15:00','104','24','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('996','2020-02-29 17:56:00','2020-02-29 18:29:00','145','50','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('997','2020-02-29 18:00:00','2020-02-29 18:59:00','48','37','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('998','2020-02-29 18:17:00','2020-02-29 19:16:00','113','12','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('999','2020-02-29 18:38:00','2020-02-29 19:38:00','180','20','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1000','2020-02-29 19:52:00','2020-02-29 20:37:00','187','19','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1001','2020-03-01 11:50:00','2020-03-01 12:37:00','181','3','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1002','2020-03-01 11:58:00','2020-03-01 12:40:00','112','48','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1003','2020-03-01 12:17:00','2020-03-01 12:58:00','116','50','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1004','2020-03-01 12:46:00','2020-03-01 13:32:00','110','26','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1005','2020-03-01 12:47:00','2020-03-01 13:20:00','116','4','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1006','2020-03-01 13:42:00','2020-03-01 14:15:00','149','17','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1007','2020-03-01 14:47:00','2020-03-01 15:50:00','102','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1008','2020-03-01 14:52:00','2020-03-01 16:04:00','70','16','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1009','2020-03-01 15:18:00','2020-03-01 16:04:00','88','36','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1010','2020-03-01 15:21:00','2020-03-01 16:36:00','140','13','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1011','2020-03-01 15:25:00','2020-03-01 16:05:00','69','46','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1012','2020-03-01 15:53:00','2020-03-01 16:24:00','66','32','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1013','2020-03-01 17:21:00','2020-03-01 18:34:00','129','41','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1014','2020-03-01 18:17:00','2020-03-01 19:22:00','40','28','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1015','2020-03-01 18:46:00','2020-03-01 19:59:00','102','24','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1016','2020-03-01 19:33:00','2020-03-01 20:12:00','52','35','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1017','2020-03-02 11:36:00','2020-03-02 12:18:00','163','42','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1018','2020-03-02 11:46:00','2020-03-02 12:39:00','178','21','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1019','2020-03-02 12:00:00','2020-03-02 12:31:00','126','49','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1020','2020-03-02 12:21:00','2020-03-02 13:16:00','177','47','1');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1021','2020-03-02 12:21:00','2020-03-02 13:03:00','102','26','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1022','2020-03-02 12:26:00','2020-03-02 13:12:00','28','19','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1023','2020-03-02 12:35:00','2020-03-02 13:38:00','121','48','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1024','2020-03-02 13:27:00','2020-03-02 14:08:00','51','35','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1025','2020-03-02 13:30:00','2020-03-02 14:15:00','120','16','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1026','2020-03-02 13:40:00','2020-03-02 14:16:00','31','37','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1027','2020-03-02 13:52:00','2020-03-02 14:45:00','138','47','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1028','2020-03-02 14:14:00','2020-03-02 15:15:00','115','35','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1029','2020-03-02 15:05:00','2020-03-02 16:04:00','66','22','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1030','2020-03-02 15:21:00','2020-03-02 16:10:00','118','44','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1031','2020-03-02 15:23:00','2020-03-02 16:08:00','144','14','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1032','2020-03-02 15:24:00','2020-03-02 16:27:00','46','2','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1033','2020-03-02 15:34:00','2020-03-02 16:06:00','220','10','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1034','2020-03-02 16:04:00','2020-03-02 16:51:00','34','44','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1035','2020-03-02 16:11:00','2020-03-02 16:56:00','41','23','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1036','2020-03-02 16:24:00','2020-03-02 16:57:00','99','21','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1037','2020-03-02 17:19:00','2020-03-02 18:18:00','166','40','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1038','2020-03-02 17:38:00','2020-03-02 18:51:00','141','35','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1039','2020-03-02 18:34:00','2020-03-02 19:13:00','81','38','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1040','2020-03-02 19:04:00','2020-03-02 20:12:00','74','43','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1041','2020-03-02 19:15:00','2020-03-02 19:53:00','62','19','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1042','2020-03-02 20:08:00','2020-03-02 20:49:00','138','43','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1043','2020-03-03 11:01:00','2020-03-03 12:01:00','64','10','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1044','2020-03-03 12:52:00','2020-03-03 14:01:00','99','28','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1045','2020-03-03 13:04:00','2020-03-03 14:04:00','142','6','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1046','2020-03-03 13:23:00','2020-03-03 14:10:00','139','5','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1047','2020-03-03 13:29:00','2020-03-03 14:05:00','66','12','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1048','2020-03-03 13:50:00','2020-03-03 14:20:00','46','11','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1049','2020-03-03 13:55:00','2020-03-03 15:10:00','43','8','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1050','2020-03-03 14:42:00','2020-03-03 15:29:00','78','15','6');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1051','2020-03-03 15:01:00','2020-03-03 16:15:00','147','27','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1052','2020-03-03 15:21:00','2020-03-03 16:20:00','76','25','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1053','2020-03-03 16:14:00','2020-03-03 17:13:00','57','33','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1054','2020-03-03 19:24:00','2020-03-03 20:12:00','31','26','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1055','2020-03-03 19:45:00','2020-03-03 20:45:00','139','11','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1056','2020-03-04 11:34:00','2020-03-04 12:10:00','158','10','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1057','2020-03-04 12:19:00','2020-03-04 13:18:00','155','25','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1058','2020-03-04 12:39:00','2020-03-04 13:54:00','132','24','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1059','2020-03-04 12:48:00','2020-03-04 13:42:00','112','42','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1060','2020-03-04 12:58:00','2020-03-04 13:49:00','65','24','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1061','2020-03-04 13:23:00','2020-03-04 13:56:00','59','21','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1062','2020-03-04 14:15:00','2020-03-04 14:57:00','106','47','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1063','2020-03-04 15:06:00','2020-03-04 15:58:00','128','34','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1064','2020-03-04 15:23:00','2020-03-04 16:13:00','45','6','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1065','2020-03-04 16:30:00','2020-03-04 17:17:00','112','45','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1066','2020-03-04 17:21:00','2020-03-04 18:05:00','176','29','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1067','2020-03-04 17:22:00','2020-03-04 18:18:00','105','40','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1068','2020-03-04 17:25:00','2020-03-04 18:25:00','50','31','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1069','2020-03-04 19:19:00','2020-03-04 19:56:00','89','23','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1070','2020-03-04 20:14:00','2020-03-04 20:50:00','35','7','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1071','2020-03-05 11:13:00','2020-03-05 12:03:00','40','17','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1072','2020-03-05 11:31:00','2020-03-05 12:09:00','129','7','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1073','2020-03-05 12:04:00','2020-03-05 12:48:00','72','33','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1074','2020-03-05 12:46:00','2020-03-05 13:29:00','163','42','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1075','2020-03-05 13:37:00','2020-03-05 14:18:00','125','50','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1076','2020-03-05 13:44:00','2020-03-05 14:42:00','121','12','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1077','2020-03-05 13:50:00','2020-03-05 14:26:00','38','44','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1078','2020-03-05 14:29:00','2020-03-05 15:01:00','130','8','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1079','2020-03-05 15:13:00','2020-03-05 15:49:00','139','43','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1080','2020-03-05 15:30:00','2020-03-05 16:26:00','159','28','8');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1081','2020-03-05 15:31:00','2020-03-05 16:14:00','34','18','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1082','2020-03-05 16:33:00','2020-03-05 17:06:00','181','31','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1083','2020-03-05 16:46:00','2020-03-05 17:36:00','141','13','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1084','2020-03-05 17:00:00','2020-03-05 17:52:00','168','23','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1085','2020-03-05 17:34:00','2020-03-05 18:19:00','134','8','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1086','2020-03-05 17:48:00','2020-03-05 18:42:00','28','3','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1087','2020-03-05 18:32:00','2020-03-05 19:13:00','164','6','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1088','2020-03-05 18:32:00','2020-03-05 19:44:00','112','7','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1089','2020-03-05 18:36:00','2020-03-05 19:36:00','64','10','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1090','2020-03-05 19:15:00','2020-03-05 20:01:00','74','24','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1091','2020-03-06 11:25:00','2020-03-06 12:27:00','24','50','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1092','2020-03-06 12:36:00','2020-03-06 13:41:00','34','19','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1093','2020-03-06 12:43:00','2020-03-06 13:23:00','125','18','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1094','2020-03-06 12:46:00','2020-03-06 13:25:00','55','24','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1095','2020-03-06 12:47:00','2020-03-06 13:19:00','166','9','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1096','2020-03-06 12:51:00','2020-03-06 13:34:00','34','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1097','2020-03-06 12:54:00','2020-03-06 13:49:00','127','35','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1098','2020-03-06 14:13:00','2020-03-06 14:57:00','59','23','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1099','2020-03-06 14:26:00','2020-03-06 15:32:00','115','14','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1100','2020-03-06 15:05:00','2020-03-06 16:14:00','132','17','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1101','2020-03-06 15:05:00','2020-03-06 16:02:00','166','12','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1102','2020-03-06 15:24:00','2020-03-06 16:35:00','156','12','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1103','2020-03-06 15:26:00','2020-03-06 16:41:00','45','36','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1104','2020-03-06 17:15:00','2020-03-06 17:47:00','86','47','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1105','2020-03-06 18:52:00','2020-03-06 19:56:00','106','11','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1106','2020-03-06 18:56:00','2020-03-06 19:58:00','76','36','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1107','2020-03-06 19:00:00','2020-03-06 19:42:00','120','18','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1108','2020-03-07 11:00:00','2020-03-07 12:14:00','162','8','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1109','2020-03-07 11:46:00','2020-03-07 12:34:00','66','47','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1110','2020-03-07 12:15:00','2020-03-07 13:07:00','41','49','7');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1111','2020-03-07 13:09:00','2020-03-07 13:56:00','45','20','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1112','2020-03-07 13:44:00','2020-03-07 14:36:00','140','9','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1113','2020-03-07 13:48:00','2020-03-07 14:46:00','39','13','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1114','2020-03-07 13:53:00','2020-03-07 14:27:00','144','39','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1115','2020-03-07 14:06:00','2020-03-07 14:39:00','153','15','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1116','2020-03-07 14:06:00','2020-03-07 15:01:00','93','15','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1117','2020-03-07 14:27:00','2020-03-07 15:30:00','160','7','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1118','2020-03-07 15:06:00','2020-03-07 15:53:00','153','3','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1119','2020-03-07 15:53:00','2020-03-07 17:08:00','130','41','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1120','2020-03-07 16:15:00','2020-03-07 17:04:00','94','49','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1121','2020-03-07 17:15:00','2020-03-07 18:18:00','70','26','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1122','2020-03-07 17:21:00','2020-03-07 18:01:00','156','16','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1123','2020-03-07 17:37:00','2020-03-07 18:48:00','82','7','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1124','2020-03-07 17:47:00','2020-03-07 18:54:00','141','7','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1125','2020-03-07 18:19:00','2020-03-07 19:18:00','138','22','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1126','2020-03-07 18:28:00','2020-03-07 19:12:00','55','38','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1127','2020-03-07 18:38:00','2020-03-07 19:30:00','117','44','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1128','2020-03-07 18:38:00','2020-03-07 19:12:00','60','18','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1129','2020-03-08 11:55:00','2020-03-08 13:03:00','141','43','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1130','2020-03-08 12:19:00','2020-03-08 13:20:00','107','11','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1131','2020-03-08 14:03:00','2020-03-08 15:07:00','56','9','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1132','2020-03-08 14:35:00','2020-03-08 15:32:00','103','15','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1133','2020-03-08 15:54:00','2020-03-08 16:26:00','72','37','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1134','2020-03-08 16:09:00','2020-03-08 17:07:00','106','12','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1135','2020-03-08 16:40:00','2020-03-08 17:13:00','32','18','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1136','2020-03-08 17:03:00','2020-03-08 17:35:00','90','27','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1137','2020-03-08 17:46:00','2020-03-08 18:50:00','140','16','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1138','2020-03-08 19:57:00','2020-03-08 20:51:00','79','7','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1139','2020-03-08 19:58:00','2020-03-08 20:56:00','49','3','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1140','2020-03-09 11:31:00','2020-03-09 12:16:00','165','15','3');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1141','2020-03-09 12:18:00','2020-03-09 12:59:00','164','4','4');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1142','2020-03-09 12:34:00','2020-03-09 13:11:00','104','39','10');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1143','2020-03-09 12:48:00','2020-03-09 14:02:00','43','19','3');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1144','2020-03-09 13:03:00','2020-03-09 14:04:00','116','13','2');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1145','2020-03-09 13:12:00','2020-03-09 14:17:00','140','26','3');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1146','2020-03-09 13:52:00','2020-03-09 14:57:00','154','3','7');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1147','2020-03-09 13:53:00','2020-03-09 15:03:00','72','19','8');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1148','2020-03-09 14:27:00','2020-03-09 15:40:00','74','30','7');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1149','2020-03-09 14:39:00','2020-03-09 15:31:00','58','47','2');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1150','2020-03-09 15:02:00','2020-03-09 16:07:00','70','39','9');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1151','2020-03-09 15:54:00','2020-03-09 16:25:00','110','42','2');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1152','2020-03-09 16:00:00','2020-03-09 16:46:00','72','36','6');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1153','2020-03-09 16:02:00','2020-03-09 17:17:00','96','10','3');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1154','2020-03-09 16:12:00','2020-03-09 17:23:00','155','31','9');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1155','2020-03-09 16:24:00','2020-03-09 17:04:00','98','17','10');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1156','2020-03-09 16:36:00','2020-03-09 17:08:00','158','19','2');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1157','2020-03-09 17:07:00','2020-03-09 17:54:00','121','44','4');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1158','2020-03-09 17:09:00','2020-03-09 18:08:00','45','42','2');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1159','2020-03-09 17:59:00','2020-03-09 19:11:00','144','8','2');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1160','2020-03-09 19:52:00','2020-03-09 20:59:00','89','6','9');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1161','2020-03-10 11:49:00','2020-03-10 12:29:00','88','17','9');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1162','2020-03-10 12:10:00','2020-03-10 13:10:00','130','37','10');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1163','2020-03-10 12:49:00','2020-03-10 13:58:00','137','22','4');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1164','2020-03-10 13:02:00','2020-03-10 13:38:00','114','37','9');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1165','2020-03-10 13:03:00','2020-03-10 13:37:00','100','50','1');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1166','2020-03-10 13:34:00','2020-03-10 14:38:00','54','15','4');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1167','2020-03-10 13:53:00','2020-03-10 14:49:00','145','14','4');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1168','2020-03-10 14:31:00','2020-03-10 15:43:00','178','47','7');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1169','2020-03-10 14:58:00','2020-03-10 15:58:00','128','20','10');
INSERT INTO P_Order (Order_ID,Order_Date_Tlme,Delivery_Date_Tlme,Calculation,Customer_ID,Employee_ID) VALUES
('1170','2020-03-10 15:32:00','2020-03-10 16:30:00','56','42','4');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1171','2020-03-10 15:43:00','2020-03-10 16:34:00','162','10','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1172','2020-03-10 15:50:00','2020-03-10 16:38:00','187','43','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1173','2020-03-10 16:35:00','2020-03-10 17:05:00','76','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1174','2020-03-10 17:56:00','2020-03-10 19:03:00','82','49','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1175','2020-03-10 18:25:00','2020-03-10 19:26:00','32','26','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1176','2020-03-10 18:29:00','2020-03-10 19:11:00','31','28','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1177','2020-03-10 19:44:00','2020-03-10 20:32:00','42','45','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1178','2020-03-10 20:07:00','2020-03-10 20:51:00','129','40','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1179','2020-03-11 12:00:00','2020-03-11 12:57:00','112','50','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1180','2020-03-11 12:52:00','2020-03-11 13:32:00','165','48','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1181','2020-03-11 12:55:00','2020-03-11 14:08:00','92','36','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1182','2020-03-11 13:10:00','2020-03-11 14:19:00','133','23','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1183','2020-03-11 14:12:00','2020-03-11 14:57:00','144','48','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1184','2020-03-11 14:31:00','2020-03-11 15:20:00','35','44','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1185','2020-03-11 15:37:00','2020-03-11 16:11:00','166','14','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1186','2020-03-11 15:49:00','2020-03-11 16:38:00','42','22','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1187','2020-03-11 15:59:00','2020-03-11 16:50:00','51','7','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1188','2020-03-11 16:05:00','2020-03-11 17:11:00','158','9','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1189','2020-03-11 17:49:00','2020-03-11 18:41:00','106','10','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1190','2020-03-11 18:35:00','2020-03-11 19:32:00','174','38','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1191','2020-03-11 18:38:00','2020-03-11 19:34:00','150','46','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1192','2020-03-11 19:01:00','2020-03-11 19:58:00','55','36','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1193','2020-03-12 11:36:00','2020-03-12 12:13:00','134','41','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1194','2020-03-12 11:52:00','2020-03-12 12:48:00','32','8','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1195','2020-03-12 12:18:00','2020-03-12 13:19:00','60','29','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1196','2020-03-12 12:50:00','2020-03-12 13:30:00','130','44','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1197','2020-03-12 13:16:00','2020-03-12 14:06:00','120','10','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1198','2020-03-12 13:54:00','2020-03-12 14:32:00','55','43','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1199','2020-03-12 14:00:00','2020-03-12 15:02:00','143','15','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1200','2020-03-12 14:32:00','2020-03-12 15:43:00','177','26','9');

```



```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1201','2020-03-12 14:54:00','2020-03-12 15:42:00','68','49','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1202','2020-03-12 15:27:00','2020-03-12 16:28:00','141','39','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1203','2020-03-12 17:04:00','2020-03-12 17:58:00','74','29','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1204','2020-03-12 17:12:00','2020-03-12 18:26:00','113','28','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1205','2020-03-12 17:20:00','2020-03-12 18:32:00','94','35','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1206','2020-03-12 18:21:00','2020-03-12 19:16:00','102','42','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1207','2020-03-12 19:49:00','2020-03-12 20:54:00','34','44','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1208','2020-03-13 12:16:00','2020-03-13 13:16:00','104','33','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1209','2020-03-13 12:51:00','2020-03-13 14:04:00','116','10','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1210','2020-03-13 13:54:00','2020-03-13 14:53:00','131','49','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1211','2020-03-13 14:02:00','2020-03-13 15:16:00','79','30','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1212','2020-03-13 14:45:00','2020-03-13 15:59:00','172','47','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1213','2020-03-13 14:47:00','2020-03-13 15:18:00','82','47','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1214','2020-03-13 15:36:00','2020-03-13 16:09:00','188','36','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1215','2020-03-13 15:46:00','2020-03-13 16:16:00','153','4','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1216','2020-03-13 15:52:00','2020-03-13 16:53:00','40','3','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1217','2020-03-13 16:45:00','2020-03-13 17:18:00','69','23','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1218','2020-03-13 17:40:00','2020-03-13 18:13:00','60','29','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1219','2020-03-13 19:20:00','2020-03-13 20:06:00','45','10','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1220','2020-03-13 19:29:00','2020-03-13 20:04:00','99','28','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1221','2020-03-13 20:12:00','2020-03-13 20:51:00','33','34','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1222','2020-03-14 12:49:00','2020-03-14 13:34:00','37','41','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1223','2020-03-14 12:54:00','2020-03-14 13:29:00','141','18','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1224','2020-03-14 13:28:00','2020-03-14 14:24:00','182','3','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1225','2020-03-14 13:30:00','2020-03-14 14:25:00','102','3','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1226','2020-03-14 13:44:00','2020-03-14 14:33:00','106','2','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1227','2020-03-14 13:51:00','2020-03-14 15:05:00','84','21','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1228','2020-03-14 16:55:00','2020-03-14 17:40:00','168','32','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1229','2020-03-14 17:32:00','2020-03-14 18:17:00','138','27','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1230','2020-03-14 17:58:00','2020-03-14 19:07:00','46','33','1');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1231','2020-03-14 18:02:00','2020-03-14 18:40:00','130','27','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1232','2020-03-14 18:15:00','2020-03-14 19:15:00','68','50','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1233','2020-03-14 18:49:00','2020-03-14 19:51:00','162','48','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1234','2020-03-14 18:50:00','2020-03-14 20:04:00','94','6','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1235','2020-03-14 19:11:00','2020-03-14 19:47:00','78','3','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1236','2020-03-14 19:52:00','2020-03-14 20:42:00','152','9','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1237','2020-03-15 11:00:00','2020-03-15 12:03:00','82','23','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1238','2020-03-15 11:25:00','2020-03-15 12:40:00','111','29','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1239','2020-03-15 12:34:00','2020-03-15 13:19:00','156','19','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1240','2020-03-15 13:11:00','2020-03-15 13:51:00','113','15','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1241','2020-03-15 13:21:00','2020-03-15 14:02:00','74','17','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1242','2020-03-15 13:41:00','2020-03-15 14:17:00','133','47','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1243','2020-03-15 15:12:00','2020-03-15 16:21:00','134','47','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1244','2020-03-15 15:17:00','2020-03-15 16:16:00','102','31','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1245','2020-03-15 16:27:00','2020-03-15 17:02:00','123','28','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1246','2020-03-15 17:05:00','2020-03-15 18:02:00','82','9','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1247','2020-03-15 17:21:00','2020-03-15 18:16:00','46','41','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1248','2020-03-15 17:29:00','2020-03-15 18:04:00','129','27','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1249','2020-03-15 17:40:00','2020-03-15 18:42:00','29','27','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1250','2020-03-15 17:50:00','2020-03-15 19:05:00','158','31','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1251','2020-03-15 17:54:00','2020-03-15 18:32:00','40','13','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1252','2020-03-15 19:18:00','2020-03-15 20:04:00','24','2','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1253','2020-03-16 10:56:00','2020-03-16 12:08:00','89','16','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1254','2020-03-16 11:28:00','2020-03-16 12:25:00','62','27','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1255','2020-03-16 12:19:00','2020-03-16 13:03:00','137','33','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1256','2020-03-16 12:56:00','2020-03-16 14:02:00','187','49','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1257','2020-03-16 15:36:00','2020-03-16 16:08:00','138','14','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1258','2020-03-16 15:44:00','2020-03-16 16:54:00','88','8','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1259','2020-03-16 16:33:00','2020-03-16 17:14:00','179','34','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1260','2020-03-16 17:33:00','2020-03-16 18:17:00','56','28','9');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1261','2020-03-16 17:37:00','2020-03-16 18:40:00','43','32','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1262','2020-03-16 17:47:00','2020-03-16 18:42:00','178','13','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1263','2020-03-16 19:06:00','2020-03-16 20:12:00','134','12','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1264','2020-03-16 19:07:00','2020-03-16 19:54:00','115','34','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1265','2020-03-16 19:08:00','2020-03-16 19:50:00','54','19','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1266','2020-03-16 19:23:00','2020-03-16 20:19:00','76','39','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1267','2020-03-16 19:35:00','2020-03-16 20:30:00','36','48','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1268','2020-03-16 20:21:00','2020-03-16 20:56:00','183','27','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1269','2020-03-17 11:02:00','2020-03-17 12:06:00','99','43','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1270','2020-03-17 12:19:00','2020-03-17 13:25:00','138','8','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1271','2020-03-17 12:23:00','2020-03-17 13:08:00','53','42','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1272','2020-03-17 12:25:00','2020-03-17 13:11:00','111','3','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1273','2020-03-17 13:53:00','2020-03-17 14:52:00','132','49','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1274','2020-03-17 13:59:00','2020-03-17 14:55:00','156','46','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1275','2020-03-17 14:06:00','2020-03-17 14:55:00','34','4','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1276','2020-03-17 14:13:00','2020-03-17 15:21:00','156','46','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1277','2020-03-17 14:45:00','2020-03-17 15:24:00','82','46','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1278','2020-03-17 14:54:00','2020-03-17 16:06:00','127','8','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1279','2020-03-17 15:19:00','2020-03-17 15:55:00','48','21','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1280','2020-03-17 15:54:00','2020-03-17 17:05:00','95','4','11');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1281','2020-03-17 19:51:00','2020-03-17 20:37:00','72','34','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1282','2020-03-18 11:19:00','2020-03-18 12:13:00','148','43','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1283','2020-03-18 11:35:00','2020-03-18 12:46:00','181','42','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1284','2020-03-18 11:38:00','2020-03-18 12:41:00','55','31','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1285','2020-03-18 12:29:00','2020-03-18 13:38:00','87','43','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1286','2020-03-18 12:48:00','2020-03-18 13:33:00','88','15','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1287','2020-03-18 13:26:00','2020-03-18 14:31:00','106','20','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1288','2020-03-18 13:27:00','2020-03-18 14:40:00','66','45','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1289','2020-03-18 14:19:00','2020-03-18 15:24:00','164','42','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1290','2020-03-18 14:55:00','2020-03-18 15:56:00','41','49','4');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1291','2020-03-18 15:43:00','2020-03-18 16:39:00','153','50','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1292','2020-03-18 16:19:00','2020-03-18 17:29:00','114','3','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1293','2020-03-18 17:07:00','2020-03-18 18:22:00','128','9','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1294','2020-03-18 17:32:00','2020-03-18 18:21:00','40','12','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1295','2020-03-18 17:33:00','2020-03-18 18:15:00','118','9','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1296','2020-03-18 17:45:00','2020-03-18 18:51:00','47','30','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1297','2020-03-18 18:00:00','2020-03-18 18:33:00','108','47','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1298','2020-03-18 18:05:00','2020-03-18 19:18:00','70','38','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1299','2020-03-18 18:18:00','2020-03-18 19:16:00','45','25','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1300','2020-03-18 20:10:00','2020-03-18 20:44:00','170','39','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1301','2020-03-18 20:28:00','2020-03-18 20:59:00','179','15','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1302','2020-03-19 12:34:00','2020-03-19 13:38:00','113','10','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1303','2020-03-19 12:50:00','2020-03-19 14:03:00','85','32','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1304','2020-03-19 13:14:00','2020-03-19 14:22:00','36','30','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1305','2020-03-19 14:36:00','2020-03-19 15:17:00','215','22','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1306','2020-03-19 15:02:00','2020-03-19 16:08:00','58','42','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1307','2020-03-19 15:05:00','2020-03-19 16:05:00','152','22','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1308','2020-03-19 15:16:00','2020-03-19 15:50:00','158','44','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1309','2020-03-19 17:36:00','2020-03-19 18:35:00','80','30','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1310','2020-03-19 18:43:00','2020-03-19 19:25:00','151','25','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1311','2020-03-19 18:59:00','2020-03-19 19:32:00','52','7','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1312','2020-03-20 12:31:00','2020-03-20 13:14:00','45','41','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1313','2020-03-20 13:30:00','2020-03-20 14:12:00','48','13','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1314','2020-03-20 13:45:00','2020-03-20 14:36:00','188','31','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1315','2020-03-20 14:14:00','2020-03-20 15:21:00','134','26','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1316','2020-03-20 14:25:00','2020-03-20 14:55:00','217','19','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1317','2020-03-20 14:35:00','2020-03-20 15:46:00','32','36','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1318','2020-03-20 14:49:00','2020-03-20 16:02:00','130','46','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1319','2020-03-20 15:15:00','2020-03-20 16:30:00','152','1','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1320','2020-03-20 15:35:00','2020-03-20 16:47:00','91','50','8');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1321','2020-03-20 15:49:00','2020-03-20 17:01:00','119','36','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1322','2020-03-20 15:53:00','2020-03-20 17:02:00','106','18','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1323','2020-03-20 16:36:00','2020-03-20 17:32:00','37','35','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1324','2020-03-20 16:37:00','2020-03-20 17:14:00','102','48','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1325','2020-03-20 19:09:00','2020-03-20 20:21:00','148','6','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1326','2020-03-20 20:09:00','2020-03-20 20:52:00','62','35','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1327','2020-03-20 20:21:00','2020-03-20 20:56:00','116','18','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1328','2020-03-21 11:08:00','2020-03-21 12:02:00','61','33','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1329','2020-03-21 11:24:00','2020-03-21 12:27:00','197','16','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1330','2020-03-21 12:04:00','2020-03-21 13:03:00','77','42','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1331','2020-03-21 13:04:00','2020-03-21 13:44:00','40','8','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1332','2020-03-21 13:09:00','2020-03-21 14:16:00','126','37','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1333','2020-03-21 13:18:00','2020-03-21 14:06:00','142','29','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1334','2020-03-21 14:10:00','2020-03-21 14:42:00','38','45','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1335','2020-03-21 14:18:00','2020-03-21 15:14:00','50','41','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1336','2020-03-21 15:40:00','2020-03-21 16:23:00','100','11','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1337','2020-03-21 17:05:00','2020-03-21 18:13:00','158','33','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1338','2020-03-21 17:24:00','2020-03-21 18:01:00','118','21','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1339','2020-03-21 17:42:00','2020-03-21 18:29:00','34','20','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1340','2020-03-21 18:06:00','2020-03-21 19:10:00','62','41','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1341','2020-03-21 18:13:00','2020-03-21 18:55:00','118','4','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1342','2020-03-21 18:13:00','2020-03-21 19:28:00','121','18','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1343','2020-03-21 19:15:00','2020-03-21 19:53:00','168','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1344','2020-03-21 19:48:00','2020-03-21 20:31:00','74','25','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1345','2020-03-22 11:45:00','2020-03-22 12:40:00','136','47','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1346','2020-03-22 12:24:00','2020-03-22 13:14:00','85','37','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1347','2020-03-22 12:46:00','2020-03-22 13:32:00','39','46','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1348','2020-03-22 13:22:00','2020-03-22 14:36:00','122','13','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1349','2020-03-22 13:38:00','2020-03-22 14:46:00','36','49','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1350','2020-03-22 14:46:00','2020-03-22 15:27:00','36','39','3');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1351','2020-03-22 15:32:00','2020-03-22 16:12:00','82','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1352','2020-03-22 15:55:00','2020-03-22 16:51:00','65','10','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1353','2020-03-22 16:28:00','2020-03-22 17:07:00','34','45','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1354','2020-03-22 17:45:00','2020-03-22 18:47:00','39','24','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1355','2020-03-22 18:47:00','2020-03-22 19:27:00','130','45','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1356','2020-03-22 19:18:00','2020-03-22 20:09:00','35','27','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1357','2020-03-22 19:48:00','2020-03-22 20:59:00','58','13','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1358','2020-03-23 12:29:00','2020-03-23 13:04:00','98','33','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1359','2020-03-23 12:30:00','2020-03-23 13:31:00','26','2','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1360','2020-03-23 12:47:00','2020-03-23 13:31:00','146','15','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1361','2020-03-23 13:09:00','2020-03-23 14:20:00','76','18','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1362','2020-03-23 13:11:00','2020-03-23 14:01:00','129','39','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1363','2020-03-23 13:38:00','2020-03-23 14:28:00','129','4','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1364','2020-03-23 13:57:00','2020-03-23 14:51:00','36','39','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1365','2020-03-23 15:22:00','2020-03-23 16:16:00','108','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1366','2020-03-23 16:04:00','2020-03-23 17:14:00','111','50','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1367','2020-03-23 16:30:00','2020-03-23 17:40:00','112','2','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1368','2020-03-23 17:39:00','2020-03-23 18:51:00','91','50','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1369','2020-03-23 18:15:00','2020-03-23 18:53:00','28','29','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1370','2020-03-23 19:35:00','2020-03-23 20:23:00','128','8','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1371','2020-03-23 19:38:00','2020-03-23 20:26:00','152','35','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1372','2020-03-24 11:31:00','2020-03-24 12:29:00','113','44','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1373','2020-03-24 11:32:00','2020-03-24 12:21:00','134','33','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1374','2020-03-24 12:16:00','2020-03-24 13:25:00','140','26','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1375','2020-03-24 13:09:00','2020-03-24 13:46:00','108','20','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1376','2020-03-24 14:04:00','2020-03-24 14:43:00','37','20','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1377','2020-03-24 14:30:00','2020-03-24 15:38:00','96','6','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1378','2020-03-24 14:58:00','2020-03-24 15:43:00','114','20','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1379','2020-03-24 15:09:00','2020-03-24 15:43:00','91','9','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1380','2020-03-24 15:32:00','2020-03-24 16:10:00','78','29','10');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1381','2020-03-24 17:15:00','2020-03-24 17:57:00','203','17','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1382','2020-03-24 19:01:00','2020-03-24 20:06:00','106','5','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1383','2020-03-24 19:01:00','2020-03-24 20:07:00','72','6','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1384','2020-03-24 19:12:00','2020-03-24 20:15:00','134','8','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1385','2020-03-24 19:25:00','2020-03-24 20:13:00','160','31','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1386','2020-03-24 19:44:00','2020-03-24 20:32:00','150','26','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1387','2020-03-25 11:09:00','2020-03-25 12:15:00','137','40','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1388','2020-03-25 11:39:00','2020-03-25 12:24:00','66','41','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1389','2020-03-25 11:41:00','2020-03-25 12:22:00','114','45','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1390','2020-03-25 11:55:00','2020-03-25 12:39:00','45','7','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1391','2020-03-25 12:00:00','2020-03-25 12:48:00','130','13','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1392','2020-03-25 12:32:00','2020-03-25 13:36:00','112','10','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1393','2020-03-25 13:13:00','2020-03-25 14:21:00','75','43','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1394','2020-03-25 14:24:00','2020-03-25 14:55:00','161','41','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1395','2020-03-25 14:26:00','2020-03-25 15:28:00','93','22','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1396','2020-03-25 14:53:00','2020-03-25 15:47:00','50','5','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1397','2020-03-25 15:08:00','2020-03-25 16:01:00','91','28','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1398','2020-03-25 15:24:00','2020-03-25 16:33:00','177','12','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1399','2020-03-25 15:26:00','2020-03-25 16:25:00','141','24','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1400','2020-03-25 15:42:00','2020-03-25 16:55:00','90','38','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1401','2020-03-25 16:50:00','2020-03-25 17:53:00','62','16','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1402','2020-03-25 17:32:00','2020-03-25 18:09:00','142','37','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1403','2020-03-25 18:13:00','2020-03-25 19:08:00','74','31','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1404','2020-03-25 18:35:00','2020-03-25 19:50:00','65','44','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1405','2020-03-25 18:38:00','2020-03-25 19:53:00','131','28','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1406','2020-03-25 18:58:00','2020-03-25 19:47:00','44','11','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1407','2020-03-25 19:21:00','2020-03-25 20:15:00','150','22','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1408','2020-03-25 19:23:00','2020-03-25 20:14:00','137','43','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1409','2020-03-25 19:56:00','2020-03-25 20:52:00','148','15','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1410','2020-03-26 11:50:00','2020-03-26 12:55:00','193','10','8');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1411','2020-03-26 11:50:00','2020-03-26 13:05:00','46','9','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1412','2020-03-26 12:58:00','2020-03-26 13:29:00','156','42','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1413','2020-03-26 13:03:00','2020-03-26 13:53:00','187','5','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1414','2020-03-26 13:20:00','2020-03-26 14:32:00','126','49','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1415','2020-03-26 14:16:00','2020-03-26 15:17:00','31','39','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1416','2020-03-26 14:33:00','2020-03-26 15:46:00','189','18','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1417','2020-03-26 15:09:00','2020-03-26 16:24:00','30','6','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1418','2020-03-26 15:36:00','2020-03-26 16:25:00','135','33','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1419','2020-03-26 15:38:00','2020-03-26 16:14:00','38','23','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1420','2020-03-26 16:03:00','2020-03-26 16:54:00','122','45','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1421','2020-03-26 16:09:00','2020-03-26 16:45:00','191','37','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1422','2020-03-26 17:26:00','2020-03-26 18:04:00','57','23','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1423','2020-03-26 18:37:00','2020-03-26 19:09:00','123','12','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1424','2020-03-26 19:12:00','2020-03-26 20:10:00','137','42','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1425','2020-03-27 11:50:00','2020-03-27 12:33:00','122','42','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1426','2020-03-27 12:38:00','2020-03-27 13:27:00','65','25','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1427','2020-03-27 12:57:00','2020-03-27 13:55:00','57','18','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1428','2020-03-27 13:09:00','2020-03-27 14:03:00','84','14','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1429','2020-03-27 13:20:00','2020-03-27 14:13:00','132','16','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1430','2020-03-27 14:34:00','2020-03-27 15:39:00','205','41','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1431','2020-03-27 15:25:00','2020-03-27 16:08:00','72','35','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1432','2020-03-27 16:29:00','2020-03-27 17:16:00','167','39','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1433','2020-03-27 16:34:00','2020-03-27 17:18:00','50','36','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1434','2020-03-27 16:56:00','2020-03-27 17:57:00','37','43','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1435','2020-03-27 17:16:00','2020-03-27 18:16:00','49','14','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1436','2020-03-27 17:32:00','2020-03-27 18:04:00','76','42','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1437','2020-03-27 17:56:00','2020-03-27 18:59:00','48','47','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1438','2020-03-27 18:37:00','2020-03-27 19:46:00','84','33','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1439','2020-03-27 18:57:00','2020-03-27 20:07:00','79','3','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1440','2020-03-27 19:06:00','2020-03-27 19:52:00','96','2','4');

```



```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1441','2020-03-28 12:21:00','2020-03-28 13:25:00','176','10','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1442','2020-03-28 12:25:00','2020-03-28 13:26:00','54','35','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1443','2020-03-28 13:06:00','2020-03-28 13:52:00','111','12','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1444','2020-03-28 14:45:00','2020-03-28 15:25:00','120','27','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1445','2020-03-28 15:26:00','2020-03-28 16:08:00','37','9','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1446','2020-03-28 15:35:00','2020-03-28 16:20:00','136','35','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1447','2020-03-28 16:54:00','2020-03-28 17:48:00','76','20','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1448','2020-03-28 17:16:00','2020-03-28 18:29:00','106','30','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1449','2020-03-28 17:40:00','2020-03-28 18:51:00','74','38','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1450','2020-03-28 17:40:00','2020-03-28 18:14:00','204','47','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1451','2020-03-28 18:05:00','2020-03-28 19:10:00','153','16','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1452','2020-03-28 18:46:00','2020-03-28 19:21:00','164','48','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1453','2020-03-28 19:19:00','2020-03-28 20:09:00','114','26','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1454','2020-03-28 19:29:00','2020-03-28 20:12:00','148','39','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1455','2020-03-28 19:48:00','2020-03-28 20:38:00','78','22','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1456','2020-03-29 13:46:00','2020-03-29 14:17:00','77','20','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1457','2020-03-29 14:27:00','2020-03-29 15:08:00','110','25','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1458','2020-03-29 14:28:00','2020-03-29 14:58:00','191','36','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1459','2020-03-29 15:03:00','2020-03-29 15:40:00','90','34','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1460','2020-03-29 15:32:00','2020-03-29 16:07:00','27','14','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1461','2020-03-29 16:39:00','2020-03-29 17:44:00','75','29','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1462','2020-03-29 16:55:00','2020-03-29 18:03:00','85','50','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1463','2020-03-29 17:01:00','2020-03-29 17:51:00','46','9','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1464','2020-03-29 17:03:00','2020-03-29 17:34:00','120','50','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1465','2020-03-29 18:21:00','2020-03-29 19:28:00','64','13','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1466','2020-03-29 18:34:00','2020-03-29 19:15:00','139','12','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1467','2020-03-29 18:45:00','2020-03-29 19:53:00','50','40','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1468','2020-03-29 19:22:00','2020-03-29 20:34:00','170','48','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1469','2020-03-29 19:37:00','2020-03-29 20:07:00','114','8','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1470','2020-03-29 20:12:00','2020-03-29 20:54:00','48','1','2');

```

```

INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1471','2020-03-30 11:08:00','2020-03-30 12:10:00','116','21','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1472','2020-03-30 11:53:00','2020-03-30 12:57:00','138','34','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1473','2020-03-30 12:45:00','2020-03-30 13:49:00','57','2','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1474','2020-03-30 12:53:00','2020-03-30 13:53:00','35','4','10');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1475','2020-03-30 13:37:00','2020-03-30 14:21:00','36','24','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1476','2020-03-30 13:47:00','2020-03-30 14:47:00','66','30','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1477','2020-03-30 14:02:00','2020-03-30 14:39:00','144','35','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1478','2020-03-30 14:05:00','2020-03-30 15:07:00','45','46','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1479','2020-03-30 14:25:00','2020-03-30 14:57:00','64','12','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1480','2020-03-30 14:57:00','2020-03-30 15:32:00','112','31','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1481','2020-03-30 15:34:00','2020-03-30 16:22:00','206','1','8');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1482','2020-03-30 15:50:00','2020-03-30 16:23:00','28','49','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1483','2020-03-30 16:15:00','2020-03-30 16:53:00','124','42','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1484','2020-03-30 16:30:00','2020-03-30 17:26:00','56','31','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1485','2020-03-30 17:01:00','2020-03-30 17:49:00','58','41','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1486','2020-03-30 17:49:00','2020-03-30 18:31:00','94','46','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1487','2020-03-30 18:23:00','2020-03-30 19:10:00','82','4','6');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1488','2020-03-30 18:27:00','2020-03-30 19:12:00','113','24','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1489','2020-03-30 19:28:00','2020-03-30 20:38:00','57','3','2');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1490','2020-03-30 19:30:00','2020-03-30 20:22:00','67','46','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1491','2020-03-31 12:36:00','2020-03-31 13:08:00','170','27','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1492','2020-03-31 12:57:00','2020-03-31 13:38:00','57','41','1');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1493','2020-03-31 15:30:00','2020-03-31 16:13:00','49','42','5');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1494','2020-03-31 15:46:00','2020-03-31 16:40:00','138','2','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1495','2020-03-31 17:00:00','2020-03-31 17:40:00','55','12','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1496','2020-03-31 18:40:00','2020-03-31 19:11:00','174','8','4');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1497','2020-03-31 18:45:00','2020-03-31 19:17:00','136','33','3');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1498','2020-03-31 18:58:00','2020-03-31 19:46:00','177','47','9');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1499','2020-03-31 19:10:00','2020-03-31 19:46:00','161','30','7');
INSERT INTO P_Order (Order_ID,Order_Date_Time,Delivery_Date_Time,Calculation,Customer_ID,Employee_ID) VALUES
('1500','2020-03-31 19:16:00','2020-03-31 20:26:00','109','39','7');

```