

```

INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('1','Large-Marinara-Veg','Marinara','30','0','0','5','0','0','35');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('2','Large-Marinara-Meat','Marinara','30','0','0','0','7','0','37');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('3','Large-Marinara-Cheese','Marinara','30','0','0','0','0','2','32');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('4','Medium-Marinara-Veg','Marinara','0','25','0','5','0','0','30');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('5','Medium-Marinara-Meat','Marinara','0','25','0','0','7','0','32');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('6','Medium-Marinara-Cheese','Marinara','0','25','0','0','0','2','27');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('7','Small-Marinara-Veg','Marinara','0','0','20','5','0','0','25');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('8','Small-Marinara-Meat','Marinara','0','0','20','0','7','0','27');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('9','Small-Marinara-Cheese','Marinara','0','0','20','0','0','2','22');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('10','Large-Alfredo-Veg','Alfredo','30','0','0','5','0','0','35');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('11','Large-Alfredo-Meat','Alfredo','30','0','0','0','7','0','37');

```

```

INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('12','Large-Alfredo-Cheese','Alfredo','30','0','0','0','2','32');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('13','Medium-Alfredo-Veg','Alfredo','0','25','0','5','0','30');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('14','Medium-Alfredo-Meat','Alfredo','0','25','0','0','7','32');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('15','Medium-Alfredo-Cheese','Alfredo','0','25','0','0','2','27');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('16','Small-Alfredo-Veg','Alfredo','0','0','20','5','0','25');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('17','Small-Alfredo-Meat','Alfredo','0','0','20','0','7','27');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('18','Small-Alfredo-Cheese','Alfredo','0','0','20','0','0','2','22');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('19','Large-BBQ-Veg','BBQ','30','0','0','5','0','35');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('20','Large-BBQ-Meat','BBQ','30','0','0','0','7','37');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('21','Large-BBQ-Cheese','BBQ','30','0','0','0','2','32');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('22','Medium-BBQ-Veg','BBQ','0','25','0','5','0','30');

```

```

INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('23','Medium-BBQ-Meat','BBQ','0','25','0','0','7','0','32');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('24','Medium-BBQ-Cheese','BBQ','0','25','0','0','0','2','27');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('25','Small-BBQ-Veg','BBQ','0','0','20','5','0','0','25');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('26','Small-BBQ-Meat','BBQ','0','0','20','0','7','0','27');
INSERT INTO P_Pizza
(Pizza_ID,Description,Sauce,Large_Pizza_Price,Medium_Pizza_Price,Small_Pizza_Price,Veget
able_Pizza_Price,Meat_Pizza_Price,Cheese_Pizza_Price,Total_Price) VALUES
('27','Small-BBQ-Cheese','BBQ','0','0','20','0','0','2','22');

```