



4.06 Job Task Observation SOP

1. Purpose

This guideline is to provide guidance and instruction to the Supervisor /Observer in conducting a Job Task Observation (JTO).

It is not the Supervisor /Observer responsibility to decide if a worker "pass's or fails" a JTO. The main purpose is to determine the level of Operator competency ; the Supervisor /Observer determines if the Operator knows and understands **all** of the hazards and controls for each job and is capable of following the SOP that the company has developed for each task.

It is the Operators responsibility to demonstrate to the Supervisor /Observer that they have a complete understanding of **all** of the hazards and controls for each task, and that they follow the procedure , it is the Operator that ultimately decides by their actions if he/she is competent at the given task.

2. Scope

Each and every person at Silverpoint will be required to perform specific tasks . There may or may not be a Standard Operating Procedure for the task. In order for a Operator to be deemed competent to perform the task unsupervised , a JTO must be completed and the Operator must complete the task to the satisfaction of the Supervisor /Observer .

In order to complete the JTO, the Supervisor /Observer must also be competent in the task. It would be preferred that the observer completing the JTO be different from the employee who trained the Operator in the task.

3. Hazard Assessment & Identification

Each JTO will have different hazards associated with it. It would be reasonable to assume that what ever hazards the Operator will be exposed to, so will the Supervisor /Observer . Refer to the SOP that the Operator will be performing .

4. EHS Requirements

Each JTO will have different hazards associated with it. It would be reasonable to assume that what ever PPE is required by the Operator will also be required by the Supervisor /Observer . Refer to the SOP that the Operator will be performing .

5. References

The Supervisor /Observer should have a copy of the SOP that the Operator will perform . If the Operator will typically have documentation with them during the normal completion of the task, then the Operator can have the documentation with them at the time the JTO is being performed and must be able to identify the hazards and controls associated with the task.



Example : an employee could easily reference the SOP for tasks such as winterizing a well site trailer, switching out operators or switching out trucks

If the Operator will typically not have documentation with them during the normal completion of the task, then the Operator must not have the documentation with them at the time the JTO is being performed and must be able to identify the hazards and controls associated with the task and complete the task from memory .

Example : An Operator would not be able to reference the SOP **during** tasks such as Cement jobs, ascending and descending , transferring fluids, or loading from the rig.

6. Procedure

- 6.1. The Supervisor /Observer should obtain and review a copy of the SOP for the task to be observed . Also obtain a JTO form and complete the general information on the form .
- 6.2. Supervisor /Observer Name: write down the name of the person observing the JTO.
- 6.3. Facility /LSD Location : write down the area where you are working .
- 6.4. Date: write down the date the JTO was completed
- 6.5. Job Observed : write down the job name .
- 6.6. SOP for Task: write down the number of the SOP you are working on.
- 6.7. Employee Name: write down the employee's complete first and last names .
- 6.8. Occupation : write down the worker's title.
- 6.9. Time on Present Job: write down the time the worker has been with this company ; (Silverpoint) not years of experience with other unrelated companies .
- 6.10. Notification box:
 - 6.10.1 . If you have told the Operator that you will be doing a JTO and they have had an opportunity to review the THA & SOP check the told in advance box.
 - 6.10.2 . If you have not told the Operator and they must rely on their memory to for all information , check the not told in advance box.

7. Inform the Operator that you are going to do a JTO on (name the task). You will need to identify this to the Operator in advance of the worker starting the task. Do not start a JTO if the Operator has already started the task. Explain to the Operator that while they are performing the task you will need the Operator to verbalize as much as they can of what they are thinking , what they are doing and why they are doing it. This is so that the Operator can clearly demonstrate their competency in the task.

- 7.1. Ask the Operator to identify all the hazards and the controls for each hazard identified . Even if the Operator has reference material , he or she must be able to identify the hazards and the controls from memory .



7.2. Some company THA/SOP have extensive hazards and controls, if there is not enough room on the JTO form for all the hazards and controls, use one of the sections at the bottom of the JTO form, cross out the existing header and print what the section is being used for.

7.3. It is preferred to have the Supervisor /Observer write down the Hazards and Controls as to instigate communication between the Operator and the Supervisor /Observer.

7.3.1. (Note: If the Operator is unable to identify the significant hazards or the majority of all the hazards and controls associated with the task, stop the JTO and review the Task Hazard Assessment completed on the task and the SOP with the Operator. Complete the JTO form identifying what the Operator missed in the hazard identification section and send the JTO into the office.)

7.4. Gather and don all required PPE that you will need to wear for the task observation.

7.5. Identify locations where you will need to stand and observe to minimize your exposure to hazards as well as interference with the Operator. Do this BEFORE the Operator commences the task.

7.6. Observe the Operator performing the task with a focus on the following:

7.6.1. Could any of the practices or conditions observed result in property damage, personal injury, or environmental impact? Be conscious of the surroundings of the Operator for external hazards.

7.6.2. Were there any "at Risk" behaviors observed? Was the Operator rushing through the task? Did he stand in the line of fire (i.e., in front of the cam-lock cap when removing it)? Was the Operator focused on the task or was he watching something or someone else?

7.7. If at any time during observing the task you feel the Operator stops following the SOP, is taking a shortcut, is putting them, you, property, or the environment at risk, stop the task and question the worker and if necessary, correct the worker. If the risk is significant, stop the task and advise the Operator you are stopping the task and JTO and explain why. You will then need to either aid the worker in completing the task properly or shut down the process until a competent Operator can complete the task that was started. Clear communication would need to be provided to the competent Operator at what point the task was stopped so that no additional hazards are created.

7.7.1. If the Operator has not followed the SOP because they feel it is not necessary, that's not the way they did it at another company or they feel they have a better way of performing the task, Stop the JTO and have them record their ideas and possible improvements to the SOP on the JTO form.

7.7.2. Any Operator that has submitted ideas for SOP improvements will still be required to perform the task according to the company SOP until such time that their ideas can be evaluated, approved and implemented into the SOP, just because an Operator has recorded their ideas does not give them approval to perform an existing SOP their "new" way.



7.7.3. If the Operator can clearly show that they are not following the current SOP and THA because it presents a substantial uncontrolled hazard, report it to the office immediately for review and possible SOP/THA update.

8. Once the Operator has completed the task to your satisfaction, complete the form and review the JTO form with the worker ensuring you identify all positive comments with the Operator.

8.1. If the Operator was recently trained in the task and even if the Operator completed it to your satisfaction, it is reasonable to assume that the task has not yet been committed to long term memory. It is possible to deem the Operator competent but require a second JTO on the task in a couple of weeks to ensure the task has transferred to long term memory. Record this information in the comments section.

8.2. Sign the form and have the worker sign the JTO form. NOTE: It is important that this form be completed accurately and completely. In the case of an incident, the JTO form may become a critical piece of evidence that the Operator has been properly trained. Hand the form into your EH&S Supervisor and discuss the JTO and your findings.

8.3. Conducting a "non-informed JTO" on an Operator without the Operator realizing what you are doing will be difficult so once the JTO process starts, do not attempt to hide what you are doing. The "non-informed JTO" is less formal than the "informed JTO" and can be used to confirm the Operator is not taking shortcuts, is not rushing, standing in the line of fire, etc. The questions regarding hazards can be asked informally as either as part of the JTO or following the JTO. Likewise, the JTO form can be completed following the JTO.

8.4. However, as in the previous section, if at any time during the "non-informed JTO" you feel the Operator stops following the SOP, is taking a shortcut, is putting their self, you, property or the environment at risk, stop the task and question the Operator and if necessary, correct the Operator. If the risk is significant, stop the task and advise the Operator you are stopping the task and JTO and explain why. You will then need to either aid the Operator in completing the task properly or shut down and render the process safe until a competent Operator can complete the task that was started. Clear communication would need to be provided to the competent Operator at what point the task was stopped so that no additional hazards are created.

8.5. In some situations, it may not be possible to perform the actual JTO (example: 4.05 confrontation with enraged individuals, 1.08 land spreading, 2.11 dealing with a vehicle break down or winterizing well site trailers.) A review or if possible, a simulation of the SOP's will give the Operator a much better idea of what is expected when the time comes to perform these tasks. Review the hazards and controls, have the Operator record them on the JTO form and go thru the SOP step by step, give the Operator every opportunity to ask question during an SOP review.

8.5.1. Record that the SOP was only reviewed with the Operator on the JTO form and that the actual job was not performed. These will be entered in the JTO tracking matrix as JTO reviews that require a follow up JTO before the Operator can be deemed competent to perform the task.

Remember if you have any questions or concerns, call your supervisor