

ACADEMIC PROJECT REPORT

STREAMLINING IT PROCUREMENT: AUTOMATING STANDARD LAPTOP ORDERS WITH FLOW DESIGNER

Evaluation Date: 28 September 2026

Team Identifier: SWTID-2026-2362

Project Framework: ServiceNow Core Core Workflows

Documentation Context: Phase-II Final

1. INTRODUCTION

1.1 Project Overview

Modern enterprise operational footprints necessitate rapid, error-free technology provisioning to sustain corporate workforce output metrics. Legacy IT hardware acquisition models are heavily dependent on fragmented human operational checks, structural manual form entry backlogs, and disconnected registry systems. This operational layout introduces significant request latency pipelines, validation anomalies, and tracking lapses inside asset lifecycle loops. This project replaces these vulnerabilities with an automated laptop provisioning system configured natively on the **ServiceNow Software-as-a-Service (SaaS) Platform**. By substituting legacy scripts with **ServiceNow Flow Designer** logic arrays, this integration builds an agile, low-code transactional workflow framework that bridges front-end intake views with backend databases programmatically.

1.2 Purpose

The central purpose of this systems development project is to compress the enterprise IT hardware fulfillment lifecycle (Mean Time to Resolve - MTTR) from an average baseline of **14 operational days down to less than 72 hours**. By implementing automated role-aware access controls, synchronous database validation queries, and cross-channel message routes, the platform removes human bottlenecks from approval chains. Furthermore, this solution locks absolute data compliance into corporate repositories by utilizing automated background status updates, tracking assets transparently from catalog choice through shipping, delivery hand-off, and configuration phases.

2. IDEATION PHASE

2.1 Problem Statement

The current manual procurement framework incurs high operational labor overhead and cycle delays, traced to specific architectural friction boundaries:

- **Intake Discrepancies:** Manual entries create user location, cost center, and equipment mismatch errors.
 - **Approval Bottlenecks:** Standard corporate approval lines stall indefinitely inside text-heavy email boxes.
 - **Asset Record Gaps:** Device numbers and asset states are updated manually via spreadsheet registries, causing errors.
-

2.2 Empathy Map Canvas

To target system behavior patterns, user reactions were parsed across four core operational quadrants:

- **Says:** *'I don't know where my hardware ticket is stuck,' or 'Approving laptop requests takes too much management time.'*
- **Thinks:** *'Why do I need to type out my department codes and cost numbers for standard equipment paths?'*
- **Does:** Manually pings technical managers via message threads, tracks open tasks in emails, and logs serial markers in Excel sheets.
- **Feels:** Frustrated by lack of ticket visibility, anxious about employee day-one setup delays, and fatigued by repetitive form steps.

2.3 Brainstorming

The initial technical design phase established specific automation components to resolve layout points: replacing free-form textual inputs with role-aware catalog filters; utilizing dynamic flow data-pills inside Flow Designer logic gates to process files without custom code extensions; and configuring IntegrationHub step integrations to parse external supplier delivery events.

3. REQUIREMENT ANALYSIS

3.1 Customer Journey Map Matrix

Matrix Item	1. ENTICE (Awareness)	2. ENTER (Request Intake)	3. ENGAGE (Core Flow)	4. EXIT (Fulfillment)	5. EXTEND (Lifecycle)
System Steps	- Scans HR rosters for hires. - Triggers hardware refresh alert flags.	- User accesses Portal UI. - Filters match hardware to role personas.	- Flow runs inventory lookups. - Dynamic approvals sent to line managers.	- Courier tracking webhooks push metrics. - Setup profile pushes apps on boot.	- CMDB changes asset to 'In Use'. - Triggers micro-survey after 7 days.
Touchpoints	Things: Emails Places: Mailbox view People: System daemons	Things: Portal UI Places: Web browser People: End-User	Things: Teams API, CMDB Places: Cloud runtime People: Line Manager	Things: Box, Active Directory Places: Desk workspace People: Carrier agent	Things: Portal widgets Places: User dashboard People: IT Metrics team
User Goals	Launch equipment actions quickly without slow paperwork cycles.	Avoid picking incorrect or unapproved machine variants.	Bypass queue friction and manual manager review locks.	Attain workspace app configurations natively on initial boot.	Verify device registry parameters bind perfectly to user files.
Sentiment Metrics	- Simple path opens. - Timeline opacity if database layers lag.	- Zero display layout confusion. - Detail clutter on form cards.	- Live MS Teams notification pings. - Stalls if profile strings time out.	- Out-of-box system loads instantly. - Tracking gaps if logistics API drops.	- Device data locks cleanly. - Interaction fatigue if fields are long.
Automation Windows	Use pre-hire rosters in Flow Designer to pre-stage device hardware profiles.	Filter catalog options via backend constraints based on user data.	Orchestrate parallel stock lookup branches alongside manager approvals.	Link carrier tracking	External

3.2 Solution Requirement

Functional Requirements (FR): The architecture must auto-populate request profiles via `gs.getUser()` statements; evaluate warehouse levels by scanning the ``alm_hardware`` database layer; route actionable interactive nodes into MS Teams via webhooks; and toggle configuration states dynamically without human intervention.

Non-Functional Requirements (NFR): Portal intake interfaces must render items under **180ms**; workflow operations parameters must ensure **99.9% environment availability**; and field modifications must enforce rigid cloud isolation rules via platform Access Control Lists (ACLs).

3.3 Data Flow Diagram (DFD) Execution Schema

The system data routing models map structural elements across sequential processing zones:

- Intake Action:** User updates form parameters inside the Service Portal → catalog variables packed.
- Flow Engine Ingestion:** Flow triggers background profile query steps to read employee record lines.
- CMDB Evaluation:** Look up Record queries the asset inventory database (``alm_hardware``) matching SKU items.
- Branching Execution:** If stock value > 0, route manager approvals; if stock value = 0, auto-draft vendor purchase orders.
- Fulfillment Integration:** Approvals prompt task generation logs, triggering IntegrationHub REST endpoints to push profile deployments.

3.4 Technology Stack Specifications

The system components are mapped according to concrete implementation definitions:

System Core	Fulfillment Technology Mapped
User Interface Layer	ServiceNow Employee Center Workspace, HTML5, Bootstrap grid engine, AngularJS modules
Form Logic Validation	ServiceNow Client Scripts, UI Policies, platform client runtime rules configuration
Core Workflow Engine	ServiceNow Flow Designer Framework Core Actions low-code logic components
Database Core Registry	ServiceNow Native Cloud Database Layer (CMDB) – Hardware records mapping (alm_hardware)
Integration Middleware	ServiceNow IntegrationHub REST Steps execution configurations, JSON webhook endpoints
Identity Infrastructure	Microsoft Azure Active Directory Graph API endpoints / Single Sign-On (SSO) systems

4. PROJECT DESIGN

4.1 Problem Solution Fit

The technical framework replaces legacy manual pitfalls with automated platform controls: human tracking tracking delays are fully mitigated by auto-binding record values across processing blocks; manager email delays are resolved by pushing active webhooks into desktop chat channels; and inventory gaps are resolved by checking local stock metrics instantly on record creation tasks.

4.2 Proposed Solution

The proposed ServiceNow environment integrates a zero-touch procurement loop. When an order lands, Flow Designer handles data validation rules, queries inventory levels, assigns technician provisioning tasks, fires vendor ordering webhooks if stock is depleted, and updates system states programmatically, eliminating manual intervention forms.

4.3 Solution Architecture

The design organizes data operations into three distinct architectural layers: the Presentation Layer (hosting the Employee Center catalog views); the Logic Execution Layer (running the multi-branch flow routing rules); and the Integration Hub Layer (managing secure data calls between the database engine and corporate network environments).

5. PROJECT PLANNING & SCHEDULING

5.1 Product Backlog & Sprint Distribution

Developmental milestones are organized across 2-week agile sprint matrices using Fibonacci effort scores:

Sprint ID	Epic Category	User Story ID	Configuration Task Description	Points	Priority
Sprint-1	Intake Portal	USN-1	Configure Service Portal catalog form layouts and variables.	2	High
Sprint-1	Intake Portal	USN-2	Set up gs.getUser() data pills to auto-populate profile lines.	1	High
Sprint-1	Core Logic	USN-3	Build synchronous Look up Record asset checking steps on CMDB.	3	High
Sprint-1	Core Logic	USN-4	Deploy Ask for Approval action block mapped to supervisor lines.	3	High
Sprint-1	Core Logic	USN-5	Script automated Catalog Task generation nodes for warehouses.	3	Medium
Sprint-2	IntegrationHub	USN-6	Link identity sync nodes to check role configuration gates.	2	High
Sprint-2	IntegrationHub	USN-7	Build custom REST step to parse shipping courier APIs.	2	Medium
Sprint-2	IntegrationHub	USN-8	Create auto-draft PO branching workflow rules for vendors.	2	Medium
Sprint-2	IntegrationHub	USN-9	Link zero-touch cloud profiles (Windows Autopilot) to deployment.	4	High
Sprint-2	BI Analytics	USN-10	Construct real-time KPI operations status dashboards.	5	High
Sprint-2	Governance	USN-11	Program post-delivery survey micro-flows to run on day 7.	5	Low

5.2 Scrum Velocity & Effort Metric Calculations

The developmental capability parameters and velocity targets for the engineering framework are structured verbatim below:

- **Sprint-1 Total Work Allocation Volume:** $2 + 1 + 3 + 3 + 3 = 12$ Story Points
- **Sprint-2 Total Work Allocation Volume:** $2 + 2 + 2 + 4 + 5 + 5 = 20$ Story Points
- **Total Product Backlog Volume:** $12 + 20 = 32$ Story Points processed across **2 active sprint windows**.

Using standard scrum velocity evaluation metrics, the throughput baseline is calculated as:

Team Velocity = (Total Story Points Completed) / (Number of Sprints) = $32 / 2 = 16$ Story Points per Sprint

Average Velocity (AV) Per Day = (Sprint-2 Volume Value) / (Planned Duration) = $20 \text{ Points} / 6 \text{ Days} = 3.33 \text{ Points/Day}$

The calculation model shows a stable baseline capability profile at 16 points per cycle, providing accurate capacity estimation indexes to scope future catalog expansions safely.

6. FUNCTIONAL AND PERFORMANCE TESTING

6.1 User Acceptance Testing (UAT) Log Matrix

The verification tracking matrix maps core interaction tests executed across system components:

Test Case	Scenario Description	Fulfillment Steps Executed	Expected Outcome	Actual Outcome	Status
-----------	----------------------	----------------------------	------------------	----------------	--------

TC-001	Catalog Intake Role Filters	1. Login as Dev user. 2. Load catalog screen. 3. Inspect models.	Displays only workstation tiers (MacBook Pro/ThinkPad P).	Catalog filters models natively using department attributes.	PASS
TC-002	Multi-Channel Approval Node	1. Submit laptop request. 2. Check Teams alert. 3. Click Approve.	Flow registers token and fires fulfillment task sequences.	Approval payload hooks capture directly via webhooks.	PASS
TC-003	CMDB Inventory Check Loop	1. Set stock to zero. 2. Submit request ticket. 3. Trace flow logic.	Flow bypasses local task and triggers vendor drop-ship PO.	Engine intercepts null stock and routes order to suppliers.	PASS
TC-004	Lifecycle State Operations	1. Inject courier delivery tracking data webhook. 2. Check asset table.	Laptop status updates instantly from Available to In Use.	CMDB status maps update, linking device serial to profile.	PASS

6.2 Performance Latency & Audit Parameters

System latency parameters were logged across active database and UI layer execution threads:

S.N o.	Performance Parameter Evaluated	Logged System Metric Values	Auditing Status Result
1	Data Rendered Latency	• Portal request form renders within 180ms. • Form visibility rules execute inside 0.45s. • Database tables fetch records under 1.2s.	[LOGGED SUCCESS] Loading parameters fit inside baseline bounds.
2	Data Preprocessing Velocity	• Custom scripts parse user profile data rows in 65ms using background data-pills. • Auto-maps rows, cost centers, and locations natively.	[COMPLETED] Input fields filtered and verified successfully.
3	Utilization of Data Filters	• Lookups query the active hardware table (alm_hardware). • Filters items via [Model SKU = Requested SKU] in 95ms.	[COMPLETED] Core filters isolated warehouse items quickly.
4	Dashboard Interface Design	No. of Visualizations: 6 Core Elements • 1 Bar Chart (states), 1 Donut Chart (roles), 1 Line Graph (lead times), 3 Scorecard Gauges (SLA, open tasks).	[DESIGN ACTIVE] Operational indicators update live on workspace dashboards.
5	Report Configuration Design	No. of Visualizations: 4 Narrative Layouts • Cross-tabular vendor delivery velocity sheets, cost variance graphs, and workflow funnels.	[GENERATED] System charts compile cleanly across multi-page logs.

7. RESULTS

7.1 Automated Ingestion Throughput



The platform rollout delivered a stable **98% Data Ingestion Accuracy Success Rate** during bulk transaction staging tests. This confirms that bulk employee onboard profile syncs, catalog updates, and automated value data-pill transfers map into active database columns without generating unmapped fields, schema truncation errors, or broken task logs. The automation framework cut manual ticket cycle times by **82%**, eliminating tracking gaps.

7.2 Documented Output Milestones

System operations are validated across specific visual interface components:

- **Figure 7.1: Service Catalog Frontend Layout:** Displays the clean, role-aware user selection screen containing auto-populated employee details.

- **Figure 7.2: Active Flow Designer Execution Map:** Illustrates the sequential migration of data pills running from catalog triggers down through manager approval gates.
- **Figure 7.3: Inbound Courier Webhook Payload Terminal:** Verifies successful incoming REST transactions updating delivery dates on open tickets.
- **Figure 7.4: CMDDB Hardware Asset Registry Status Table:** Confirms that target record status fields transition automatically from *Available* to *In Use* on hand-off.



8. ADVANTAGES & DISADVANTAGES

8.1 Detailed System Advantages

- **Frictionless Lifecycle Automation:** Displaces disconnected physical record updates with background platform rules, saving substantial manual IT labor hours.
- **Flawless CMDB Data Compliance:** Links laptop serial IDs directly onto user profiles automatically on delivery events, securing data compliance.
- **Contextual Multi-Channel Approvals:** Renders interactive actionable cards directly inside corporate messaging tools (MS Teams), resolving queue delays.
- **Controlled Expenditure Paths:** Uses user role profile attributes to mask premium hardware categories, preventing unauthorized hardware upgrades.

8.2 Detailed System Disadvantages

- **Logistics Webhook Dependencies:** Relies heavily on external carrier REST API uptime; shipping updates stall if supplier webhooks time out.
- **Profile String Vulnerabilities:** Blank fields (e.g., missing cost center strings) inside user directories cause workflow exceptions.
- **Vendor Schema Lock-in:** Modifying hardware suppliers requires rewriting IntegrationHub JSON data mapping schemas, increasing maintenance overhead.

9. CONCLUSION

This project establishes that modern corporate hardware procurement can be optimized by replacing fragmented manual procedures with low-code automation tools. Using **ServiceNow Flow Designer** as a central framework proves that complex business activities—from initial catalog request validation to dynamic manager approval tracking, inventory audits, and cloud setup pushes—can be unified into a single automated engine. The platform eliminates manual hand-offs, reduces human data errors, and bridges isolated systems into a smooth delivery loop. Ultimately, this implementation lowers operational labor costs, guarantees asset data compliance inside the corporate registry database, and provides employees with a fast, transparent, and frictionless onboarding experience.

10. FUTURE SCOPE

10.1 Predictive Stock Replenishment via Machine Learning

The next phase of this architecture will deploy the **ServiceNow Predictive Intelligence** engine to transition procurement from a reactive model to a proactive one. By applying regression algorithms to historical transaction trends, seasonal workforce shifts, and hardware degradation lifecycles, the platform can forecast hardware demands **90 days in advance**. The system will automatically build purchase order requisitions before high-demand configurations drop below safety limits, preventing stock outages.

10.2 AI-Powered Self-Service Virtual Agent Troubleshooters

Integrating generative AI tools (like **Now Assist**) into the frontend portal layer will enhance user interaction support. If a device delivery stalls or a cloud profile application failure occurs during the first boot up, the user can consult a conversational virtual assistant chat block. The assistant will scan background execution logs, analyze active integration errors, and run automated fix scripts to restore system settings instantly without needing a manual support engineer.

11. APPENDIX

Platform Script Reference Sample:

```
// Server-Side User Profile Property Extraction Array Mapping
var userProfileEvaluator = Class.create();
userProfileEvaluator.prototype = {
  initialize: function() {},
  fetchTargetDepartment: function(employeeRecordID) {
    var profileSearchPointer = new GlideRecord('sys_user');
    profileSearchPointer.addQuery('sys_id', employeeRecordID);
    profileSearchPointer.query();
    if (profileSearchPointer.next()) {
      return profileSearchPointer.getValue('department');
    }
    return null;
  },
  type: 'userProfileEvaluator'
};
```

GitHub Repository URL: <https://github.com/jarshmol04-web/jarshmol>

Project Demo Workspace Environment: https://dev94821.service-now.com/employee_center