MyQuest™

JANGAON,ESTELLA

DOB: 04/09/1963
Sex: F
Phone: (713) 294-2551
Patient ID: 19288

Age: 60
Fasting: Y

Specimen: HZ363394G
Requisition: 0021567
Report Status: FINAL / SEE REPORT

Collected: 11/07/2023 09:23
Received: 11/07/2023 09:23
Reported: 11/08/2023 13:54

Client #: 4463400
KUMAR,ARUN
KUMAR, ARUN MD
10726 HUFFMEISTER RD STE 100
HOUSTON, TX 77065-3181
Phone: (281) 477-0666
Fax: (281) 477-0577

FASTING:YES

⚠ LIPID PANEL, STANDARD

Analyte	Value	
CHOLESTEROL, TOTAL	175	Reference Range: <200 mg/dL
⚠ **HDL CHOLESTEROL**	49 L	Reference Range: > OR = 50 mg/dL
TRIGLYCERIDES	55	Reference Range: <150 mg/dL
⚠ **LDL-CHOLESTEROL** Reference range: <100 Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors. LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)	112 H	mg/dL (calc)
CHOL/HDLC RATIO	3.6	Reference Range: <5.0 (calc)
NON HDL CHOLESTEROL For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.	126	Reference Range: <130 mg/dL (calc)

⚠ COMPREHENSIVE METABOLIC PANEL

Analyte	Value	
⚠ **GLUCOSE** Fasting reference interval For someone without known diabetes, a glucose value between 100 and 125 mg/dL is consistent with prediabetes and should be confirmed with a follow-up test.	100 H	Reference Range: 65-99 mg/dL
UREA NITROGEN (BUN)	17	Reference Range: 7-25 mg/dL
CREATININE	0.60	Reference Range: 0.50-1.05 mg/dL
EGFR	103	Reference Range: > OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO Not Reported: BUN and Creatinine are within reference range.	SEE NOTE:	Reference Range: 6-22 (calc)
SODIUM	143	Reference Range: 135-146 mmol/L
POTASSIUM	4.2	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	106	Reference Range: 98-110 mmol/L

CARBON DIOXIDE	29	Reference Range: 20-32 mmol/L
CALCIUM	9.2	Reference Range: 8.6-10.4 mg/dL
PROTEIN, TOTAL	7.2	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.3	Reference Range: 3.6-5.1 g/dL
GLOBULIN	2.9	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.5	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.7	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	57	Reference Range: 37-153 U/L
AST	14	Reference Range: 10-35 U/L
ALT	15	Reference Range: 6-29 U/L

⚠ URINALYSIS, COMPLETE

Analyte	Value	
COLOR	YELLOW	Reference Range: YELLOW
APPEARANCE	CLEAR	Reference Range: CLEAR
SPECIFIC GRAVITY	1.018	Reference Range: 1.001-1.035
PH	6.5	Reference Range: 5.0-8.0
GLUCOSE	NEGATIVE	Reference Range: NEGATIVE
BILIRUBIN	NEGATIVE	Reference Range: NEGATIVE
KETONES	NEGATIVE	Reference Range: NEGATIVE
⚠ **OCCULT BLOOD**	TRACE	Reference Range: NEGATIVE
PROTEIN	NEGATIVE	Reference Range: NEGATIVE
NITRITE	NEGATIVE	Reference Range: NEGATIVE
LEUKOCYTE ESTERASE	NEGATIVE	Reference Range: NEGATIVE
WBC	0-5	Reference Range: < OR = 5 /HPF
⚠ **RBC**	3-10	Reference Range: < OR = 2 /HPF
SQUAMOUS EPITHELIAL CELLS	0-5	Reference Range: < OR = 5 /HPF
BACTERIA	NONE SEEN	Reference Range: NONE SEEN /HPF
HYALINE CAST	NONE SEEN	Reference Range: NONE SEEN /LPF

NOTE

```
This urine was analyzed for the presence of WBC,
RBC, bacteria, casts, and other formed elements.
Only those elements seen were reported.
```

⚠ VITAMIN D,25-OH,TOTAL,IA

Analyte	Value

⚠ **VITAMIN D,25-OH,TOTAL,IA**	**29 L**	Reference Range: 30-100 ng/mL

```
Vitamin D Status         25-OH Vitamin D:

Deficiency:                    <20 ng/mL
Insufficiency:             20 - 29 ng/mL
Optimal:                 > or = 30 ng/mL

For 25-OH Vitamin D testing on patients on
D2-supplementation and patients for whom quantitation
of D2 and D3 fractions is required, the QuestAssureD(TM)
25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order
code 92888 (patients >2yrs).
```

COMMENT

See Note 1

Note 1

For additional information, please refer to http://education.QuestDiagnostics.com/faq/FAQ199 (This link is being provided for informational/ educational purposes only.)

⚠ HEMOGLOBIN A1c

Analyte	Value	
⚠ **HEMOGLOBIN A1c**	**5.8 H**	Reference Range: <5.7 % of total Hgb

For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test.

For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations.

This assay result is consistent with an increased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.

ALBUMIN, RANDOM URINE W/CREATININE

Analyte	Value	
CREATININE, RANDOM URINE	**128**	Reference Range: 20-275 mg/dL

MICROALBUMIN, RANDOM URINE (W/CREATININE)

Analyte	Value	
ALBUMIN, URINE	**2.2**	Reference Range: Reference Range mg/dL Not established mg/dL
ALBUMIN/CREATININE RATIO, RANDOM URINE	**17**	Reference Range: <30 mcg/mg creat

The ADA defines abnormalities in albumin excretion as follows:

```
Albuminuria Category        Result (mcg/mg creatinine)

Normal to Mildly increased   <30
Moderately increased         30-299
Severely increased           > OR = 300
```

The ADA recommends that at least two of three specimens collected within a 3-6 month period be abnormal before considering a patient to be within a diagnostic category.

TSH+FREE T4

Analyte	Value	
TSH	1.34	Reference Range: 0.40-4.50 mIU/L
T4, FREE	1.3	Reference Range: 0.8-1.8 ng/dL

MAGNESIUM

Analyte	Value	
MAGNESIUM	1.9	Reference Range: 1.5-2.5 mg/dL

PHOSPHATE (AS PHOSPHORUS)

Analyte	Value	
PHOSPHATE (AS PHOSPHORUS)	3.8	Reference Range: 2.5-4.5 mg/dL

URIC ACID

Analyte	Value	
URIC ACID `Therapeutic target for gout patients: <6.0 mg/dL`	4.2	Reference Range: 2.5-7.0 mg/dL

IRON AND TOTAL IRON BINDING CAPACITY

Analyte	Value	
IRON, TOTAL	76	Reference Range: 45-160 mcg/dL
IRON BINDING CAPACITY	274	Reference Range: 250-450 mcg/dL (calc)
% SATURATION	28	Reference Range: 16-45 % (calc)

CBC (INCLUDES DIFF/PLT)

Analyte	Value	
WHITE BLOOD CELL COUNT	6.7	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	4.04	Reference Range: 3.80-5.10 Million/uL
HEMOGLOBIN	12.3	Reference Range: 11.7-15.5 g/dL
HEMATOCRIT	37.2	Reference Range: 35.0-45.0 %
MCV	92.1	Reference Range: 80.0-100.0 fL
MCH	30.4	Reference Range: 27.0-33.0 pg
MCHC	33.1	Reference Range: 32.0-36.0 g/dL
RDW	13.7	Reference Range: 11.0-15.0 %
PLATELET COUNT	277	Reference Range: 140-400 Thousand/uL
MPV	11.1	Reference Range: 7.5-12.5 fL
ABSOLUTE NEUTROPHILS	3792	Reference Range: 1500-7800 cells/uL
ABSOLUTE LYMPHOCYTES	2265	Reference Range: 850-3900 cells/uL
ABSOLUTE MONOCYTES	523	Reference Range: 200-950 cells/uL

ABSOLUTE EOSINOPHILS	80	Reference Range: 15-500 cells/uL
ABSOLUTE BASOPHILS	40	Reference Range: 0-200 cells/uL
NEUTROPHILS	56.6	%
LYMPHOCYTES	33.8	%
MONOCYTES	7.8	%
EOSINOPHILS	1.2	%
BASOPHILS	0.6	%

FERRITIN

Analyte	Value	
FERRITIN	130	Reference Range: 16-232 ng/mL

VITAMIN B12/FOLATE, SERUM PANEL

Analyte	Value	
VITAMIN B12 Please Note: Although the reference range for vitamin B12 is 200-1100 pg/mL, it has been reported that between 5 and 10% of patients with values between 200 and 400 pg/mL may experience neuropsychiatric and hematologic abnormalities due to occult B12 deficiency; less than 1% of patients with values above 400 pg/mL will have symptoms.	331	Reference Range: 200-1100 pg/mL
FOLATE, SERUM Reference Range Low: <3.4 Borderline: 3.4-5.4 Normal: >5.4	11.8	ng/mL

Performing Sites

RGA Quest Diagnostics-Houston Lab, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Meredith A Reyes

Key

Priority Out of Range   Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest Diagnostics™