

JANGAON, ESTELLA

DOB: 04/09/1963 Age: 54 Specimen: HL803282B Collected: 10/25/2017 09:19 Client #: 54860600 10490 HUFFMEISTER RD STE B
Sex: F Fasting: Requisition: 9477516 Received: 10/26/2017 07:59 HIGHTOWER, ERICA E HOUSTON, TX 77065-5654
Phone: (281) 373-5940 Report Status: FINAL / SEE REPORT Reported: 10/27/2017 08:51 DIABETES TEXAS
Patient ID: 110196 Fax: (346) 206-4333

FASTING ; FASTING FASTING FASTING FASTING FASTING FASTING FAST

▲ LIPID PANEL

CHOLESTEROL, TOTAL	147	Reference Range: <200 mg/dL
▲ HDL CHOLESTEROL	44 L	Reference Range: >50 mg/dL
TRIGLYCERIDES	74	Reference Range: <150 mg/dL
LDL-CHOLESTEROL	87	mg/dL (calc)
Reference range: <100 Desirable range <100 mg/dL for patients with CHD or diabetes and <70 mg/dL for diabetic patients with known heart disease. LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)		
CHOL/HDL-C RATIO	3.3	Reference Range: <5.0 (calc)
NON HDL CHOLESTEROL	103	Reference Range: <130 mg/dL (calc)
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.		

▲ COMPREHENSIVE METABOLIC PANEL

▲ GLUCOSE	104 H	Reference Range: 65-99 mg/dL
Fasting reference interval For someone without known diabetes, a glucose value between 100 and 125 mg/dL is consistent with prediabetes and should be confirmed with a follow-up test.		
UREA NITROGEN (BUN)	19	Reference Range: 7-25 mg/dL
CREATININE	0.58	Reference Range: 0.50-1.05 mg/dL
For patients >49 years of age, the reference limit for Creatinine is approximately 13% higher for people identified as African-American.		
eGFR NON-AFR. AMERICAN	104	Reference Range: > OR = 60 mL/min/1.73m ²
eGFR AFRICAN AMERICAN	121	Reference Range: > OR = 60 mL/min/1.73m ²
BUN/CREATININE RATIO	NOT APPLICABLE	Reference Range: 6-22 (calc)
SODIUM	145	Reference Range: 135-146 mmol/L
POTASSIUM	3.9	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	104	Reference Range: 98-110 mmol/L
CARBON DIOXIDE	27	Reference Range: 20-31 mmol/L
CALCIUM	9.4	Reference Range: 8.6-10.4 mg/dL
PROTEIN, TOTAL	7.0	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.0	Reference Range: 3.6-5.1 g/dL
GLOBULIN	3.0	Reference Range: 1.9-3.7 g/dL (calc)

ALBUMIN/GLOBULIN RATIO	1.3	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.6	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	67	Reference Range: 33-130 U/L
AST	15	Reference Range: 10-35 U/L
ALT	11	Reference Range: 6-29 U/L

⚠ HEMOGLOBIN A1c

⚠ HEMOGLOBIN A1c	5.7 H	Reference Range: <5.7 % of total Hgb
For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test. For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations. This assay result is consistent with an increased risk of diabetes. Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.		

⚠ VITAMIN D,25-OH,TOTAL,IA

⚠ VITAMIN D,25-OH,TOTAL,IA	25 L	Reference Range: 30-100 ng/mL
Vitamin D Status 25-OH Vitamin D: Deficiency: <20 ng/mL Insufficiency: 20 - 29 ng/mL Optimal: > or = 30 ng/mL For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs). For more information on this test, go to: http://education.questdiagnostics.com/faq/FAQ163 (This link is being provided for informational/educational purposes only.)		

⚠ URINALYSIS, COMPLETE W/REFLEX TO CULTURE

COLOR	DARK YELLOW	Reference Range: YELLOW
APPEARANCE	CLEAR	Reference Range: CLEAR
SPECIFIC GRAVITY	1.025	Reference Range: 1.001-1.035
PH	6.0	Reference Range: 5.0-8.0
GLUCOSE	NEGATIVE	Reference Range: NEGATIVE
BILIRUBIN	NEGATIVE	Reference Range: NEGATIVE
KETONES	NEGATIVE	Reference Range: NEGATIVE
⚠ OCCULT BLOOD	TRACE	Reference Range: NEGATIVE
⚠ PROTEIN	TRACE	Reference Range: NEGATIVE
NITRITE	NEGATIVE	Reference Range: NEGATIVE
LEUKOCYTE ESTERASE	NEGATIVE	Reference Range: NEGATIVE
WBC	0-5	Reference Range: < OR = 5 /HPF
RBC	0-2	Reference Range: < OR = 2 /HPF
⚠ SQUAMOUS EPITHELIAL CELLS	10-20	Reference Range: < OR = 5 /HPF
⚠ BACTERIA	FEW	Reference Range: NONE SEEN /HPF

CALCIUM OXALATE CRYSTALS	FEW	Reference Range: NONE OR FEW /HPF
HYALINE CAST	NONE SEEN	Reference Range: NONE SEEN /LPF
COMMENTS	FEW MUCOUS THREADS	

REFLEXIVE URINE CULTURE

REFLEXIVE URINE CULTURE	NO CULTURE INDICATED	
-------------------------	----------------------	--

MICROALBUMIN, RANDOM URINE (W/CREATININE)

CREATININE, RANDOM URINE	265	Reference Range: 20-320 mg/dL
--------------------------	-----	-------------------------------

MICROALBUMIN, RANDOM URINE (W/CREATININE)

MICROALBUMIN	3.2	Reference Range: Reference Range mg/dL Not established mg/dL
MICROALBUMIN/CREATININE RATIO, RANDOM URINE	12	Reference Range: <30 mcg/mg creat

The ADA defines abnormalities in albumin excretion as follows:

Category	Result (mcg/mg creatinine)
Normal	<30
Microalbuminuria	30-299
Clinical albuminuria	> OR = 300

The ADA recommends that at least two of three specimens collected within a 3-6 month period be abnormal before considering a patient to be within a diagnostic category.

TSH

TSH	1.84	mIU/L
Reference Range > or = 20 Years 0.40-4.50 Pregnancy Ranges First trimester 0.26-2.66 Second trimester 0.55-2.73 Third trimester 0.43-2.91		

T4, FREE

T4, FREE	1.3	Reference Range: 0.8-1.8 ng/dL
----------	-----	--------------------------------

CBC (H/H, RBC, INDICES, WBC, PLT)

WHITE BLOOD CELL COUNT	6.9	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	4.15	Reference Range: 3.80-5.10 Million/uL
HEMOGLOBIN	12.2	Reference Range: 11.7-15.5 g/dL
HEMATOCRIT	38.0	Reference Range: 35.0-45.0 %
MCV	91.6	Reference Range: 80.0-100.0 fL
MCH	29.4	Reference Range: 27.0-33.0 pg
MCHC	32.1	Reference Range: 32.0-36.0 g/dL
RDW	13.1	Reference Range: 11.0-15.0 %
PLATELET COUNT	255	Reference Range: 140-400 Thousand/uL
MPV	11.0	Reference Range: 7.5-12.5 fL

Performing Sites

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '@' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2017 Quest Diagnostics Incorporated. All rights reserved.