

Ordered Items: CBC With Differential/Platelet; Comp. Metabolic Panel (14); UA/M w/rflx Culture, Routine; Lipid Panel; Iron and TIBC; Albumin/Creatinine Ratio,Urine; Hemoglobin A1c; Thyroxine (T4) Free, Direct, S; TSH; Vitamin D, 25-Hydroxy; Vitamin B12; Magnesium; Ferritin, Serum; Venipuncture

Date Collected: 06/14/2021

Date Received: 06/14/2021

Date Reported: 06/16/2021

Fasting: Yes

CBC With Differential/Platelet

Test	Current Result and Flag		Previous Result and Date		Units	Reference Interval
WBC ⁰¹	6.2		7.1	12/10/2020	x10E3/uL	3.4-10.8
RBC ⁰¹	4.15		3.97	12/10/2020	x10E6/uL	3.77-5.28
Hemoglobin ⁰¹	12.6		11.8	12/10/2020	g/dL	11.1-15.9
Hematocrit ⁰¹	38.6		36.1	12/10/2020	%	34.0-46.6
MCV ⁰¹	93		91	12/10/2020	fL	79-97
MCH ⁰¹	30.4		29.7	12/10/2020	pg	26.6-33.0
MCHC ⁰¹	32.6		32.7	12/10/2020	g/dL	31.5-35.7
RDW ⁰¹	13.0		13.2	12/10/2020	%	11.7-15.4
Platelets ⁰¹	263		250	12/10/2020	x10E3/uL	150-450
Neutrophils ⁰¹	64		69	12/10/2020	%	Not Estab.
Lymphs ⁰¹	25		22	12/10/2020	%	Not Estab.
Monocytes ⁰¹	8		7	12/10/2020	%	Not Estab.
Eos ⁰¹	2		1	12/10/2020	%	Not Estab.
Basos ⁰¹	1		1	12/10/2020	%	Not Estab.
Neutrophils (Absolute) ⁰¹	3.9		4.9	12/10/2020	x10E3/uL	1.4-7.0
Lymphs (Absolute) ⁰¹	1.6		1.5	12/10/2020	x10E3/uL	0.7-3.1
Monocytes(Absolute) ⁰¹	0.5		0.5	12/10/2020	x10E3/uL	0.1-0.9
Eos (Absolute) ⁰¹	0.1		0.1	12/10/2020	x10E3/uL	0.0-0.4
Baso (Absolute) ⁰¹	0.1		0.1	12/10/2020	x10E3/uL	0.0-0.2
Immature Granulocytes ⁰¹	0		0	12/10/2020	%	Not Estab.
Immature Grans (Abs) ⁰¹	0.0		0.0	12/10/2020	x10E3/uL	0.0-0.1

Comp. Metabolic Panel (14)

Test	Current Result and Flag		Previous Result and Date		Units	Reference Interval
▲ Glucose ⁰¹	110	High	108	12/10/2020	mg/dL	65-99
BUN ⁰¹	19		15	12/10/2020	mg/dL	6-24
Creatinine ⁰¹	0.69		0.69	12/10/2020	mg/dL	0.57-1.00
eGFR If NonAfricn Am	96		97	12/10/2020	mL/min/1.73	>59

Comp. Metabolic Panel (14) (Cont.)

eGFR If Africn Am	111	112	12/10/2020	mL/min/1.73	>59
Labcorp currently reports eGFR in compliance with the current recommendations of the National Kidney Foundation. Labcorp will update reporting as new guidelines are published from the NKF-ASN Task force.					
▲ BUN/Creatinine Ratio	28	High	22	12/10/2020	9-23
Sodium ⁰¹	142		144	12/10/2020	mmol/L 134-144
Potassium ⁰¹	4.8		4.5	12/10/2020	mmol/L 3.5-5.2
Chloride ⁰¹	103		103	12/10/2020	mmol/L 96-106
Carbon Dioxide, Total ⁰¹	26		26	12/10/2020	mmol/L 20-29
Calcium ⁰¹	9.4		9.6	12/10/2020	mg/dL 8.7-10.2
Protein, Total ⁰¹	7.2		7.3	12/10/2020	g/dL 6.0-8.5
Albumin ⁰¹	4.2		4.4	12/10/2020	g/dL 3.8-4.9
Globulin, Total	3.0		2.9	12/10/2020	g/dL 1.5-4.5
A/G Ratio	1.4		1.5	12/10/2020	1.2-2.2
Bilirubin, Total ⁰¹	0.6		0.7	12/10/2020	mg/dL 0.0-1.2
Alkaline Phosphatase ⁰¹	73		70*	12/10/2020	IU/L 48-121
AST (SGOT) ⁰¹	15		15	12/10/2020	IU/L 0-40
ALT (SGPT) ⁰¹	12		10	12/10/2020	IU/L 0-32

* Previous Reference Interval: (Alkaline Phosphatase: 39-117 IU/L IU/L)

UA/M w/rflx Culture, Routine

Test	Current Result and Flag		Previous Result and Date		Units	Reference Interval
Urinalysis Gross Exam ⁰¹						
Specific Gravity ⁰¹	1.029		1.021	12/10/2020		1.005-1.030
pH ⁰¹	5.5		5.5	12/10/2020		5.0-7.5
Urine-Color ⁰¹	Yellow		Yellow	12/10/2020		Yellow
Appearance ⁰¹	Clear		Clear	12/10/2020		Clear
► WBC Esterase ⁰¹	1+	Abnormal	Trace	12/10/2020		Negative
Protein ⁰¹	Trace		Negative	12/10/2020		Negative/Trace
Glucose ⁰¹	Negative		Negative	12/10/2020		Negative
Ketones ⁰¹	Negative		Negative	12/10/2020		Negative
► Occult Blood ⁰¹	Trace	Abnormal	Trace	12/10/2020		Negative
Bilirubin ⁰¹	Negative		Negative	12/10/2020		Negative
Urobilinogen,Semi-Qn ⁰¹	0.2		0.2	12/10/2020	mg/dL	0.2-1.0
Nitrite, Urine ⁰¹	Negative		Negative	12/10/2020		Negative

UA/M w/rflx Culture, Routine (Cont.)

Microscopic Examination ⁰¹	See below:		See below:	12/10/2020		
Microscopic was indicated and was performed.						
WBC ⁰¹	0-5		0-5*	12/10/2020	/hpf	0 - 5
▶ RBC ⁰¹	11-30	Abnormal	3-10*	12/10/2020	/hpf	0 - 2
Epithelial Cells (non renal) ⁰¹	0-10		0-10*	12/10/2020	/hpf	0 - 10
Casts ⁰¹	None seen		Present*	12/10/2020	/lpf	None seen
▶ Crystals ⁰¹	Present	Abnormal	Present	12/05/2019		N/A
Crystal Type ⁰¹	Calcium Oxalate		Calcium Oxalate	12/05/2019		N/A
Mucus Threads ⁰¹	Present		Present	12/10/2020		Not Estab.
Bacteria ⁰¹	None seen		Few	12/10/2020		None seen/Few
Urinalysis Reflex ⁰¹						
This specimen has reflexed to a Urine Culture.						
Urine Culture, Routine ⁰¹	Final report		Final report	12/10/2020		
Result 1 ⁰¹						
Mixed urogenital flora 25,000-50,000 colony forming units per mL						

* Previous Reference Intervals: (WBC: 0 - 5 /hpf), (RBC: 0 - 2 /hpf), (Epithelial Cells (non renal): 0 - 10 /hpf), (Casts: None seen /lpf)

Lipid Panel

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Cholesterol, Total ⁰¹	143	150	12/10/2020	mg/dL	100-199
Triglycerides ⁰¹	96	88	12/10/2020	mg/dL	0-149
HDL Cholesterol ⁰¹	48	47	12/10/2020	mg/dL	>39
VLDL Cholesterol Cal	18	17	12/10/2020	mg/dL	5-40
LDL Chol Calc (NIH)	77	86	12/10/2020	mg/dL	0-99

Iron and TIBC

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Iron Bind.Cap.(TIBC)	271	252	12/10/2020	ug/dL	250-450
UIBC ⁰¹	185	161	12/10/2020	ug/dL	131-425
Iron ⁰¹	86	91	12/10/2020	ug/dL	27-159
Iron Saturation	32	36	12/10/2020	%	15-55

Albumin/Creatinine Ratio,Urine

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Creatinine, Urine ⁰¹	220.8	136.5	12/10/2020	mg/dL	Not Estab.
Albumin, Urine ⁰¹	20.9	6.2	12/10/2020	ug/mL	Not Estab.
Alb/Creat Ratio	9	5	12/10/2020	mg/g creat	0-29

Normal:

0 - 29

Moderately increased:

30 - 300

Severely increased:

>300

Hemoglobin A1c

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
 Hemoglobin A1c ⁰¹	6.4 High	6.0	12/10/2020	%	4.8-5.6

Please Note:⁰¹

Prediabetes:

5.7 - 6.4

Diabetes:

>6.4

Glycemic control for adults with diabetes:

<7.0

Thyroxine (T4) Free, Direct, S

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
T4,Free(Direct) ⁰¹	1.56	1.46	06/12/2020	ng/dL	0.82-1.77

TSH

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
TSH ⁰¹	1.020	0.995	12/10/2020	uIU/mL	0.450-4.500

Vitamin D, 25-Hydroxy

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
 Vitamin D, 25-Hydroxy ⁰¹	24.0 Low	27.5	12/10/2020	ng/mL	30.0-100.0

Vitamin D deficiency has been defined by the Institute of Medicine and an Endocrine Society practice guideline as a level of serum 25-OH vitamin D less than 20 ng/mL (1,2). The Endocrine Society went on to further define vitamin D insufficiency as a level between 21 and 29 ng/mL (2).

1. IOM (Institute of Medicine). 2010. Dietary reference intakes for calcium and D. Washington DC: The National Academies Press.

2. Holick MF, Binkley NC, Bischoff-Ferrari HA, et al. Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline. JCEM. 2011 Jul; 96(7):1911-30.



Vitamin B12

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Vitamin B12 ⁰¹	404	365	12/10/2020	pg/mL	232-1245

Magnesium

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
Magnesium ⁰¹	2.1	1.9	12/10/2020	mg/dL	1.6-2.3

Ferritin, Serum

Test	Current Result and Flag	Previous Result and Date		Units	Reference Interval
▲ Ferritin, Serum ⁰¹	222 High	279	12/10/2020	ng/mL	15-150

Disclaimer
The Previous Result is listed for the most recent test performed by Labcorp in the past 3 years where there is sufficient patient demographic data to match the result to the patient.

Icon Legend
▲ Out of reference range ■ Critical or Alert

Performing Labs
01: HD - LabCorp Houston 7207 North Gessner, Houston, TX, 77040-3143 Dir: Kyle Eskue, MD
For Inquiries, the physician can contact Branch: 713-856-8288 Lab: 713-856-8288

Patient Details
Jangaon, Estella
31211 ROANOKE WOODS DR, TOMBALL, TX, 77375

Phone: 281-373-5940
Date of Birth: 04/09/1963
Age: 58
Sex: Female
Patient ID: 254166188
Alternate Patient ID: 254166188

Physician Details
E HIGHTOWER
Diabetes Texas, P.A.
10490 Huffmeister Road, Ste B, Houston, TX, 77065

Phone: 832-280-5447
Account Number: 42087870
Physician ID: 1629198726
NPI: 1629198726

Specimen Details
Specimen ID: 165-363-1558-0
Control ID: 41587600
Alternate Control Number: 41587600
Date Collected: 06/14/2021 0852 Local
Date Received: 06/14/2021 0000 ET
Date Entered: 06/14/2021 1504 ET
Date Reported: 06/16/2021 2107 ET
Rte: 75