

JANGAON, ESTELLA

DOB: 04/09/1963
Sex: F
Phone: (713) 294-2551
Patient ID: 19288

Age: 59
Fasting: Y

Specimen: HZ834862A
Requisition: 0018656
Report Status: FINAL / SEE REPORT

Collected: 06/01/2022 09:08
Received: 06/01/2022 09:15
Reported: 06/02/2022 01:18

Client #: 4463400
KUMAR, ARUN
KUMAR, ARUN MD
10726 HUFFMEISTER RD STE 100
HOUSTON, TX 77065-3181
Phone: (281) 477-0666
Fax: (281) 477-0577

FASTING: YES

▲ HEMOGLOBIN A1c

Analyte	Value
▲ HEMOGLOBIN A1c For someone without known diabetes, a hemoglobin A1c value between 5.7% and 6.4% is consistent with prediabetes and should be confirmed with a follow-up test. For someone with known diabetes, a value <7% indicates that their diabetes is well controlled. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations. This assay result is consistent with an increased risk of diabetes. Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.	6.2 H Reference Range: <5.7 % of total Hgb

COMPREHENSIVE METABOLIC PANEL

Analyte	Value
GLUCOSE Fasting reference interval	93 Reference Range: 65-99 mg/dL
UREA NITROGEN (BUN)	17 Reference Range: 7-25 mg/dL
CREATININE For patients >49 years of age, the reference limit for Creatinine is approximately 13% higher for people identified as African-American.	0.64 Reference Range: 0.50-1.05 mg/dL
eGFR NON-AFR. AMERICAN	98 Reference Range: > OR = 60 mL/min/1.73m ²
eGFR AFRICAN AMERICAN	113 Reference Range: > OR = 60 mL/min/1.73m ²
BUN/CREATININE RATIO	NOT APPLICABLE Reference Range: 6-22 (calc)
SODIUM	144 Reference Range: 135-146 mmol/L
POTASSIUM	4.4 Reference Range: 3.5-5.3 mmol/L
CHLORIDE	106 Reference Range: 98-110 mmol/L
CARBON DIOXIDE	28 Reference Range: 20-32 mmol/L
CALCIUM	9.7 Reference Range: 8.6-10.4 mg/dL
PROTEIN, TOTAL	7.5 Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.2 Reference Range: 3.6-5.1 g/dL
GLOBULIN	3.3 Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.3 Reference Range: 1.0-2.5 (calc)

BILIRUBIN, TOTAL	0.7	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	56	Reference Range: 37-153 U/L
AST	17	Reference Range: 10-35 U/L
ALT	13	Reference Range: 6-29 U/L

VITAMIN D,25-OH,TOTAL,IA

Analyte	Value
VITAMIN D,25-OH,TOTAL,IA	47 Reference Range: 30-100 ng/mL
Vitamin D Status	25-OH Vitamin D:
Deficiency:	<20 ng/mL
Insufficiency:	20 - 29 ng/mL
Optimal:	> or = 30 ng/mL
For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssured(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).	

COMMENT

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (This link is being provided for informational/ educational purposes only.)

LIPID PANEL, STANDARD

Analyte	Value
CHOLESTEROL, TOTAL	137 Reference Range: <200 mg/dL
HDL CHOLESTEROL	51 Reference Range: > OR = 50 mg/dL
TRIGLYCERIDES	74 Reference Range: <150 mg/dL
LDL-CHOLESTEROL	71 mg/dL (calc)
Reference range: <100	
Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors.	
LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)	
CHOL/HDL-C RATIO	2.7 Reference Range: <5.0 (calc)
NON HDL CHOLESTEROL	86 Reference Range: <130 mg/dL (calc)
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.	

CBC (INCLUDES DIFF/PLT)

Analyte	Value
WHITE BLOOD CELL COUNT	6.2 Reference Range: 3.8-10.8 Thousand/uL

RED BLOOD CELL COUNT	4.23	Reference Range: 3.80-5.10 Million/uL
HEMOGLOBIN	12.7	Reference Range: 11.7-15.5 g/dL
HEMATOCRIT	37.9	Reference Range: 35.0-45.0 %
MCV	89.6	Reference Range: 80.0-100.0 fL
MCH	30.0	Reference Range: 27.0-33.0 pg
MCHC	33.5	Reference Range: 32.0-36.0 g/dL
RDW	13.8	Reference Range: 11.0-15.0 %
PLATELET COUNT	246	Reference Range: 140-400 Thousand/uL
MPV	11.4	Reference Range: 7.5-12.5 fL
ABSOLUTE NEUTROPHILS	3429	Reference Range: 1500-7800 cells/uL
ABSOLUTE LYMPHOCYTES	2158	Reference Range: 850-3900 cells/uL
ABSOLUTE MONOCYTES	533	Reference Range: 200-950 cells/uL
ABSOLUTE EOSINOPHILS	62	Reference Range: 15-500 cells/uL
ABSOLUTE BASOPHILS	19	Reference Range: 0-200 cells/uL
NEUTROPHILS	55.3	%
LYMPHOCYTES	34.8	%
MONOCYTES	8.6	%
EOSINOPHILS	1.0	%
BASOPHILS	0.3	%

VITAMIN B12/FOLATE, SERUM PANEL

Analyte	Value	
VITAMIN B12	332	Reference Range: 200-1100 pg/mL
Please Note: Although the reference range for vitamin B12 is 200-1100 pg/mL, it has been reported that between 5 and 10% of patients with values between 200 and 400 pg/mL may experience neuropsychiatric and hematologic abnormalities due to occult B12 deficiency; less than 1% of patients with values above 400 pg/mL will have symptoms.		
FOLATE, SERUM	10.4	ng/mL
Reference Range Low: <3.4 Borderline: 3.4-5.4 Normal: >5.4		

Performing Sites

RGA Quest Diagnostics-Houston Lab, 5850 Rogerdale Road, Houston, TX 77072-1602 Laboratory Director: Meredith A Reyes

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

